



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-1396-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-01-31
Attn.:	N/A	Expiry Date:	2018-03-02
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Todd Schneider , todds@disney-mclane.com
		Shipping Address:	593 Infirmary Road, Dayton, Ohio, United States

Job Name: Montgomery Co Nicholas Center Renovation - Dayton OH

Engineer: Heapy Engineering **Architect:** John Poe Architects

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
B1/B2	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
<i>Note: P601 - Plumbing Fixtures Equal to: Sloan 111-1.28</i>			
C1/C2	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
<i>Note: P601 - Plumbing Fixtures</i>			
D3	HY-725 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,222.00	1
	HY-725,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,335.00	1
	HY-725,-16,-18 Watts - 16" (406 mm), 18" (457 mm) thick	\$1,446.00	1
<i>Note: P601 - Plumbing Fixtures Equal to: JR Smith 5509QT</i>			

G1	CA-431-1	\$960.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	<i>Note: P601 - Plumbing Fixtures</i>		
G2/G3	CA-421	\$594.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	<i>Note: P601 - Plumbing Fixtures</i>		
Trap Primer	LFTP300-DR Series		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$274.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$274.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$149.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	<i>Note: P601 - Diagram 2 - Trap Primer - Note: No model number listed, so quoting based on description</i>		
FD1	FD-103-A6-6-7	\$508.00	1
	Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 3" (76 mm), vandal proof, trap primer tapping		
	<i>Note: P601 - Drains</i>		
	<i>Equal to: JR Smith 2005-P050-U</i>		
FD2	FD-324-7-21	\$614.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron grate, trap primer tapping, secondary strainer, 4"(102 mm)		
	<i>Note: P601 - Drains</i>		
	<i>Equal to: JR Smith 2310-P050-FBS</i>		
FD3	FS-794-5	\$3,404.00	1
	Watts - 14 gauge type 304 stainless steel receptor body, 8-1/4" (210 mm) deep, no-hub outlet, dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, cast stainless steel, sediment bucket		
	<i>Note: P601 - Drains</i>		
	<i>Equal to: JR Smith 3008-DBS-14 - Note: Quoted option doesn't have option for square center hole grate</i>		
FD4	FD-1103-A5-6-28	\$1,238.00	1
	Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 5" (127 mm) diameter, stainless steel, adjustable round strainer, vandal proof, 304 SS Body & Collar, 3"(76 mm)		
	<i>Note: P601 - Drains</i>		
	<i>Equal to: JR Smith 9700-U</i>		
FD5	FD-102-A6-6-7	\$508.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection		
	<i>Note: P601 - Drains</i>		
	<i>Equal to: JR Smith 2005-P050-U</i>		
RD1	RD-102-D-K	\$915.00	1
	Watts - epoxy coated, 14-1/8" (359 mm) diameter, cast iron body, flashing clamp and integral gravel stop, no-hub outlet, self locking, 12-3/8" (314 mm) diameter, underdeck clamp, ductile iron dome, 2" (51 mm) outlet size		
	<i>Note: P601 - Drains</i>		
	<i>Equal to: JR Smith 1310</i>		

Solids	SI-742	\$1,121.00	1
Interceptor	Watts - epoxy coated, cast aluminum body, gasketed cover, removable stainless steel sediment basket, 2" (51 mm) IPS threaded connections. 10" (254 mm) clearance required above cover to remove sediment bucket.		
Note: PP101B - Plan Note 10 Equal to: JR Smith 8710			
WHA	SS Series		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$3,313.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$3,740.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$4,596.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Specs - 221119-3			
CI	CO-380		
Cleanout	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$76.00	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$117.00	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$162.00	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$332.00	1
	Watts - 6"Ø (152 mm)		
Note: Specs - 22 13 13-1 - Note: No model number listed, so quoting based on description			
FCO	CO-200-R-6		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	CO-200-R-6,2	\$569.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-6,3	\$597.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-6,4	\$772.00	1
	Watts - 4"Ø (102 mm)		
Note: Specs - 221319-1 Equal to: JR Smith 4020 CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER CARPET MARKER (-RC) = \$61.00 LIST ADDER NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			

WCO	CO-590-RD Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw		
	CO-590-RD,1.5 Watts - 1-1/2"Ø (39 mm)	\$145.00	1
	CO-590-RD,2 Watts - 2"Ø (51 mm)	\$148.00	1
	CO-590-RD,3 Watts - 3"Ø (76 mm)	\$183.00	1
	CO-590-RD,4 Watts - 4"Ø (102 mm)	\$243.00	1
	CO-590-RD,5 Watts - 5"Ø (126 mm)	\$339.00	1
	CO-590-RD,6 Watts - 6"Ø (152 mm)	\$522.00	1
	Note: Specs - 221319-1 Equal to: JR Smith 4472		
ECO (No Vehicles)	CO-200-RX-4-6 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top, vandal proof		
	CO-200-RX-4-6,2 Watts - 2"Ø (51 mm)	\$407.00	1
	CO-200-RX-4-6,3 Watts - 3"Ø (76 mm)	\$461.00	1
	CO-200-RX-4-6,4 Watts - 4"Ø (102 mm)	\$547.00	1
	Note: Specs - 221319-1 Equal to: JR Smith 4220		
ECO (Vehicles)	CO-300-MF-6 Watts - epoxy coated, 11" (279mm)diameter, cast iron body, 8" (203mm) round, extra heavy duty, ductile iron top, vandalproof	\$1,175.00	1
	CO-380 Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2 Watts - 2"Ø (51 mm)	\$76.00	1
	CO-380,3 Watts - 3"Ø (76 mm)	\$117.00	1
	CO-380,4 Watts - 4"Ø (102 mm)	\$162.00	1
	CO-380,6 Watts - 6"Ø (152 mm)	\$332.00	1
	Note: Specs - 221319-1 Equal to: JR Smith 4250		

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET1	DETA 20 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$1,902.00	1

Note: P601 - Water Heating Equipment
Equal to: Amtrol ST-20VC

ETA-1	ETA-80 Watts - carbon steel shell, ASME Section VIII construction, heavy duty butyl, bladder, 12 psi pre-charge pressure, tank volume of 45 gallons (0212004)	\$2,385.00	1
-------	---	------------	---

Note: M501 - Equipment Data
Equal to: B&G D-80 - Note: Quoted model offers total volume of 45GAL and acceptance volume of 21GAL, whereas specified model offers total volume of 44.4GAL, and acceptance volume of 22.6GAL

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
A1	F402-1.28 Delany - EXPOSED FLUSHBOY VALVE for WATER CLOSET, 1.28 GPF	\$175.00	1

Note: P601 - Plumbing Fixtures
Equal to: Sloan 111-1.28

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
D2	MSB2424 FIAT - MOP SERVICE BASIN 24"	\$373.00	1

Note: P601 - Plumbing Fixtures

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
B1/B2/B3/F1/F2/F	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

Note: P601 - Plumbing Fixtures

TMV	LFMM431CENW000 Powers - HydroGuard XP Series, 42gpm, Chrome Plated, Bottom/Top, Stainless Steel, Recessed, Low—60°F to 90°F (16°C to 32°C)	\$4,040.00	1
-----	--	------------	---

Note: PP101A - Note & Specs - 221119-2

POU MV	LFLM495-1 Powers - 1/2 LFLM495-1	\$252.00	1
--------	--	----------	---

Note: Specs - 221119-2

Section Brand: Armstrong

Label	Product No. Description	List Price	Qty.
RP1	E11.2B - 120V Armstrong - E Series Circulator, 120V Motor, Lead Free Bronze Body Construction	\$815.00	1

Note: P601 - Water Heating Equipment
Equal to: B&G PL-45

Section Brand: PVi

Label	Product No. Description	List Price	Qty.
DWH1	20L100A-GCL PVI - Gas Condensing Water Heater, AquaPLEX Storage Tank and Heat Exchanger, 100 Gallon Tank	\$0.00	1
	124574 PVI - Option: 3 In Concentric Vent Kit PVC	\$0.00	1
	127319 PVI - Option: 3 In Concentric Vent Kit CPVC	\$0.00	1
	121778 PVI - Option: Cond Neutralizer	\$0.00	1
<i>Note: P601 - Water Heating Equipment Equal to: AO Smith Cyclone BTH-199A</i>			
STI	L175A-TR PVI - Vertical Storage Tank	\$0.00	1
<i>Note: P601 - Water Heating Equipment Equal to: AO Smith TJV-200-M</i>			

Special Terms:

NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.