



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337  
 States

**Quotation:**  
**Q-1509-S**

<b>To:</b>	<b>Contractor Holder Ohio</b> Cincinnati, Ohio	<b>Bid Date:</b>	2018-02-13
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-03-15
<b>Phone:</b>	800-542-1682	<b>Creator:</b>	Dave Evans , davee@disney-mclane.com
<b>Fax:</b>	877-476-1682	<b>Sales Rep.:</b>	Jason Plageman , jasonp@disney-mclane.com
		<b>Shipping Address:</b>	5610 Troy Road, Springfield, Ohio, United States

**Job Name: Northwestern Local Schools - Multi Purpose Athletic Building - Springfield, OH**

**Architect:** Garmann/Miller Architects and Engineers

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
DWC/DWC-1	<b>CA-421</b> Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$594.00	1
<i>Note: P4.1 - Plumbing Fixture Schedule - Domestic Water Cooler</i>			
L-1	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$782.00	1
	<b>TCA-411-D</b> Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,114.00	1
<i>Note: P4.1 - Plumbing Fixture Schedule - Lavatory</i>			
UR/UR-1	<b>CA-321</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
<i>Note: P4.1 - Plumbing Fixture Schedule - Urinal</i>			
WC/WC-1	<b>ISCA-101-L/R</b> Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	<b>ISCA-101-D</b> Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	<b>ISCA-121</b> Watts - single, vertical, cast iron fitting	\$1,423.00	1

	<b>ISCA-121-D</b>	\$2,514.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	<b>ISCA-131-L/R</b>	\$1,664.00	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	<b>ISCA-131-D</b>	\$2,750.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
	<b>Note:</b> P4.1 - Plumbing Fixture Schedule - Water Closet		
FD	<b>FD-103-A5</b>	\$380.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm)		
	<b>Note:</b> P4.1 - Plumbing Fixture Schedule - Floor Drains Equal to: Zurn ZN-415-B - Note: Trap primer to be provided by others		
FD-1	<b>FD-833-TG</b>	\$787.00	1
	Watts - 12" (305 mm) square hopper, cast iron body no-hub outlet, flat bottom strainer, 5-1/4" (133 mm) diameter round strainer, Top Grate-Ductile Iron, 3"(76 mm)		
	<b>Note:</b> P4.1 - Plumbing Fixture Schedule - Floor Drains Equal to: Zurn ZB566-GT - Note: Trap primer to be provided by others		
CO-3	<b>CO-203-R</b>	\$522.00	1
	Watts - epoxy coated, cast iron body, 5" (127 mm) round adjustable gasketed nickel bronze top, removable, gas tight, gasketed, brass plug, 3"Ø (76 mm), no hub outlet.		
	<b>Note:</b> P4.2 - Plumbing Fixture Schedule - Pipe Accessory Schedule Equal to: Zurn ZN1400		
CO-4	<b>CO-204-R</b>	\$696.00	1
	Watts - epoxy coated, cast iron body, 5" (127 mm) round adjustable gasketed nickel bronze top, removable, gas tight, gasketed, brass plug, 4"Ø (102 mm), no hub outlet.		
	<b>Note:</b> P4.2 - Plumbing Fixture Schedule - Pipe Accessory Schedule Equal to: Zurn ZN1400		
RH-CO	<b>CO-300-MF</b>	\$1,099.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	<b>Note:</b> P4.2 - Plumbing Fixture Schedule - Pipe Accessory Schedule Equal to: Zurn Z1474		
WCO	<b>CO-383-RD</b>	\$226.00	1
	Watts - cast iron body, counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw, 2"Ø (51 mm), 3"Ø (76 mm) outlet size		
	<b>Note:</b> P4.2 - Plumbing Fixture Schedule - Pipe Accessory Schedule Equal to: Zurn Z1441		
Shock Absorbers	<b>SS Series</b>		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>SS-B</b>	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>SS-C</b>	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		

<b>SS-D</b>		\$3,313.00	1
Watts - 61-113 fixture units, 1" (25 mm) connection			
<b>SS-E</b>		\$3,740.00	1
Watts - 114-154 fixture units, 1" (25 mm) connection			
<b>SS-F</b>		\$4,596.00	1
Watts - 155-330 fixture units, 1" (25 mm) connection			

**Note:** Specs - 22 1006-4

Trap	<b>LFTP300-DR Series</b>		
Primer	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
<b>LFTP300T</b>		\$274.00	1
Watts - 1/2", Threaded Inlet and Outlet Connect			
<b>LFTP300S</b>		\$274.00	1
ATS - 1/2", Solder Inlet and Threaded Outlet Connect			
<b>LFTP300-DU-DR</b>		\$149.00	1
Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit			

**Note:** Specs - 22 1006-4

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
RPBP-1	<b>957-OSY : 3</b> Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0111585)	\$3,814.00	1
	<b>957-AG</b> Watts - 957-AG Air Gap (0111764)	\$212.50	1
<b>Note:</b> P4.2 - Plumbing Fixture Schedule - Reduced Pressure Backflow Preventer Equal to: Wilkins 375			
DWEXP-1	<b>DETA 20</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$1,902.00	1
<b>Note:</b> P4.2 - Plumbing Fixture Schedule - Domestic Expansion Tank Schedule Equal to: Wilkins WTTA-20			

### Section Brand: Speakman

Label	Product No. Description	List Price	Qty.
L-1	<b>S-8710-CA-E</b> Speakman - Speakman® SensorFlo® Classic S-8710-CA-E Battery Powered Faucet with 4 In. Deck Plate	\$409.36	1
<b>Note:</b> P4.1 - Plumbing Fixture Schedule - Lavatory Equal to: Zurn Z6930-XL-CP4			
SK-2	<b>S-3762-E-HS-LF</b> Speakman - Single lever lead free kitchen faucet with hose and spray attachment, 1.5 gpm laminar flow control outlet, vandal-resistant	\$111.63	1
<b>Note:</b> P4.1 - Plumbing Fixture Schedule - Sinks Equal to: Zurn Z82300-XL-CP8			

FSSK/WSSK	<b>SC-5812-RCP-A-CK</b>	\$125.64	1
	Speakman - Commander Service Sink Faucet, Rough Chrome Plated, Check valves in swivel Assembly		

**Note:** P4.1 - Plumbing Fixture Schedule - Sinks  
 Equal to: Zurn Z843M1-XL-CS

**Section Brand: Fiat**

Label	Product No. Description	List Price	Qty.
FSSK	<b>MSB2424</b> FIAT - MOP SERVICE BASIN 24"	\$373.00	1
	<b>E77AA24</b> FIAT - 24" VINYL BUMPER GUARDS	\$84.00	1
	<b>832AA</b> FIAT - MSB HOSE AND BRACKET	\$40.00	1
	<b>889CC</b> FIAT - MSB MOP HANGER BRACKET	\$84.00	1

**Note:** P4.1 - Plumbing Fixture Schedule - Floor Service Sinks  
 Equal to: Zurn Z1996-24-BV-HH-MH

WSSK	<b>L7</b> (Wall Mounted) FIAT - MOLDED STONE TUB W/HANGER	\$132.00	1
------	--	----------	---

**Note:** P4.1 - Plumbing Fixture Schedule - Wall Service Sinks & Specs 22 4000-6  
 Equal to: Zurn MS2620-W  
 Note: Quoting wall-mounted model to match scheduled model.

WSSK	<b>FL7</b> (Floor-Mounted) FIAT - MOLDED STONE TUB W/LEGS	\$132.00	1
------	--	----------	---

**Note:** P4.1 - Plumbing Fixture Schedule - Wall Service Sinks & Specs 22 4000-6  
 Note: Quoting floor mounted model to match spec description.

**Section Brand: Woodford**

Label	Product No. Description	List Price	Qty.
WH	<b>B67C</b> Woodford - Model B67 Box Type Backflow Protected Freezeless Wall Hydrant		
	<b>B67C-4, 6, 8</b> Woodford - Model B67 Box Hydrant C Inlet 2, 4, 6, 8 Inches	\$446.35	1
	<b>B67C-10, 12, 14, 16</b> Woodford - Model B67 Box Hydrant C Inlet 10, 12, 14, 16 Inches	\$460.50	1
HB	<b>B74C</b> Woodford - Model B74 Box Hydrant C Inlet w/bracket	\$416.40	1
	<b>B74P</b> Woodford - Model B74 Box Hydrant P Inlet w/bracket	\$416.40	1

**Note:** P4.1 - Plumbing Fixture Schedule - Wall Hydrant  
 Equal to: Zurn Z1300

**Note:** P4.2 - Plumbing Fixture Schedule - Hose Bibb  
 Equal to: Zurn Z1330

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
L-1	<b>LFLM495-1</b> Powers - 1/2 LFLM495-1	\$252.00	1

**Note:** P4.1 - Plumbing Fixture Schedule - Lavatory  
 Equal to: Lawler 516

TMV	<b>LFSH1434-13</b> Powers - HydroGuard Hi/Lo Master Tempering Valve - 127 gpm, Rough brass, Standard, T/P Gauge on outlet, Rough Brass	\$4,523.00	1
-----	--	------------	---

**Note:** P4.2 - Plumbing Fixture Schedule - Thermostatic Mixing Valve Schedule & Specs - 22 1006-5  
 Equal to: Lawler 802, Please note that quoted valve has 1-1/4" inlets and 1-1/2" outlet (schedule calls for 1" inlets and 1-1/4" outlet).

**Special Terms:**

NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.