



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337  
 States

**Quotation:**  
**Q-1522-S**

<b>To:</b>	<b>Contractor Holder Ohio</b> Cincinnati, Ohio	<b>Bid Date:</b>	2018-02-13
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-03-15
<b>Phone:</b>	800-542-1682	<b>Creator:</b>	Dave Evans , davee@disney-mclane.com
<b>Fax:</b>	877-476-1682	<b>Sales Rep.:</b>	Todd Schneider , todds@disney-mclane.com
		<b>Shipping Address:</b>	81 Innovation Drive, Xenia, Ohio, United States

**Job Name: Greene Full Service Maintenance Facility Dist 8 - Xenia OH**

**Engineer:** Korda / Nemeth Engineering **Architect:** Abbot Studios

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
WC1	<b>ISCA-101-L/R</b> Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	<b>ISCA-101-D</b> Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	<b>ISCA-121</b> Watts - single, vertical, cast iron fitting	\$1,423.00	1
	<b>ISCA-121-D</b> Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1
	<b>ISCA-131-L/R</b> Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,664.00	1
	<b>ISCA-131-D</b> Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$2,750.00	1
<b>Note: PA8 - Plumbing Fixture Schedule</b>			
UR	<b>CA-321</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
<b>Note: PA8 - Plumbing Fixture Schedule</b>			
EWC1	<b>CA-431-1</b> Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$960.00	1
<b>Note: PA8 - Plumbing Fixture Schedule</b>			
EWC2	<b>CA-421</b> Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$594.00	1
<b>Note: PA8 - Plumbing Fixture Schedule</b>			

FD1	<b>FD-103-A5-5-7</b>	\$465.00	1
	Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 3" (76 mm), sediment bucket, trap primer tapping		
	<b>Note: PA8 - Plumbing Fixture Schedule; EQUAL TO: Zurn Z415B</b>		
FD2	<b>FD-490-F-4</b>		
	Watts - cast iron body no-hub outlet, 17" x 17" (432 mm x 432 mm) square, heavy duty self-closing hinged grate, sediment bucket		
	<b>FD-490-F-4,3,4,5,6,8,10</b>	\$2,810.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 5"Ø (127 mm), 6"Ø (152 mm), 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	<b>Note: PA8 - Plumbing Fixture Schedule</b>		
	<b>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</b>		
DR-1	<b>DX-DI</b>	\$985.00	1
	Watts - UV stabilized talc-filled polypropylene channels with 6" (152 mm) no-hub bottom or end outlet(s), pre-sloped trench, 12" (305 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		
	<b>Note: Spec 22 14 23 - 2;</b>		
	<b>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</b>		
	<i>Please note trench drain price is per foot.</i>		
DR-3	<b>CB-2424-DI</b>	\$3,213.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) and 6" (152 mm) no hub bottom outlets, 24" (610 mm) wide, 24" (610 mm) long, ductile iron grate, Class F		
	<b>Note: Spec 22 14 23 - 3;</b>		
	<b>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</b>		
Floor	<b>CO-200X-R</b>		
Cleanouts	Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200X-R,2</b>	\$494.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200X-R,3</b>	\$522.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200X-R,4</b>	\$696.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note: Spec 22 13 19 - 2;</b>		
	<i>Note: No model specified, quoting as suggestion.</i>		
	<i>CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER</i>		
	<i>CARPET MARKER (-RC) = \$61.00 LIST ADDER</i>		
	<i>NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER</i>		
	<i>TILE RECESS (-T) = NO ADDITIONAL</i>		
	<i>TERRAZZO RECESS (-U) = \$279.00 LIST ADDER</i>		
Unfinished	<b>CO-260</b>		
Area or	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm)		
Grade	round, heavy duty ductile iron top		
Cleanouts			
	<b>CO-260,3,4,6,8</b>	\$956.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
	<b>Note: Spec 22 13 19 - 2;</b>		
	<i>Note: No model specified, quoting as suggestion.</i>		
Exposed	<b>CO-460</b>		
Cleanout	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
(Tee)			

	<b>CO-460,2</b>	\$180.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460,3</b>	\$224.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460,4</b>	\$348.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 13 19 - 2; Note: No model specified, quoting as suggestion.			
Concealed Wall Cleanouts (Tee)	<b>CO-460-RD</b>		
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$287.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$330.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$483.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 13 19 - 2; Note: No model specified, quoting as suggestion.			
Exterior Cleanouts	<b>CO-200-RX-4</b>		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	<b>CO-200-RX-4,2</b>	\$332.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX-4,3</b>	\$385.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX-4,4</b>	\$471.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 13 19 - 2; Note: No model specified, quoting as suggestion.			
WHA	<b>SS Series</b>		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>SS-B</b>	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>SS-C</b>	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>SS-D</b>	\$3,313.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$3,740.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>SS-F</b>	\$4,596.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note:</b> Spec 22 13 19 - 3; EQUAL TO: Zurn Z1700			
TP	<b>LFTP300-DR Series</b>		
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		

<b>LFTP300T</b>		\$274.00	1
Watts - 1/2", Threaded Inlet and Outlet Connect			
<b>LFTP300S</b>		\$274.00	1
ATS - 1/2", Solder Inlet and Threaded Outlet Connect			
<b>LFTP300-DU-DR</b>		\$149.00	1
Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit			

**Note:** Spec 22 13 19 - 3

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET	<b>DETA 20</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$1,902.00	1

**Note:** PA5 - Water Heater Schematic; EQUAL TO: Amtrol ST-12C

BFP (RPZ Type) - Option	<b>957-OSY : 4</b> Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0111586)	\$4,220.00	1
-------------------------	--	------------	---

<b>957-AG</b> Watts - 957-AG Air Gap (0111764)	\$212.50	1
---	----------	---

**Note:** PA8 - Water Service Entry Elevation; Quoting Watts BFP Model as an Alternate.

TMV	<b>LFMMVM1-CPVC : 1/2</b> Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, cUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, CPVC (0559161)	\$254.50	1
-----	---	----------	---

**Note:** PA8 - Plumbing Fixture Schedule; Note: 6

ASSE 1052 BFP	<b>N9CD : 3/4</b> Watts - brass body construction with an atmospheric vent, 3/4"Ø (19 mm) pipe connection (0063456)	\$147.00	1
---------------	--	----------	---

**Note:** PA8 - Plumbing Fixture Schedule; Note: 8

Hose VB	<b>LF8BC : 3/4</b> Watts - Lead Free Hose Connection Vacuum Breaker, 3/4" (19mm)	\$56.25	1
---------	---	---------	---

**Note:** Spec 22 13 19 - 3

Field Installed Vacuum Breakers	<b>NF8 : 3/4</b> Watts - Hose Connection Vacuum Breaker: 3/4"(20mm)	\$42.75	1
---------------------------------	--	---------	---

**Note:** Spec 22 62 00 - 1

### Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
HB1	<b>67C</b> Woodford - Backflow Protected, Automatic Draining Freezeless Yard Hydrant		
	<b>67C-2, 4, 6, 8</b> Woodford - Model 67 Wall Hydrant C Inlet 2, 4, 6, 8 Inches	\$221.35	1
	<b>67C-10, 12, 14, 16</b> Woodford - Model 67 Wall Hydrant C Inlet 10, 12, 14, 16 Inches	\$235.50	1

**Note:** PA8 - Plumbing Fixture Schedule; EQUAL TO: Zurn Z1310

HB2	<b>26C</b>	\$72.25	1
Woodford - Model 26 Chrome Wall Faucet C Inlet			
<i>Note: PA8 - Plumbing Fixture Schedule</i>			
YH	<b>Y34</b>		
Woodford - Freezeless Iowa Yard Hydrant, Galnized Steel Pipe			
	<b>Y34-4</b>	\$146.40	1
Woodford - Model Y34 Yard Hydrant 4 Feet			
<i>Note: PA8 - Plumbing Fixture Schedule</i>			
<i>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>			

**Section Brand: Febco**

Label	Product No. Description	List Price	Qty.
BFP (RPZ Type)	<b>LF860-OSY : 4</b> Febco - Reduced Pressure Zone Backflow Prevention Assembly, Lead Free, MasterSeries, UL/FM Approved OS&Y Gate Valves,4"(102mm)	\$5,254.00	1
	<b>601-M</b> Febco - Air Gap Drains for Use With MasterSeries® Reduced Pressure Assembly	\$92.50	1
<i>Note: PA8 - Water Service Entry Elevation</i>			
<i>Note: Quoting a reduced pressure type BFP, this quoted BFP is certified to ASSE 1013.</i>			

**Section Brand: Delany**

Label	Product No. Description	List Price	Qty.
WC1/WC2 /WC3	<b>E402-1.6-SC</b> Delany - EXPOSED EMPIRE VALVE for WATER CLOSET, PISTON OPERATED w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (1.6 GPF}	\$165.30	1
<i>Note: PA8 - Plumbing Fixture Schedule; EQUAL TO: American Standard 6047.161</i>			
UR	<b>E451-0.5-SC</b> Delany - EXPOSED EMPIRE VALVE for URINAL, PISTON OPERATED w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SLIPFIT TAILPIECE (0.5 GPF}	\$165.30	1
<i>Note: PA8 - Plumbing Fixture Schedule; EQUAL TO: American Standard 6045.051</i>			

**Section Brand: Speakman**

Label	Product No. Description	List Price	Qty.
LAV	<b>S-3661-CA-E w/ A-EA12</b> Speakman - Single Lever Faucet, w/ 1.2 gpm aerator	\$335.00	1
<i>Note: PA8 - Plumbing Fixtures; EQUAL TO: Chicago Faucet 2302-ABCP Please be advised; Quoted Model is 1.2 GPM not 2.2 GPM. Grid Drain by others.</i>			
ES	<b>SE-1250</b> Speakman - Speakman® Optimus™ SE-1250 Eye And Face Wash Stainless Steel Bowl Combination Emergency Shower System	\$997.00	1
<i>Note: PA8 - Plumbing Fixture Schedule; EQUAL TO: Guardian GBF1909 Please be advised; Note: Given model does not have a Stainless Steel Bowl Cover.</i>			
MS	<b>SC-5812-RCP</b> Speakman - Speakman® Commander® SC-5812-RCP Service Sink Faucet	\$117.64	1
<i>Note: PA8 - Plumbing Fixture Schedule; EQUAL TO: Chicago Faucets 897-RCF</i>			

**Section Brand: Fiat**

Label	Product No. Description	List Price	Qty.
SK2	<b>SF1F</b> FIAT - SF SINGLE TUB W//LEGS	\$116.00	1
	<b>A1</b> FIAT - 4" FAUCET W/CP BLADE HANDLES	\$105.00	1
<i>Note: PA8 - Plumbing Fixture Schedule; EQUAL TO: Utility Sink Mustee 19F and 93.600</i>			
MS	<b>MSB2424</b> FIAT - MOP SERVICE BASIN 24"	\$373.00	1
	<b>889CC</b> FIAT - MSB MOP HANGER BRACKET	\$84.00	1
	<b>1453BB</b> FIAT - SS MSB STRAINER PLATE	\$15.00	1
	<b>MSG2424</b> FIAT - 24" X 24" WALL GUARDS	\$289.00	1
	<b>832AA</b> FIAT - MSB HOSE AND BRACKET	\$40.00	1
	<b>E77AA24</b> FIAT - 24" VINYL BUMPER GUARDS	\$84.00	1

*Note: PA8 - Plumbing Fixture Schedule*

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
ES (TMV)	<b>ETV400-15</b> Powers - ETV400-15 EMERGENCY TMPR	\$2,256.00	1
<i>Note: PA8 - Plumbing Fixture Schedule; EQUAL TO Guardian G3800</i>			
Water Tempering Valve	<b>LFE480-00</b> Powers - 1/2 LFE480-00	\$230.00	1
	<b>LFE480-10</b> Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$230.00	1

*Note: Spec 22 13 19 - 3*

**Special Terms:**

NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.