



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-1533-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-02-13
Attn.:	N/A	Expiry Date:	2018-03-15
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Todd Schneider , todds@disney-mclane.com
		Shipping Address:	3500 Dryden Road , Dayton, Ohio, United States

Job Name: ODOT District 7 Dryden Road Full Service Maint Facility - Moraine OH

Architect: Moody Nolan Inc

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
WC1/WC2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,254.00	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,345.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,423.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$2,514.00	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$1,664.00	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$2,750.00	1
Note: T-P601: Plumbing Fixture Schedule			
UR-1/UR-2	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$663.00	1
Note: T-P601: Plumbing Fixture Schedule			
EWC1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$960.00	1
Note: T-P601: Plumbing Fixture Schedule			
FD1	FD-100X-A5 Watts - 8-1/8" (206 mm) diameter cast iron body inside caulk outlet, 5" (127 mm) diameter nickel bronze, adjustable round strainer		

	FD-100X-A5,2,3,4	\$380.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100X-A5,6	\$475.00	1
	Watts - 6"Ø (152 mm)		
Note: T-P601: Plumbing Fixture Schedule; EQUAL TO: Jay R Smith 2005-A Please be advised; Trap Seal by Others.			
FD2	FD-340-Y-5		
	Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, ductile iron grate, sediment bucket		
	FD-340-Y-5,2,3,4,5,6,8	\$1,027.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm), 5"Ø (127 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
Note: T-P601: Plumbing Fixture Schedule; EQUAL TO: Jay R Smith 2142 Please be advised; Trap Seal by Others.			
FD-2 (Funnel Option)	FD-340-Y-5-F4-50		
	Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, ductile iron, round grate, sediment bucket, 4" Round Cast Iron Funnel		
	FD-340-Y-5-F4-50,2,3,4,5,6,8	\$1,168.00	1
	Watts - 2" (51mm),3" (76mm), 4" (102mm),5"(127 mm), 6"(152 mm),8" (203 mm)		
Note: T-P601: Plumbing Fixture Schedule; EQUAL TO: Jay R Smith 2142 (w/ cast iron funnel) Please be advised; Trap Seal by Others.			
WHA	SS Series		
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$434.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$884.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,321.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$3,313.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$3,740.00	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$4,596.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: T-P601: Water Hammer Arrestor Schedule & Spec 22 11 16 - 4; EQUAL TO Josam Absorbatron Series			
FCO	CO-200-R-6		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	CO-200-R-6,2	\$569.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-6,3	\$597.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-6,4	\$772.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 13 - 4; EQUAL TO: Jay R Smith 4020			
Unfinished FCO /ECO	CO-200-RX-4		
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	CO-200-RX-4,2	\$332.00	1
	Watts - 2"Ø (51 mm)		

	CO-200-RX-4,3 Watts - 3"Ø (76 mm)	\$385.00	1
	CO-200-RX-4,4 Watts - 4"Ø (102 mm)	\$471.00	1
Note: Spec 22 13 13 - 4; EQUAL TO: Jay R Smith 4240			
WCO	CO-380-RD Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2 Watts - 2"Ø (51 mm)	\$183.00	1
	CO-380-RD,3 Watts - 3"Ø (76 mm)	\$226.00	1
	CO-380-RD,4 Watts - 4"Ø (102 mm)	\$271.00	1
	CO-380-RD,6 Watts - 6"Ø (152 mm)	\$574.00	1
Note: Spec 22 13 13 - 4; EQUAL TO: Jay R Smith 4422			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
4" BFP (Option 1)	LF909-OSY : 4 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0122763)	\$9,686.00	1
	909-AGK Watts - 909-AGK Air Gap (0881385)	\$322.50	1
	77F-DI-125 : 4 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825203)	\$364.50	1
Note: T-P501 Detail 1 (Domestic Water Service Entrance) & Spec 22 11 16 - 4			
4" BFP (Option 2)	957-OSY : 4 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0111586)	\$4,220.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$212.50	1
	77F-DI-125 : 4 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825203)	\$364.50	1
Note: T-P501 Detail 1 (Domestic Water Service Entrance) & Spec 22 11 16 - 4			
3"BFP (Option 1)	LF909-OSY : 3 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0122776)	\$7,751.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$164.00	1

	77F-DI-125 : 3	\$291.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)		
	Note: T-P501 Detail 1 (Domestic Water Service Entrance) & Spec 22 11 16 - 4		
3"BFP (Option 2)	957-OSY : 3	\$3,814.00	1
	Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0111585)		
	957-AG	\$212.50	1
	Watts - 957-AG Air Gap (0111764)		
	77F-DI-125 : 3	\$291.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)		
	Note: T-P501 Detail 1 (Domestic Water Service Entrance) & Spec 22 11 16 - 4		
4" PRV	LFF115-74 : 4 , 150# Flange Connections	\$3,697.00	1
	Part Number 8583-12 Watts - Lead Free Pressure Reducing Control Valve (Globe), 4" (102mm)		
	Note: T-P501 Detail 1 (Domestic Water Service Entrance) & Spec 22 11 16 - 4/5		
Vacuum Relief Valve	LFN36M1 : 1/2	\$63.25	1
	Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)		
	LFN36M1 : 3/4	\$76.75	1
	Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)		
	Note: T-P501 Detail 9 (Gas-Fired Water Heater) & Spec 22 11 16 - 4		
ET1	PLT-12	\$104.50	1
	Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)		
	Note: T-P601 Expansion Tank Schedule		
Hose Connection Vacuum Breakers	8A	\$50.50	1
	Watts - Series 8 Hose Connection Vacuum Breakers, 3/4""(20mm), Furnished with exclusive "Non-Removable" feature and standardly equipped to allow sill cock to be drained		
	Note: Spec 22 11 16 - 4		

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
YH1	Y34 Woodford - Freezeless Iowa Yard Hydrant, Galvanized Steel Pipe		
	Y34-4	\$146.40	1
	Woodford - Model Y34 Yard Hydrant 4 Feet		
	Note: S-P101: Plumbing Fixture Schedule THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
WH1	67C Woodford - Backflow Protected, Automatic Draining Freezeless Yard Hydrant		
	67C-2, 4, 6, 8	\$221.35	1
	Woodford - Model 67 Wall Hydrant C Inlet 2, 4, 6, 8 Inches		

	67C-10, 12, 14, 16	\$235.50	1
	Woodford - Model 67 Wall Hydrant C Inlet 10, 12, 14, 16 Inches		
	<i>Note: T-P601: Plumbing Fixture Schedule</i>		
HB1	24C	\$72.25	1
	Woodford - Model 24 Wall Faucet C Inlet		
	<i>Note: T-P601: Plumbing Fixture Schedule</i>		

Section Brand: Speakman

Label	Product No. Description	List Price	Qty.
L1	SC-4072-E-LD Speakman - Speakman® Commander® SC-4072-E-LD Centerset Faucet	\$156.24	1
	<i>Note: T-P601: Plumbing Fixture Schedule; EQUAL TO: Chicago Faucets 802-XKABCP</i>		
MS1	SC-5812 Speakman - Speakman® Commander® SC-5812 Service Sink Faucet	\$148.73	1
	<i>Note: T-P601: Plumbing Fixture Schedule; EQUAL TO: Chicago Faucets 897-CP</i>		
S1	SC-5724-E w/ A-LEVER Speakman - 8" Wideset Commander Deck Faucet, w/ Lever Handle kit: 2 chrome plated metal handles, 2 screws, red & blue index buttons	\$249.67	1
	<i>Note: T-P601: Plumbing Fixture Schedule; Equal to Chicago Faucets 1100-369ABCP, Please be advised that quoted model has 8" gooseneck spout (scheduled model has 8" swing spout).</i>		
E1	SE-623 Speakman - Speakman® Select Series SE-623 Combination Stainless Steel Emergency Shower with Stainless Steel Bowl Eye/face wash	\$3,554.00	1
	<i>Note: T-P601: Plumbing Fixture Schedule</i>		

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MS1	TSB-100 FIAT - 24" X 24" X 12" SS CURB	\$977.00	1
	<i>Note: T-P601: Plumbing Fixture Schedule;</i>		

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
L1	LFLM495-1 Powers - 1/2 LFLM495-1	\$252.00	1
	<i>Note: T-P601: Plumbing Fixture Schedule; EQUAL TO: Bradley S59-4000</i>		
TMV1	LFSH1432-11 Powers - HydroGuard Single Valve, HiLo, Rough Bronze, 3/4" x 1" Standard (90 - 160°F), 57 gpm	\$3,155.00	1
	<i>Note: T-P601: Thermostatic Mixing Valve Schedule; EQUAL TO: Bradley S59-3045</i>		
TMV2	ETV400-15 Powers - ETV400-15 EMERGENCY Tmpr	\$2,256.00	1
	<i>Note: T-P601: Thermostatic Mixing Valve Schedule; EQUAL TO: Bradley S19-2200</i>		
SH1	P910H000LW Powers - Pressure Balancing Valve, 1/2" copper sweat connections, Economizer, Chrome-Plated ABS, ADA-compliant metal lever handle, Arm & Flange, Diverter, Low Flow (1.5 gpm) Metal Hose, 30" Glide Rail, Vacuum Breaker In-Line, Chrome Plated 1/2" IPS	\$659.00	1
	<i>Note: T-P601: Plumbing Fixture Schedule; EQUAL TO: Leonard 4500-515P</i>		

Section Brand: Armstrong

Label	Product No. Description	List Price	Qty.
RCP1	Astro 230SS (110223-306) Armstrong - ASTRO 2 3-Speed Circulator, Stainless Steel Body Construction, Includes Check Valve, Flanged	\$358.00	1

Note: T-P601: Pump Schedule; EQUAL TO: Grundfos UP15-42FR

Section Brand: PVi

Label	Product No. Description	List Price	Qty.
GWH1	20L100A-GCL PVI - Gas Condensing Water Heater, AquaPLEX Storage Tank and Heat Exchanger, 100 Gallon Tank	\$0.00	1
	124574 PVI - Option: 3 In Concentric Vent Kit PVC	\$0.00	1
	127319 PVI - Option: 3 In Concentric Vent Kit CPVC	\$0.00	1
	121778 PVI - Option: Condensate Neutralizer Kit	\$0.00	1

Note: T-P601: Domestic Water Heater Schedule; EQUAL TO: A.O. Smith BTH-199

Special Terms:

NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.