



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-3947-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-10-31
Attn.:	N/A	Expiry Date:	2018-11-29
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kim Metzger , kimm@disney-mclane.com
		Shipping Address:	659 Beaver Street, Newcomerstown, Ohio, United States

Job Name: Newcomerstown Exempted Village Schools - Field House

Engineer: Dynamix Engineering Ltd - Columbus **Architect:** WSA Architects

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
WC1/WC2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,181.50	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$3,480.00	1

Note: P-501 Plumbing Fixture & Rough-In Schedule

Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.

UR	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
----	--	----------	---

Note: P-501 Plumbing Fixture & Rough-In Schedule

L1	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
----	--	--	---

	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P-501 Plumbing Fixture & Rough-In Schedule		
WH1	HY-725-88		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		
	HY-725-88,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725-88,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725-88,-16,-18	\$1,829.50	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	Note: P-501 Plumbing Fixture & Rough-In Schedule equal to Zurn Z1300		
WH2	HY-330-3	\$1,349.00	1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, warm climate hydrant, all bronze head, seat casting and internal working parts, wall mount, concealed, integral vacuum breaker, stainless steel box and door, chrome plated face, 6-7/16" x 5-7/16" (164 mm x 138 mm), loose key		
	Note: P-501 Plumbing Fixture & Rough-In Schedule equal to Zurn Z1330		
FD1	FD-100-A6		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer		
	FD-100-A6,2,3,4	\$588.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6,6	\$708.50	1
	Watts - 6"Ø (152 mm)		
	Note: P-501 Plumbing Drain & Cleanout Schedule & Rough-In equal to Zurn ZN415		
	<i>Note: Trap Seal is to be provided by others.</i>		
FD2	FD-320-21		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron, round grate, Secondary Strainer		
	FD-320-21 2,3,4	\$779.00	1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes		
	Note: P-501 Plumbing Drain & Cleanout Schedule & Rough-In equal to Zurn Z520		
	<i>Note: Trap Seal is to be provided by others.</i>		
HD	FD-200-DD-50		1
	Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel		

	FD-200-DD-50,2,3,4	\$390.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: P-501 Plumbing Drain & Cleanout Schedule & Rough-In			
THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			
Note: Trap Seal is to be provided by others.			
FCO	CO-200-RX-C		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top, membrane clamp		
	CO-200-RX-C,2	\$884.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-C,3	\$921.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-C,4	\$1,142.00	1
	Watts - 4"Ø (102 mm)		
Note: P-501 Plumbing Drain & Cleanout Schedule & Rough-In			
equal to Zurn ZN1400-HD			
WCO	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$232.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$763.00	1
	Watts - 6"Ø (152 mm)		
Note: P-501 Plumbing Drain & Cleanout Schedule & Rough-In			
equal to Zurn Z1441			
GCO	CO-200-RX-4-6		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top, vandal proof		
	CO-200-RX-4-6,2	\$517.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4-6,3	\$584.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4-6,4	\$692.50	1
	Watts - 4"Ø (102 mm)		
Note: P-501 Plumbing Drain & Cleanout Schedule & Rough-In			
equal to Zurn ZN1406-HD			
Exposed Cleanouts	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 19 - 3			

Water Hammer Arresters	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$336.00	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,390.50	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1
Note: Spec 22 11 19 - 9			
Trap Seal Primer	LFTP300-DR Series Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		1
	LFTP300T Watts - 1/2", Threaded Inlet and Outlet Connect	\$270.00	1
	LFTP300S ATS - 1/2", Solder Inlet and Threaded Outlet Connect	\$270.00	1
	LFTP300-DU-DR Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$189.00	1
Note: Spec 22 11 19 - 10			
Horizontal Backwater Valves	BV-200 Watts - cast iron body, no-hub outlet, bronze seat and flapper		1
	BV-203 Watts - 3" (76 mm) pipe size	\$2,037.00	1
	BV-204 Watts - 4" (102 mm) pipe size	\$2,505.00	1
	BV-206 Watts - 6" (152 mm) pipe size	\$3,597.00	1
Note: Spec 22 13 19 - 2			
Drain-Outlet Backwater Valves	BV-300 Watts - cast iron ball float backwater valve, no-hub outlet, removable bronze ring with neoprene seat		1
	BV-300,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$377.50	1
Note: Spec 22 13 19 - 2			
Vent Caps	RD-680-VC Watts - cast iron, vandal proof cover		1
	RD-680-VC,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$471.00	1
	RD-680-VC,6 Watts - 6"Ø (152 mm)	\$670.50	1

RD-680-VC,8

\$768.50 1

Watts - 8"Ø (203 mm)

Note: Spec 22 13 19 - 6

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
4" DCDA	709DCDA-OSY-CFM : 4 Watts - cast iron body, replaceable bronze seats, UL listed & FM approved resilient seated OSY shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 4"Ø (102 mm) pipe connection (0387058)	\$8,230.00	1

Note: FP-000 Fire Protection Equipment Schedule
Note: Tamper Switches are to be provided by others.

Vacuum Relief Valve	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$78.25	1
	LFN36M1 : 3/4 Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$97.75	1

Note: P-401 Detail 2

TXT	DETA 20 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$2,345.00	1
-----	---	------------	---

Note: P-501 Plumbing Equipment & Rough-In Schedule
THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID
Note: Quoted model is fixed diaphragm type (scheduled model has replaceable bladder).

BFP1	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - 2"Ø (51 mm) valve (0379116)	\$280.00	1

Note: P-501 Plumbing Equipment & Rough-In Schedule

PRV	LFU5B-Z3 : 2 Watts - Lead Free, Water Pressure Reducing Valve, 2""(50mm), NPT threaded female union inlet x NPT female outlet w/built in thermal expansion bypass	\$3,913.00	1
-----	---	------------	---

Note: P-501 Plumbing Equipment & Rough-In Schedule

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MB	TSB-100 FIAT - 24" X 24" X 12" SS CURB	\$977.00	1
	MSG2424 FIAT - 24" X 24" WALL GUARDS	\$289.00	1

Note: P-501 Plumbing Fixture & Rough-In Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
MV1	LFLM495-1 Powers - 1/2 LFLM495-1	\$312.00	1

Note: P-501 Plumbing Equipment & Rough-In Schedule
equal to Bradley S59-4000

SH1	450-4000		\$1,153.00	1
	Powers - Hydropanel II with Fixed Showerhead and Soap Dish			
Note: P-501 Plumbing Fixture & Rough-In Schedule				
<i>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>				
SH-2	450-4004		\$1,397.00	1
	Powers - HydroPanelIII with Professional Hand Shower,Slide Bar, and Soap Dish			
Note: P-501 Plumbing Fixture & Rough-In Schedule				
<i>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>				
Shroud	4504050		\$143.00	1
Extensions	Powers - SHROUD KIT EXTENSION 6"			
	4504051		\$188.00	1
	Powers - Hydropanel II Modular Shrouding System, Extension Shroud Kit, 24"			
	4504043		\$146.00	1
	Powers - OVERLAY SHROUD KIT8"			
	4504045		\$165.00	1
	Powers - SHROUD KIT OVERLAY 16"			
	4504046		\$175.00	1
	Powers - OVERLAY SHROUD KIT18"			

Note: P-501 Plumbing Fixture & Rough-In Schedule

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation.

NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.