



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337  
 States

**Quotation:**  
**Q-3968-S**

<b>To:</b>	<b>Contractor Holder Ohio</b> Cincinnati, Ohio	<b>Bid Date:</b>	2018-11-01
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-11-30
<b>Phone:</b>	800-542-1682	<b>Creator:</b>	Dave Evans , davee@disney-mclane.com
<b>Fax:</b>	877-476-1682	<b>Sales Rep.:</b>	Jason Plageman , jasonp@disney-mclane.com
		<b>Shipping Address:</b>	489 Edward Street, Columbus, Ohio, United States

**Job Name: Columbus State CC Union Hall - Columbus, OH**

**Engineer:** Karpinski Engineering **Architect:** BDHP Architecture

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
L-2	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	<b>TCA-411-D</b> Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
<b>Note:</b> Dwg P001 Plumbing Fixture Schedule 'Basin Fixtures'			
EWC-1	<b>CA-431-1</b> Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,215.00	1
<b>Note:</b> Dwg P001 Plumbing Fixture Schedule 'Drinking Fixtures'			
U-1/U-2	<b>CA-321</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
<b>Note:</b> Dwg P001 Plumbing Fixture Schedule 'Flushing Fixtures'			
WC-1/WC-2	<b>ISCA-101-L/R</b> Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	<b>ISCA-101-D</b> Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	<b>ISCA-121</b> Watts - single, vertical, cast iron fitting	\$1,801.00	1

	<b>ISCA-121-D</b>	\$3,181.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	<b>ISCA-131-L/R</b>	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	<b>ISCA-131-D</b>	\$3,480.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
<b>Note: Dwg P001 Plumbing Fixture Schedule 'Flushing Fixtures'</b>			
<i>Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.</i>			
Water Hammer Arrestors	<b>SS Series</b>		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>SS-B</b>	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>SS-C</b>	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>SS-D</b>	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>SS-F</b>	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note: Spec 220300 - 5</b>			
Trap Primer	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
<b>Note: Spec 221000 - 1</b>			
<i>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>			
CO Finished Floors	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		

	<b>CO-200-R,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
<b>Note: Spec 221000 - 2; equal to Smith 4025</b>			
CO	<b>CO-260</b>		1
Finished Floors	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	<b>CO-260,3,4,6,8</b>	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
<b>Note: Spec 221000 - 2</b>			
CO	<b>CO-200-RX-4</b>		1
Unfinished Floor	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	<b>CO-200-RX-4,2</b>	\$420.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX-4,3</b>	\$487.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX-4,4</b>	\$596.50	1
	Watts - 4"Ø (102 mm)		
<b>Note: Spec 221000 - 2; equal to Smith 4240</b>			
CO Wall	<b>CO-380-RD</b>		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-380-RD,2</b>	\$232.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380-RD,3</b>	\$232.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380-RD,4</b>	\$343.50	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380-RD,6</b>	\$763.00	1
	Watts - 6"Ø (152 mm)		
<b>Note: Spec 221000 - 2; equal to Smith 4422</b>			
CO at base of stack	<b>CO-460-RD</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$364.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$417.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$611.50	1
	Watts - 4"Ø (102 mm)		
<b>Note: Spec 221000 - 2; equal to Smith 4510 w/ SS cover plate</b>			
CO Tee	<b>CO-460</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	<b>CO-460,2</b>	\$228.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460,3</b>	\$284.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460,4</b>	\$441.00	1
	Watts - 4"Ø (102 mm)		

**Note: Spec 221000 - 2; equal to Smith 4505**

FD-1	<b>FD-100-A6-6-7</b>	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection	
	<b>FD-100-A6-6-7,2,3,4</b>	\$643.00 1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	
	<b>FD-100-A6-6-7,6</b>	\$763.00 1
	Watts - 6"Ø (152 mm)	

**Note:** Spec 221000 - 3; equal to Smith 2005

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
L-1/L-2	<b>LFE480-01</b>	\$332.00	1
	Powers - Lavatory Thermostatic Tempering Valves, 1/2" NPT inlets & outlet, Chrome Plated, Minimum Flow 0.5 gpm		

**Note:** Dwg P001 Plumbing Fixture Schedule 'Basin Fixtures'

**Section Brand: Delany**

Label	Product No. Description	List Price	Qty.
U-1/U-2 (Manual)	<b>S451-0.5</b>	\$183.00	1
	Delany - EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.5 GPF)		

**Note:** Dwg P001 Plumbing Fixture Schedule 'Flushing Fixtures'; Equal to Royal 186-0.5

Note: Quoted as per model number

U-1/U-2 (Sensor)	<b>PL1451-0.5</b>	\$552.10	1
	Delany - EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED} w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.5 GPF)		

**Note:** Dwg P001 Plumbing Fixture Schedule 'Flushing Fixtures';

Note: Quoted as per description

WC-1/WC-2 (Manual)	<b>S402-1.28</b>	\$183.00	1
	Delany - EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.28 GPF)		

**Note:** Dwg P001 Plumbing Fixture Schedule 'Flushing Fixtures'; Equal to Royal 111-1.28

WC-1/WC-2 (Sensor)	<b>PL1402-1.28</b>	\$552.10	1
	Delany - EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED} w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (1.28 GPF)		

**Note:** Dwg P001 Plumbing Fixture Schedule 'Flushing Fixtures';

Note: Quoted as per description

**Special Terms:**

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.