



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-3997-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-11-01
Attn.:	N/A	Expiry Date:	2018-11-30
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kim Metzger , kimm@disney-mclane.com
		Shipping Address:	155 Indian Mill Drive , Upper Sandusky, Ohio, United States

Job Name: Upper Sandusky Water Reclamation Facility

Architect: AECOM - Columbus

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
WC1/WC2	ISCA-101-L/R-US Watts - single, horizontal, cast iron fitting, left/right side outlet, Buy American Compliant		1
	ISCA-101-D-US Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support, Buy American Act Compliant	\$2,967.00	1
	ISCA-121-US Watts - vertical, cast iron fitting, 4"Ø no hub waste connection, 2"Ø no hub vent connection. Cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, epoxy coated, cast iron, foot support, Buy American Act Compliant	\$1,801.00	1
	ISCA-121-D-US Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts. Buy American Compliant	\$3,182.00	1
	ISCA-131-L/R-US Watts - single, vertical, cast iron fitting, left/right side outlet, Buy American Compliant	\$2,105.50	1
	ISCA-131-D-US Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, Buy American Act Compliant	\$3,480.00	1

Note: Dwg MP-601 Plumbing Fixture Schedule

Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.

UR1	CA-321-US Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware. Buy American Compliant.	\$839.00	1
-----	---	----------	---

Note: Dwg MP-601 Plumbing Fixture Schedule

L1	TCA-411-US Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device. Buy American Compliant.		1
----	---	--	---

	TCA-411-US	\$989.50	1
	Watts - Single, Concealed Arms		
	TCA-411-D-US	\$1,411.00	1
	Watts - Back to Back, Concealed Arms		
Note: Dwg MP-601 Plumbing Fixture Schedule			
EWC	CA-431-1-US	\$1,215.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware. Buy American Compliant		
Note: Dwg MP-601 Plumbing Fixture Schedule			
WH1	HY-725		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725,-16,-18	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	HY-725,-20,-22,-24	\$1,870.00	1
	Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick		
Note: Dwg MP-601 Plumbing Fixture Schedule; equal to Mifab MHY-25			
<i>Note; NOT AVAILABLE WITH SWIVEL INLET</i>			
FD1	FD-100-A6-7-13-US		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection, Galvanized Body, Buy American Compliant		
	FD-100-A6-7-13-US,2,3,4	\$784.50	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	FD-100-A6-7-13-US,6	\$904.50	1
	Watts - 6" (152 mm)		
Note: Dwg MP-601 Plumbing Specialties Schedule & Spec 22 1316 - 6; equal to Zum ZN415-6B-G			
<i>Note: Trap seal by others</i>			
Water Hammer Arrester	SS Series-US		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines upto 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C), Buy American Compliant.		
	SS-A-US	\$549.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection, Buy American Compliant		
	SS-B-US	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection, Buy American Compliant		
	SS-C-US	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection, Buy American Compliant		
	SS-D-US	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection, Buy American Compliant		
	SS-E-US	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection, Buy American Compliant		
	SS-F-US	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection, Buy American Compliant		

Note: Spec 22 1116 - 6; Equal to Josam 75000

Cast Iron CO	CO-200-RX-4-US		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top, Buy American Compliant		
	CO-200-RX-4-US,2	\$420.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4-US,3	\$487.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4-US,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1313 - 2 & Spec 22 1316 - 6; Equal to Smith 4240			
RD-1	RD-300-D-F-K-US		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange, Buy American Act Compliant		
	RD-300-D-F-K-US,2,3,4	\$1,818.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K-US,5,6	\$2,120.50	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K-US,8,10	\$2,423.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: Spec 22 1316 - 5; equal to Smith 1015			
SRD-1	RD-300-D-F-R-K-US		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 2" (51 mm) high external water dam, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange, Buy American Act compliant		
	RD-300-D-F-R-K-US,2,3,4	\$2,048.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-R-K-US,5,6	\$2,351.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-R-K-US,8,10	\$2,653.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: Spec 22 1316 - 5; equal to Smith 1080			
DSN-1	RD-940-US		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, Buy American Act Compliant		
	RD-940-US,2,3,4	\$1,083.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-940-US,5,6	\$1,942.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-940-US,8	\$2,654.50	1
	Watts - 8"Ø (203 mm)		
Note: Spec 22 1316 - 5; equal to Smith 1770			
FD-2	FD-340-Y-5-US		1
	Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, ductile iron grate, sediment bucket, Buy American Compliant		
	FD-340-Y-5-US,2,3,4,5,6,8	\$1,300.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm), 5" (127 mm), 6" (152 mm), 8" (203 mm) outlet size		
Note: Spec 22 1316 - 6; equal to Smith 2142			

FD-2	FD-340-Y-5-F6-1-US		1
Mechanical Rooms	Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, ductile iron grate, sediment bucket,6" Round Nickel Bronze Funnel,Buy American Compliant		
	FD-340-Y-5-F6-1-US,2,3,4,5,6,8	\$1,925.50	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm), 5" (127 mm), 6" (152 mm), 8" (203 mm) outlet size		
Note: Spec 22 1316 - 6; equal to Smith 2142 w/ 3581			
FD-3	FS-780-150		1
	Watts - 14 gauge type 304 stainless steel receptor body, 6-1/4" (159 mm) deep, no-hub outlet, dome bottom strainer, 10" x 10" (254 mm x 254 mm) square, cast stainless steel, 1/2 grate		
	FS-780-150,2,3,4	\$3,725.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 22 1316 - 6; equal to Smith 3002-12			
CO	CO-200-R-US		1
Finished/Tile Floor	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, Buy American Act compliant		
	CO-200-R-US,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-US,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-US,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1316 - 6; Equal to Smith 4020			
CO	CO-260-US		1
Finished/Tile Floor	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top, Buy American Compliant		
	CO-260-US,3,4,6,8	\$1,210.00	1
	Watts - 3" (76 mm), 4" (102 mm),6"(152 mm),8" (203 mm)		
Note: Spec 22 1316 - 6;			
CO Carpet	CO-200-R-6-CF-US		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof, carpet cleaning flange,Buy American Compliant		
	CO-200-R-6-CF-US,2	\$1,007.00	1
	Watts - 2" (51 mm)		
	CO-200-R-6-CF-US,3	\$1,042.50	1
	Watts - 3" (76 mm)		
	CO-200-R-6-CF-US,4	\$1,262.50	1
	Watts - 4" (102 mm)		
Note: Spec 22 1316 - 6;			
CO Wall	CO-380-RD-US		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw, Buy American Compliant		
	CO-380-RD-US,2	\$232.00	1
	Watts - 2" (51mm)		
	CO-380-RD-US,3	\$286.00	1
	Watts - 3" (76mm)		
	CO-380-RD-US,4	\$343.50	1
	Watts - 4" (102mm)		

CO-380-RD-US,6

\$763.00 1

Watts - 6"(152 mm)

Note: Spec 22 1316 - 6; Equal to Smith 4422

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Domestic BFP	957-OSY : 4 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0111586)	\$5,200.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
	77F-DI-FDA-125 : 4 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825212)	\$1,042.00	1
	Note: Dwg 10MP-01 Coded Notes #5 <i>Note: No model number given, quoting as suggestion.</i>		
Fire BFP	757DCDA-OSY-CFM : 4 Watts - Double Check Detector Assembly,UL/FM outside stem and yoke resilient seated gate valves 4"(100mm)	\$5,374.00	1
	Note: Dwg MP-501 Detail #10 <i>Note: No model number given, quoting as suggestion.</i>		
HB1	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1
	Note: Dwg MP-601 Plumbing Fixture Schedule; equal to Woodford 24		
TXT	DETA 5 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1
	Note: Dwg MP-601 Expansion Tank Schedule; equal to Amtrol ST-5C		
Vacuum Breaker Hose Connection	8AC Watts - Hose Connection Atmospheric Vacuum Breaker Series 8/LF8,3/4 m	\$67.25	1
	Note: Spec 22 1116 - 6;		
Coffee MAker BFP	SD-3-FN : 3/8 Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, female flare connection, 3/8"Ø (10 mm) pipe connection(0061657)	\$267.00	1
	Note: Spec 22 1116 - 6;		

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
EEW	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1
	Note: Dwg MP-501 Detail #8 <i>Note: No model number given, quoting as suggestion.</i>		

L1	115V5 Powers - Thermostatic Faucet DP	\$500.00	1
Note: Dwg MP-601 Plumbing Fixture Schedule			
SH-1	e710G20LYW Powers - Series 700, metal trim valves, Low Flow (1.5 gpm), Chrome-Plated, Concealed Diverging Valve, 1/2" IPS, Metal Handle, Vacuum Breaker, In-Line	\$1,286.00	1
Note: Dwg MP-601 Plumbing Fixture Schedule			
TMV1	ETV200-13 Powers - HydroGuard Emergency Tempering Valve, with Cold Water Bypass, 3/4"x 1", Rough Bronze, with Temperature Pressure Gauge on Outlet	\$1,925.00	1
Note: Dwg MP-601 Thermostatic Mixing Valve Schedule; equal to Bradley S19-2100			
TMV2/TMV3	LFMM433AEMS00 Powers - Hydroguard Master Tempering Valves Supply Fixture, Bottom Inlets/Top Outlet - Exposed, 110gpm, Rough Bronze Finish, No Cabinet, 90°F - 160°F	\$3,577.00	1
Note: Dwg MP-601 Thermostatic Mixing Valve Schedule; equal to Bradley S59-2080-BP			

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
WC1/WC2	U402-1.28-SM Delany - EXPOSED FLUSHBOY ULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & MASHAERATOR BYPASS (1.28 GPF)	\$477.85	1
Note: Dwg MP-601 Plumbing Fixture Schedule THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			
UR1	U451-0.5-SM Delany - EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (0.5 GPF)	\$474.25	1
Note: Dwg MP-601 Plumbing Fixture Schedule THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
S3	FL1 FIAT - MOLDED STONE LAUNDRY TUB W/LEG	\$144.00	1
Note: Dwg MP-601 Plumbing Fixture Schedule			

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.