



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-2644-S-1

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-12-04
Attn.:	N/A	Expiry Date:	2019-01-03
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Todd Schneider , todds@disney-mclane.com
		Shipping Address:	1101 South Detroit Avenue, Toledo, Ohio, United States

Job Name: Warrensville Developmental Center - Bathroom Renovations

Engineer: Advanced Engineering Consultants **Architect:** Archatas Inc

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
WHA (Bellows Type)	SS Series Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		1
	SS-A Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$549.50	1
	SS-B Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$1,119.00	1
	SS-C Watts - 33-60, fixture units, 1" (25 mm) connection	\$1,672.00	1
	SS-D Watts - 61-113 fixture units, 1" (25 mm) connection	\$4,191.00	1
	SS-E Watts - 114-154 fixture units, 1" (25 mm) connection	\$4,731.50	1
	SS-F Watts - 155-330 fixture units, 1" (25 mm) connection	\$5,815.00	1
Note: Spec 22 11 16-3			
WHA (Piston Type)	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$336.00	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,390.50	1

	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 16-3			
CO (Finished Areas)	CO-200-R-6		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		
	CO-200-R-6,2	\$721.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-6,3	\$757.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-6,4	\$977.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 13 13-4; Equal to J.R. Smith 4020 - Note: Watts CO can come with Custom Markings on the cover for an additional cost of \$160.00 to List			
CARPET CLAMPING FLANGE (-CF) = \$225.00 LIST ADDER			
CARPET MARKER (-RC) = \$61.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$122.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$279.00 LIST ADDER			
CO (Unfinished Areas)	CO-200-RX-4-6		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top, vandal proof		
	CO-200-RX-4-6,2	\$517.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4-6,3	\$584.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4-6,4	\$692.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 11 16-4; Equal to J.R. Smith 4240 - Note: Watts CO can come with Custom Markings on the cover for an additional cost of \$160.00 to List			
WCO	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$232.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$763.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 11 16-4; Equal to J.R. Smith 4422			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
HB1	SC8-4	\$81.25	1
	Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)		

Note: P0.1 - Plumbing Fixture Schedule; Equal to Woodford Model 24

VB	8A		\$52.25	1
	Watts - Series 8 Hose Connection Vacuum Breakers, 3/4" (20mm), Furnished with exclusive "Non-Removable" feature and standardly equipped to allow sill cock to be drained			

Note: Spec 22 11 16-3

VB (Pressure Type, ball valves)	800M4QT : 1 1/4		\$554.00	1
	Watts - acetal bonnet with silicon rubber O-ring seal, bronze bodies, v-notch guided check assembly replaceable seat, silicone rubber seat disc, 1-1/4"Ø (32 mm) pipe connection (0387126)			

	800M4QT : 1 1/2		\$684.00	1
	Watts - acetal bonnet with silicon rubber O-ring seal, bronze bodies, v-notch guided check assembly replaceable seat, silicone rubber seat disc, 1-1/2"Ø (38 mm) pipe connection (0387114)			

	800M4QT : 2		\$704.50	1
	Watts - acetal bonnet with silicon rubber O-ring seal, bronze bodies, v-notch guided check assembly replaceable seat, silicone rubber seat disc, 2"Ø (51 mm) pipe connection (0387122)			

Note: Spec 22 11 16-4 - Note: Size not specified, so quoting base size for reference

VB Pressure Type, anti-spill)	LF008PCQT : 1/2		\$699.00	1
	Watts - molded diaphragm separating the air inlet from the potable water supply to prevent spillage, Lead Free cast copper silicon alloy body, 1/2"Ø (13 mm) pipe connection (0792024)			

	LF008PCQT : 3/4		\$884.00	1
	Watts - molded diaphragm separating the air inlet from the potable water supply to prevent spillage, Lead Free cast copper silicon alloy body, 3/4"Ø (19 mm) pipe connection (0792025)			

	LF008PCQT : 1		\$976.00	1
	Watts - molded diaphragm separating the air inlet from the potable water supply to prevent spillage, Lead Free cast copper silicon alloy body, 1"Ø (25 mm) pipe connection (0792026)			

Note: Spec 22 11 16-4

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
WC1	U1834-1.28 Delany - CONCEALED TRUESENSE VALVE for HIGH EFFICIENCY WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ NON-HOLD OPEN OVERRIDE BUTTON (1.28 GPF)	\$1,015.60	1
	989-TS-C Delany - 13" x 17" ACCESS PANEL for CONCEALED TRUESENSE for WATER CLOSET	\$482.00	1
	2324-1 Delany - HARDWIRED TRANSFORMER for USE for 1 FLUSH VALVE for TRUESENSE	\$58.70	1
	2324-3 Delany - HARDWIRED TRANSFORMER & 3-WAY SPLITTER for USE w/ upto 3 FLUSH VALVES for TRUESENSE	\$79.00	1

Note: P0.1 - Plumbing Fixture Schedule; EQUAL TO: Sloan Optima 152 WB ESS w/ EL-154

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
L1	LFLM495-1 Powers - 1/2 LFLM495-1	\$312.00	1

Note: P0.1 - Plumbing Fixture Schedule; Equal to Bradley S59-4000

SH1	E420S12K105YW	\$1,327.00	1
Powers - HydroGuard T/P Series Combination Valve,1/2" Sweat Inlets/Outlets,Color Coded,Dome Handle,Standard, Chrome-Plated Brass,Standard Arm & Flange,Standard, Metal Hose, Two Wall Hooks,Concealed Diverting Valve, 1/2" IPS, Metal Handle,Vacuum Breaker, In-Line			

Note: P0.1 - Plumbing Fixture Schedule; THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID

BT1	E420S12K1S5YW	\$1,381.00	1
Powers - HydroGuard T/P Series Combination Valve,1/2" Sweat Inlets/Outlets,Color Coded,Dome Handle,Standard, Chrome-Plated Brass,Standard Arm & Flange,Diverter, Chrome-Plated, 1/2" IPS,Standard, Metal Hose, Two Wall Hooks,Concealed Diverting Valve, 1/2" IPS, Metal Handle,Vacuum Breaker, In-Line			

Note: P0.1 - Plumbing Fixture Schedule; THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID

Special Terms:

NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.