



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4004-S

To: Contractor Holder Kentucky
 Cincinnati, Ohio
Attn.: N/A
Phone: 800-542-1682
Fax: 877-476-1682

Bid Date: 2018-11-07
Expiry Date: 2018-12-07
Creator: Dave Evans, davee@disney-mclane.com
Sales Rep.: Patrick Thompson, patrickt@disney-mclane.com
Shipping Address: , Jamestown, Kentucky, United States

Job Name: Lake Cumberland Regional College - Jamestown KY

Engineer: CMTA Engineering Consultants **Architect:** Sherman Carter Barnhart Architects

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
FD-1	FD-104-A6-7 Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4" (102 mm), trap primer tapping	\$588.50	1
<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Zum ZN415</i>			
FD-2	FD-464-F-5-7 Watts - cast iron body no-hub outlet, 12-3/4" (324 mm) square, ductile iron grate, sediment bucket, trap primer connection, 4"Ø (102 mm)	\$1,896.00	1
<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Zum ZN610</i>			
FD-3	D-SS Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, stainless steel slotted, Class A	\$672.00	1
	FG-SS Watts - Frame Guard, Stainless Steel	\$195.50	1
	CB-2424-SS Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) and 6" (152 mm) no hub bottom outlets, 24" (610 mm) wide, 24" (610 mm) long, stainless steel grate, Class A	\$8,264.00	1
<i>Note: P1.0 - Plumbing Fixture Schedule; Quoting Model based on description. Please note trench drain price is per foot.</i>			
P-1/P-1A	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,181.50	1

	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,480.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: P1.0 - Plumbing Fixture Schedule;			
P-2/P-2A	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P1.0 - Plumbing Fixture Schedule;			
P-3A/P-8	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P1.0 - Plumbing Fixture Schedule;			
P-7	CA-431-1	\$1,215.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P1.0 - Plumbing Fixture Schedule;			
RD-1	RD-704-D-F	\$2,857.00	1
	Watts - epoxy coated, 21" x 13-1/16" (533 mm x 330 mm) , one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, secured, 20" x 12-1/2" (508 mm x 317 mm) , ductile iron dome, underdeck clamp, adjustable extension flange, 4"Ø (102 mm) outlet size		
Note: P1.0 - Plumbing Fixture Schedule; THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID.			
TP-1/TP-2 /TP-3	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P1.0 - Plumbing Fixture Schedule; Spec 22 01 00 - 3,4; EQUAL TO: Z1022			
DSN	RD-940-83		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, stainless steel bird screen		
	RD-940-83,3,4	\$1,633.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

	RD-940-83,5,6	\$2,165.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-940-83,8	\$3,204.00	1
	Watts - 8"Ø (203 mm)		
Note: P3.0 - Tagged Notes; EQUAL TO: Zurn Z199			
ECO	CO-300-MF	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: P4.0 - Exterior Cleanout Detail; Spec 22 01 00 - 4; Quoting based on DWG and Specification.			
CO-A1 (SPEC)	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 01 00 - 2; EQUAL TO: Zurn Z1440			
CO-A2 (SPEC)	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 01 00 - 2; EQUAL TO: Zurn Z1445			
CO-B (SPEC)	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		

	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 01 00 - 2; EQUAL TO: Zurn Z1445-1			
FCO ROUND (SPEC)	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 01 00 - 2; EQUAL TO: Zurn ZN1400; CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER CARPET MARKER (-RC) = \$78.00 LIST ADDER NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$354.00 LIST ADDER			
FCO SQUARE (SPEC)	CO-200-S		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, nickel bronze top		
	CO-200-S,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-S,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-S,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 01 00 - 2; EQUAL TO: Zurn ZN1400; NB HEAVY DUTY (-SX) = \$155.00 LIST ADDER TILE RECESS (-TS) = NO ADDITIONAL TERRAZZO RECESS (-US) = \$354.00 LIST ADDER			
HEAVY DUTY CO (SPEC)	CO-200-RX-4		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	CO-200-RX-4,2	\$420.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4,3	\$487.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 01 00 - 2; EQUAL TO: Zurn Z1400-HD;			
FD-1 (SPEC)	FD-100-M6-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" x 6" (152 mm x 152 mm) nickel bronze, square strainer, trap primer connection		
	FD-100-M6-7,2,3,4	\$716.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-M6-7,6	\$836.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 01 00 - 3; EQUAL TO: Zurn Z415			
FD-2 (SPEC)	FD-460-F-1-5-7		1
	Watts - all galvanized cast iron body no-hub outlet, 12-3/4" x 12-3/4" (324 mm x 324 mm), nickel bronze, square grate, sediment bucket, trap primer connection		

	FD-460-F-1-5-7,2,3,4,5,6,8	\$2,985.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm), 5" (127 mm), 6" (152 mm)		
	Note: Spec 22 01 00 - 3; EQUAL TO: Zurn ZN610		
FD-3 (SPEC)	FD-100-EF-1-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, 4" (102 mm) diameter nickel bronze funnel, trap primer tapping		
	FD-100-EF-1-7,2,3,4	\$909.00	1
	Watts - 2" (51mm),3" (76mm), 4" (102mm)		
	FD-100-EF-1-7,6	\$1,029.00	1
	Watts - 6" (152 mm)		
	Note: Spec 22 01 00 - 3; EQUAL TO: Zurn Z415-E		
RD-1 (SPEC)	RD-300-K40		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron low dome (4" high)		
	RD-300-K40,2,3,4	\$917.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-K40,5,6	\$1,220.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-K40,8,10	\$1,523.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	Note: Spec 22 01 00 - 4; EQUAL TO: Zurn Z100; SUMP RECEIVER (-B) = \$268.50 LIST ADDER UNDERDECK CLAMP (-D) = \$240.50 LIST ADDER DECK FLANGE/ADJ. EXTENSION (-F) = \$659.50 LIST ADDER DUCTILE IRON DOME (-K) = \$210.50 LIST ADDER 2" EXTERNAL WATER DAM (-R) = \$230.50 LIST ADDER ADJUSTABLE INTERNAL WATER DAM (-W) = \$423.00 LIST ADDER		
RD-2 (SPEC)	RD-700-W2		1
	Watts - 21" x 13-1/16" (533 mm x 330 mm), one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 20" x 12-1/2" (508 mm x 317 mm), ductile iron dome, 2" High Overflow		
	RD-700-W2,3,4	\$2,170.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-700-W2,6	\$2,602.00	1
	Watts - 6"Ø (152 mm) outlet size		
	Note: Spec 22 01 00 - 4; THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID. UNDERDECK CLAMP (-D) = \$240.50 LIST ADDER DECK FLANGE/ADJ. EXTENSION (-F) = \$659.50 LIST ADDER		
WHA (SPEC)	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		

SS-E		\$4,731.50	1
Watts - 114-154 fixture units, 1" (25 mm) connection			
SS-F		\$5,815.00	1
Watts - 155-330 fixture units, 1" (25 mm) connection			

Note: Spec 22 01 00 - 6; EQUAL TO: Zurn Z1700

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
P-12	2-M2DWB Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$199.50	1

Note: P1.0 - Plumbing Fixture Schedule; Quoting as an Option, no Model provided.

ET	PLT-35 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 14 gallons (0067373)	\$314.00	1
----	--	----------	---

Note: P4.1 - Water Heaters; Spec 22 03 00 - 1; EQUAL TO: A.O. Smith PMC-10 and Amtrol ST-25V

T&P RELIEF VALVE	LF100XL -4 Watts - ASME Self-Closing T&P Relief Valve	\$35.00	1
------------------------	---	---------	---

	LF100XL -8 Watts - ASME Self-Closing T&P Relief Valve	\$39.00	1
--	---	---------	---

Note: P4.1 - Water Heaters

DCVA OPT.1	757-OSY : 3 Watts - drip tight closure against reverse flow, 304 schedule 40 stainless steel housing and sleeve, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0111511)	\$3,171.00	2
---------------	--	------------	---

	77F-DI-125 : 3 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825202)	\$382.50	2
--	---	----------	---

Note: P4.1 - Domestic Water Entrance Schematic; P3.1 - Lower Level Plumbing, Tagged Notes #P19; Spec 22 01 00 - 6

DCVA OPT.2	LF007M2-QT : 1 1/2 Watts - Lead Free cast copper silicon alloy body for 1/2" to 2" connections or fused epoxy coated cast iron body for 2-1/2" to 3" connections, replaceable seat and seat discs, resilient seated isolation valves, quarter turn ball-valves, 1-1/2"Ø (38 mm) pipe connection (0063234)	\$883.00	2
---------------	---	----------	---

	LF777SI : 1 1/2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1-1/2"Ø (38 mm) valve (0379115)	\$213.00	2
--	--	----------	---

Note: P4.1 - Domestic Water Entrance Schematic; P3.1 - Lower Level Plumbing, Tagged Notes #P19; Spec 22 01 00 - 6; Quoting as an Option for 3" Split to two 1-1/2" DCVA's

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
FPWH	B67C Woodford - Model B67 Box Type Backflow Protected Freezeless Wall Hydrant		1

	B67C-4, 6, 8 Woodford - Model B67 Box Hydrant C Inlet 2, 4, 6, 8 Inches	\$446.35	1
--	---	----------	---

	B67C-10, 12, 14, 16	\$460.50	1
	Woodford - Model B67 Box Hydrant C Inlet 10, 12, 14, 16 Inches		
	<i>Note: P1.0 - Plumbing Fixture Schedule; Spec 22 01 00 - 5; EQUAL TO: Zurn Z1300</i>		
HB	B75	\$406.25	1
	Woodford - Model 75 Box Hydrant Swivel Inlet w/bracket		
	<i>Note: P1.0 - Plumbing Fixture Schedule; Spec 22 01 00 - 5; EQUAL TO: Zurn Z1350-VB</i>		

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
P-1/P-1A	S402-1.6-SM Delany - EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS, SWEAT ADAPTOR KIT & SIDEARM (SIDE MOUNTED SENSOR ACTUATOR) (1.6 GPF)	\$468.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Sloan 111-1.6-SFSM</i>		
P-2/P-2A	S451-1-SM Delany - EXPOSED SABER VALVE for URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION,(1.0 GPF),SIDEARM BATTERY POWERED, SENSOR ACTIVATED, OVER the HANDLE RETRO-FIT KIT for EXPOSED WATER CLOSET & URINAL FLUSHMETERS	\$459.25	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Sloan 186-1-SFSM</i>		
P-8/P-9	SF1540-B Delany - INFINITE SERIES - ADA COMPLIANT - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	\$500.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Elkay LKB721C</i>		

Section Brand: Intersan

Label	Product No. Description	List Price	Qty.
P-6 OPT.A	CF554-2T-WH-BSH5-SB Intersan - Sanispray Washfountain, Collective Foot Operation, 5-User, 54" Semi-Circular Bowl, Thermostatic Mixing Valve, Soap Tray, Wall Hung, Backsplash for 54" Bowl, Stainless Steel Bowl.	\$4,040.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Bradley WF2704, Specified Model is Unclear Quoting as an Option.</i>		
P-6 OPT.B	ISO454-2N-WH-BSH5-SB Intersan - Sanispray Washfountain, Sensor Battery Operation, 4-User, 54" Semi-Circular Bowl, Thermostatic Mixing Valve, No Soap, Wall Hung, Backsplash for 54" Bowl, Stainless Steel Bowl.	\$6,073.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Bradley WF2704, Specified Model is Unclear Quoting as an Option.</i>		

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
P-8/P-9	LFE480-00 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 1/2" Compression Rough Bronze Finish	\$284.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Elkay LK723</i>		
P-10	P902HM1U Powers - Biltmore Series 900 Pressure Balancing Valves, Deluxe Chrome Plated Brass Arm and Flange,	\$466.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Delta RP46384 Valve, Quoting Full Model based on Description.</i>		

P-11	P902HM10LYW	\$1,152.00	1
	Powers - Biltmore Series 900 Pressure Balancing Valves, Deluxe Chrome Plated Brass Arm and Flange, Low Flow (1.5gpm), Metal Hose, 30" Glide Rail.		
	Note: P1.0 - Plumbing Fixture Schedule; EQUAL TO: Symmons 25-500-B30-V-X-CHKS		
P-13	ETV400-15	\$2,779.00	1
	Powers - ETV400-15 EMERGENCY TMPR		
	Note: P1.0 - Plumbing Fixture Schedule; P3.0 - Tagged Notes; EQUAL TO: Guardian G3800LF		

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.