



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4009-S

To:	Contractor Holder Indiana Cincinnati, Ohio	Bid Date:	2018-11-09
Attn.:	N/A	Expiry Date:	2018-12-09
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Rick Bayne , rickb@disney-mclane.com
		Shipping Address:	900 East Jefferson Street, Tipton, Indiana, United States

Job Name: Tipton Senior Apartments

Engineer: Latimer Sommers + Associates

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

P10	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,215.00	1
-----	---	------------	---

Note: Dwg P-403 Clubhouse - Fixtures and Accessories

FD Type 2	FD-330-Y-5 Watts - 8-1/8" (206 mm) diameter, cast iron body no-hub outlet, 8" (203 mm) square, ductile iron grate, sediment bucket		1
-----------	--	--	---

	FD-330-Y-5,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$969.50	1
--	---	----------	---

	FD-330-Y-5,6 Watts - 6"Ø (152 mm)	\$1,090.00	1
--	---	------------	---

Note: Spec 225000-1; equal to Zurn Z611

FD Type 2 (Wood Floor)	FD-100-H Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 14" (356 mm) diameter elastomeric flange with 5-27/32" (148 mm) diameter nickel bronze, adjustable round strainer		1
---------------------------	---	--	---

	FD-100-H,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,390.00	1
--	---	------------	---

	FD-100-H,6 Watts - 6"Ø (152 mm)		1
--	---	--	---

Note: Spec 225000-1;

THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID

FD Type 3	FD-490-F-80 Watts - all aluminum body no-hub outlet, 12" x 12" (305 mm x 305 mm) square, heavy duty self-closing hinged grate, sediment bucket		1
-----------	--	--	---

	FD-490-F-80,3,4,6,8 Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size	\$3,628.00	1
--	---	------------	---

Note: Spec 225000-1; equal to Zurn Z535

FD Type 4	FD-920 Watts - 18-7/16" (470 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, secured ductile iron grate, gasket seal between body and top assembly		1
-----------	--	--	---

	FD-920,2,3,4,5,6,8 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm), 5"Ø (127 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size	\$1,121.00	1
--	---	------------	---

Note: Spec 225000-1;

THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID

FD Type 1	FD-200-A5-60		1
	Watts - 7" (178 mm) diameter PVC body with socket outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	FD-200-A5-60,2,3,4	\$419.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 225000-1; equal to Sioux Chief 842			
CO Concrete Finish/Quarry Tile Floor	CO-200-SX		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, heavy duty, nickel bronze top		
	CO-200-SX,2	\$778.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-SX,3	\$815.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-SX,4	\$1,036.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 225000-1; equal to Wade W-6000-XS			
CO Tile Floor	CO-200-TS		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, nickel bronze top with tile recess		
	CO-200-TS,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-TS,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-TS,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 225000-1; equal to Wade W-6000-TS			
CO Wall	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$232.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$763.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 225000-1; equal to Wade 8450-C			
Wall Hydrant	HY-725		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725,-16,-18	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		

HY-725,-20,-22,-24

\$1,870.00 1

Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick

Note: Spec 225000-2; Equal to Wade 8600L-175

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Fire BFP	757DCDA-OSY-CFM : 6 Watts - 304 schedule 40 stainless steel housing and sleeve with groove end connections, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 6"Ø (152 mm) pipe connection (0111547)	\$6,974.00	1
Note: Dwg P-102 First Floor Plan - Plumbing & Dwg P-402 Detail #3			
BFP Domestic	LF909-OSY : 2 1/2 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0122795)	\$8,395.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	77F-DI-FDA-125 : 2 1/2 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 2-1/2"Ø (64 mm) valve (0825210)	\$643.50	1
Note: Dwg P-402 Detail #2 & Spec 220524 - 2			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
P5-F	P910HK1U Powers - Pressure Balancing Mixing Valve, integral check/service stops, handle rotation limit stop, reversible inlets, four-port connections, poppet/diaphragm cartridge construction, 1/2" copper sweat connections, Standard Chrome-Plated Brass, Arm & Flange, Diverter, Chrome Plated 1/2" Slip-Fit	\$424.00	1
Note: Dwg P-403 Apartment Units - Fixtures and Accessories THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			
P5-FA	P910H0003W Powers - ABS faceplate with color-coded graphics, metal lever handle. CP finish, 1/2" copper sweat connections, Deluxe, Metal Hose, 30" Glide Rail, in-line Vacuum Breaker	\$857.00	1
Note: Dwg P-403 Apartment Units - Fixtures and Accessories THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.