



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337  
 States

**Quotation:**  
**Q-4031-S**

**To:** Contractor Holder Kentucky  
 Cincinnati, Ohio  
**Attn.:** N/A  
**Phone:** 800-542-1682  
**Fax:** 877-476-1682

**Bid Date:** 2018-11-13  
**Expiry Date:** 2018-12-13  
**Creator:** Dave Evans, davee@disney-mclane.com  
**Sales Rep.:** Patrick Thompson, patrickt@disney-mclane.com  
**Shipping Address:** 1915 East Highway  
 60, Hardinsburg, Kentucky, United States

**Job Name: Breckinridge County Area Technology Center**

**Engineer:** Shroul Tate Wilson Engineers **Architect:** Sherman Carter Barnhart Architects

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
TP	<b>LFTP300-DR Series</b> Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		1
	<b>LFTP300T</b> Watts - 1/2", Threaded Inlet and Outlet Connect	\$270.00	1
	<b>LFTP300S</b> ATS - 1/2", Solder Inlet and Threaded Outlet Connect	\$270.00	1
	<b>LFTP300-DU-DR</b> Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$189.00	1
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to PPP PRO1-500			
FD1	<b>FD-320-Y-5-7</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, sediment bucket, trap primer connection		1
	<b>FD-320-Y-5-7,2,3,4</b> Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$645.50	1
	<b>FD-320-Y-5-7,6</b> Watts - 6"Ø (152 mm)	\$766.00	1
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to Josam 32100			
FD1F	<b>FD-320-Y-5-7-F4-1</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, sediment bucket, trap primer tapping, 4" round nickel bronze funnel		1
	<b>FD-320-Y-5-7-F4-1,2,3,4</b> Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,074.50	1
	<b>FD-320-Y-5-7-F4-1,6</b> Watts - 6"Ø (152 mm)	\$1,194.45	1
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to Josam 32100 w/ Funnel			
CRD1	<b>RD-700</b> Watts - 21" x 13-1/16" (533 mm x 330 mm), one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 20" x 12-1/2" (508 mm x 317 mm), ductile iron dome		1
	<b>RD-700,3,4</b> Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$2,170.00	1

	<b>RD-700,6</b>	\$2,602.00	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			
DSN	<b>RD-940-83</b>		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, stainless steel bird screen		
	<b>RD-940-83,3,4</b>	\$1,633.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-940-83,5,6</b>	\$2,165.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-940-83,8</b>	\$3,204.00	1
	Watts - 8"Ø (203 mm)		
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to Josam 25010			
FCO-ECO	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to Josam 55000			
FCO-ECO	<b>CO-260</b>		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	<b>CO-260,3,4,6,8</b>	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule;			
Water Hammer Arrestor Bellows	<b>SS Series</b>		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>SS-B</b>	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>SS-C</b>	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>SS-D</b>	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>SS-F</b>	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note:</b> Spec 22 11 19 - 2			

Water Hammer Arrester Piston	<b>LF15M2-DR Series</b> Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	<b>LF15M2-A-DR</b> Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	<b>LF15M2-B-DR</b> Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$336.00	1
	<b>LF15M2-C-DR</b> Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	<b>LF15M2-D-DR</b> Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	<b>LF15M2-E-DR</b> Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,390.50	1
	<b>LF15M2-F-DR</b> Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1

**Note:** Spec 22 11 19 - 2

### Section Brand: Intersan

Label	Product No. Description	List Price	Qty.
WS1A SN2023 (Basis of quote)	<b>ISO339-2N-WH-SP-SB</b> Sanispray washfountain, individual sensor activated, 39" semi-circular bowl, 3-users, thermostatic mixing valve, no soap, wall hung, stainless steel pedestal, stainless bowl.	\$5,436.00	1
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to Bradley SN2023 <i>SPECIAL NOTE: 39" semi-circular bowl in lieu of 54" semi-circular bowl</i>			
WS1A Description (Basis of quote)	<b>ISO454-2N-WH-SP-SB</b> Sanispray washfountain, individual sensor activated, 54" semi-circular bowl, 4-users, thermostatic mixing valve, no soap, wall hung, stainless steel pedestal, stainless bowl.	\$6,236.00	1
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; <i>SPECIAL NOTE: 4-users in lieu of 3-users</i>			

### Section Brand: Powers

Label	Product No. Description	List Price	Qty.
EEW/S1	<b>ETV200-13</b> Powers - HydroGuard Emergency Tempering Valve, with Cold Water Bypass, 3/4"x 1", Rough Bronze, with Temperature Pressure Gauge on Outlet	\$1,925.00	1
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to Acorn TMV33			

### Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
HB1	<b>24P3/4</b> Woodford - Model 24 Wall Faucet P 3/4 Inlet	\$52.35	1
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to Murdock 8121-LF			
WH1	<b>MB24-3/4-K</b> Woodford - Model B24 3/4 Composite Box Hydrant, Key Lock	\$279.80	1
<b>Note:</b> Dwg P3.1 Plumbing Fixture Schedule; Equal to Murdock M-3509QT			

#### Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is

based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.