



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4043-S

To:	Contractor Holder Indiana Cincinnati, Ohio	Bid Date:	2018-11-14
Attn.:	N/A	Expiry Date:	2018-12-14
Phone:	800-542-1682	Creator:	Dave Evans, davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kevin Spearing, kevin@disney-mclane.com
		Shipping Address:	New Chapel Road, Jeffersonville, Indiana, United States

Job Name: Chapel Lake Park - River Ridge Commerce Center

Architect: Kovert Hawkins Architects

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
EWC	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,215.00	1
<i>Note: Dwg B-101-7 Plumbing fixture Schedule</i>			
FHB	HY-725-88 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		1
	HY-725-88,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
	HY-725-88,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
	HY-725-88,-16,-18 Watts - 16" (406 mm), 18" (457 mm) thick	\$1,829.50	1
	HY-725-88,-20,-22,-24 Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick	\$1,870.00	1
<i>Note: Dwg B-101-7 Plumbing fixture Schedule; Equal to Woodford B67</i>			
CO (OutsideBuilding in Concrete)	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200-R,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200-R,4 Watts - 4"Ø (102 mm)	\$881.00	1
<i>Note: Dwg B-101-7 Plumbing fixture Schedule; Equal to Zurn ZN1400-SG</i>			
CO (OutsideBuilding in Concrete)	CO-260 Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		1
	CO-260,3,4,6,8 Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size	\$1,210.00	1

Note: Dwg B-101-7 Plumbing fixture Schedule;

CO (Exposed Concrete Areas)	CO-200-S Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, nickel bronze top		1
	CO-200-S,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200-S,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200-S,4 Watts - 4"Ø (102 mm)	\$881.00	1
Note: Dwg B-101-7 Plumbing fixture Schedule; Equal to Zurn ZN1400-T			
Water Hammer Arrester Bellows	SS Series Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		1
	SS-A Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$549.50	1
	SS-B Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$1,119.00	1
	SS-C Watts - 33-60, fixture units, 1" (25 mm) connection	\$1,672.00	1
	SS-D Watts - 61-113 fixture units, 1" (25 mm) connection	\$4,191.00	1
	SS-E Watts - 114-154 fixture units, 1" (25 mm) connection	\$4,731.50	1
	SS-F Watts - 155-330 fixture units, 1" (25 mm) connection	\$5,815.00	1
Note: Dwg B-101-7 General Plumbing Notes #11			
Water Hammer Arrester Piston	LF15M2-DR Series Watts - pre-charged copper water hammer arrester with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$336.00	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,390.50	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1
Note: Dwg B-101-7 General Plumbing Notes #11			
Floor Drain	FD-100-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		1
	FD-100-A5,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$481.00	1

FD-100-A5,6

\$601.00 1

Watts - 6"Ø (152 mm)

Note: Spec 22 14 00-1; Equal to Zurn Z415B

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
CHB	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1
Note: Dwg B-101-7 Plumbing fixture Schedule; Equal to Woodford 24P Note: Bronze finish in lieu of chrome plated			
BFP	LF009M2-QT : 1 Watts - quarter turn ball-valves, 1"Ø (25 mm) pipe connection (0391004)	\$708.50	1
	909-AGC Watts - 909-AGC Air Gap (0881376)	\$106.50	1
	LF777SI : 1 Watts - 1"Ø (25 mm) valve (0379113)	\$93.50	1
Note: Dwg B-101-7 Plumbing fixture Schedule & Dwg B-101-7 Partial Plumbing Plan			
Vacuum Relief Vavle	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$78.25	1
	LFN36M1 : 3/4 Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$97.75	1

Note: Dwg B-301-7 Detail C

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.