



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4045-S

To:	Contractor Holder Kentucky Cincinnati, Ohio	Bid Date:	2018-11-14
Attn.:	N/A	Expiry Date:	2018-12-14
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Jake Kennard , jakek@disney-mclane.com
		Shipping Address:	687 Byrd Thurman Way, Lexington, Kentucky, United States

Job Name: New Police K9 Facility - Lexington, KY

Engineer: E-Tech Consultants **Architect:** Integrity Architecture PLLC

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
CO	CO-200-R-6 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		1
	CO-200-R-6,2 Watts - 2"Ø (51 mm)	\$721.50	1
	CO-200-R-6,3 Watts - 3"Ø (76 mm)	\$757.00	1
	CO-200-R-6,4 Watts - 4"Ø (102 mm)	\$977.00	1
<i>Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Zurn ZN1400-VP</i>			
CO	CO-260 Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		1
	CO-260,3,4,6,8 Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size	\$1,210.00	1
<i>Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule</i>			
ECO	CO-270-6 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 6-9/16" (167 mm) round, heavy duty, ductile iron top, vandal proof		1
	CO-270-6,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$549.00	1
<i>Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Zurn Z1402-VP</i>			
EWC-1A	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,215.00	1
<i>Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule;</i>			
FD-1	FD-100-A7-6 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, vandal proof		1
	FD-100-A7-6,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$734.00	1

	FD-100-A7-6,6	\$853.50	1
	Watts - 6"Ø (152 mm)		
Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Zurn ZN415B			
FD-2/TD-1	FD-310-1-6		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, nickel bronze grate, vandal proof		
	FD-310-1-6,2,3,4	\$888.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-310-1-6,6	\$1,008.50	1
	Watts - 6"Ø (152 mm)		
Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Zurn ZN507			
FD-1/FD-2	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Zurn Z1022			
VS-1	SI-750	\$821.00	1
	Watts - 10" (254mm) clearance required above cover to remove sediment bucket, epoxy coated, cast iron, gasketed cover, slip joint elbow, removable sediment basket, 1-1/2" (36mm) IPS threaded connections, 6-1/2" (165mm) clearance required above cover to remove sediment bucket		
Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Zurn Z1175			
WHA	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Zurn Z1700			
Cast Iron Cleanout	CO-200-RX-4		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	CO-200-RX-4,2	\$420.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4,3	\$487.50	1
	Watts - 3"Ø (76 mm)		

	CO-200-RX-4,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 221313- 3			
CO	CO-460		1
Exposed	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 221319- 1/2			
CO Wall	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 221319- 2			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP	LF909M1-QT : 2 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391012)	\$3,363.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule			
BFP option	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - 2"Ø (51 mm) valve (0379116)	\$280.00	1
Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule			
ET-1	PLT-12 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)	\$129.00	1
Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to State ETC-5X			

WB-1	2-M2DWB	\$199.50	1
Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)			

Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Symmons W-602-X

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
FWH	B65C Woodford - Anti-Siphon Freezeless Wall Hydrant C inlet, Copper Sweat Fitting 1/2" K, L or M Inside, 3/4" M Only Outside		1
	B65C-4,6,8 Woodford - Model B65 Box Hydrant C Inlet 4",6",8"	\$446.35	1
	B65C-10,12,14,16 Woodford - Model B65 Box Hydrant C Inlet 10",12",14",16"	\$460.50	1
	B65C-18,20,22,24 Woodford - Model B65 Box Hydrant C Inlet 18",20",22",24"	\$474.65	1

Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule;

HB-1	B26-1/2 Woodford - Model B26 1/2 Box Hydrant	\$430.05	1
------	--	----------	---

Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule;

HB-2	B26-3/4 Woodford - Model B26 3/4 Box Hydrant	\$430.05	1
------	--	----------	---

Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule;

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SH-1A	P910H000NW Powers - Pressure Balancing Valve, 1/2" Copper sweat connections, Professional, Metal Hose, 30" Glide Rail, in-line Vacuum Breaker	\$701.00	1

Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Moen 8346

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
WC-1/WC-1A	PL1402-1.6 Delany - EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED} (1.6gpf)	\$552.10	1

Note: Dwg P2.1 Plumbing Fixture + Plumbing Specialties Schedule; Equal to Sloan 8111

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.