



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4056-S

To:	Contractor Holder Indiana Cincinnati, Ohio	Bid Date:	2018-11-15
Attn.:	N/A	Expiry Date:	2018-12-15
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kevin Spearing , kevin@disney-mclane.com
		Shipping Address:	201 Brooks Avenue, Loogootee, Indiana, United States

Job Name: Loogootee Middle/High School Renovation

Engineer: Heinz Associates, LLC **Architect:** Myszak + Palmer, Inc.

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
LAV-1	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
Note: Dwg P2.1 Plumbing Fixture Schedule			
WC-1/WC-2	ISCA-102-L/R Watts - horizontal, cast iron fitting, 4"Ø, no hub waste connection, left/right side outlet, 2"Ø, no hub vent connection. epoxy coated ductile iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, epoxy coated, ductile iron, foot support		1
	ISCA-102-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4"Ø, no hub waste connection, 2"Ø, no hub vent connection. epoxy coated ductile iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, epoxy coated, ductile iron, foot support	\$8,950.00	1
	ISCA-122 Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø, no hub waste connection, , 2"Ø, no hub vent connection. epoxy coated ductile iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, ductile iron foot support	\$5,108.00	1
	ISCA-122-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø, no hub waste connection, , 2"Ø, no hub vent connection. epoxy coated ductile iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, ductile iron foot support	\$9,847.00	1

	ISCA-132-L/R	\$5,413.50	1
	Watts - single, vertical, epoxy coated, cast iron fitting, 4"Ø, no hub waste connection and 4" Ø no hub side inlets, left/right side outlet, 2"Ø, no hub vent connection. epoxy coated ductile iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, ductile iron foot support		
	ISCA-132-D	\$10,146.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"Ø, no hub waste connection and 4" Ø no hub side inlets, , 2"Ø, no hub vent connection. epoxy coated ductile iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, ductile iron foot support		
Note: Dwg P2.1 Plumbing Fixture Schedule & Spec 224000 - 1			
UR-1/UR-2	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: Dwg P2.1 Plumbing Fixture Schedule			
DF-1	CA-421	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Dwg P2.1 Plumbing Fixture Schedule			
FCO	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Dwg P2.1 Plumbing Fixture Schedule; equal to Josam 56000			
FCO	CO-260		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	CO-260,3,4,6,8	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
Note: Dwg P2.1 Plumbing Fixture Schedule;			
FD-1	FD-100-A5		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	FD-100-A5,2,3,4	\$481.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5,6	\$601.00	1
	Watts - 6"Ø (152 mm)		
Note: Dwg P2.1 FD-1 Floor Drain Detail			
<i>Note: Quoting as per illustration, quoting as suggestion.</i>			
Water hammer Arrester	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		

	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	Note: Spec 221119 - 4		
CO	CO-200-RX-4		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	CO-200-RX-4,2	\$420.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4,3	\$487.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
	Note: Spec 221319 - 1/2; equal to Sioux Chief 851		
FCO	CO-200-R-60		1
	Watts - 7" (178 mm) diameter, PVC body with poly plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R-60,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-60,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-60,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
	Note: Spec 221319 - 2; equal to Sioux Chief 852		
WCO	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
	Note: Spec 221319 - 2/3; equal to Josam 58790		
Vent Cap	RD-680-VC		1
	Watts - cast iron, vandal proof cover		
	RD-680-VC,2,3,4	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-680-VC,6	\$670.50	1
	Watts - 6"Ø (152 mm)		
	RD-680-VC,8	\$768.50	1
	Watts - 8"Ø (203 mm)		
	Note: Spec 221319 - 4		

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Expansion Tank	DETA 80 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 35 gallons (0212032)	\$3,647.00	1

Note: Dwg P2.2 Domeestic HWStorage Tank
Note: Selection based on given acceptance.

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	PL1402-1.6 Delany - EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED} (1.6gpf)	\$552.10	1

Note: Dwg P2.1 Plumbing Fixture Schedule; equal to sloan G2 8111

UR-1/UR-2	PL1451-1 Delany - EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED (1.0 gpf)	\$552.10	1
-----------	--	----------	---

Note: Dwg P2.1 Plumbing Fixture Schedule; equal to sloan G2 8186

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
Emergency Shower/Eyewash	ETV200-1 Powers - ETV200-10 EMERGENCY TMPR	\$1,706.00	1
LS-1	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1

Note: Dwg P2.1 Plumbing Fixture Schedule;
Note: Quoting as suggestion, no model numbers given

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.