



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4093-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-11-15
Attn.:	N/A	Expiry Date:	2018-12-15
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kim Metzger , kimm@disney-mclane.com
		Shipping Address:	4352 Lombardo Center, Independence, Ohio, United States

Job Name: Vitalia Senior Residences at Seven Hills

Engineer: Epic Engineering Group LLC **Architect:** RDL Architects

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
CO-1	CO-1200-R-C Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5-1/8" (130mm) round, adjustable, gasketed, heavy duty, stainless steel top, membrane clamp		1
	CO-1200-R-C,2 Watts - 2"Ø (51 mm)	\$944.50	1
	CO-1200-R-C,3 Watts - 3"Ø (76 mm)	\$979.50	1
	CO-1200-R-C,4 Watts - 4"Ø (102 mm)	\$1,200.00	1
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn ZS1400			
CO-2	CO-380-RD Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1
	CO-380-RD,2 Watts - 2"Ø (51 mm)	\$232.00	1
	CO-380-RD,3 Watts - 3"Ø (76 mm)	\$232.00	1
	CO-380-RD,4 Watts - 4"Ø (102 mm)	\$343.50	1
	CO-380-RD,6 Watts - 6"Ø (152 mm)	\$763.00	1
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn ZS1441			
CO-3	CO-1200-R-6-13 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5-1/8" (130 mm) round, heavy duty, stainless steel top, vandal proof, Galvanized Body		1
	CO-1200-R-6-13,2 Watts - 2" (51mm)	\$1,154.00	1
	CO-1200-R-6-13,3 Watts - 3" (76mm)	\$1,189.00	1

	CO-1200-R-6-13,4	\$1,409.50	1
	Watts - 4" (102mm)		
Note: P3.02 - Plumbing Fixture & Connection Schedule.			
Note: Quoting as per description			
CO-3	CO-200-RX-4		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	CO-200-RX-4,2	\$420.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4,3	\$487.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn Z1400.			
Note: Quoting as per model number.			
DO-1	RD-940-83		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, stainless steel bird screen		
	RD-940-83,3,4	\$1,633.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-940-83,5,6	\$2,165.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-940-83,8	\$3,204.00	1
	Watts - 8"Ø (203 mm)		
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn Z199			
FD-1	FD-1100-A8-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, stainless steel, round strainer, Trap Primer Tapping		
	FD-1100-A8-7,2,3,4	\$973.00	1
	Watts - 2" (51mm), 3" (76mm), 4" (102mm)		
	FD-1100-A8-7,6	\$1,093.00	1
	Watts - 6"(152 mm)		
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn ZS415B			
FD-2	FD-320-Y-28-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, all type 304 stainless steel, Trap Primer Tapping		
	FD-320-Y-28-7,2,3,4	\$1,486.00	1
	Watts - 2" (51mm), 3" (76mm), 4" (102mm)		
	FD-320-Y-28-7,6	\$1,606.00	1
	Watts - 6"(152 mm)		
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn ZS550.			
Note: Quoting all stainless steel drain (strainer and body).			
FD-3	FD-1100-A8-5-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, stainless steel, round strainer, Sediment Bucket, Trap Primer Tapping		
	FD-1100-A8-5-7,2,3,4	\$1,081.00	1
	Watts - 2" (51mm), 3" (76mm), 4" (102mm)		
	FD-1100-A8-5-7,6	\$1,201.00	1
	Watts - 6"(152 mm)		
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn ZS415B			

FS-1	FS-793-150	\$3,896.00	1
	Watts - 14" (356 mm) square, 14 gauge type 304 stainless steel receptor body, 8-1/4" (210 mm) deep, no-hub outlet, dome bottom strainer, 9" (229 mm) square, loose set, cast stainless steel, 1/2 grate, 3"Ø (76mm) outlet size		
	Note: P3.02 - Plumbing Fixture & Connection Schedule. Note: Quoting 8" depth in lieu of 12" depth. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
HA-1	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn Z1700 Series		
LAV-4/LAV-5	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P3.02 - Plumbing Fixture & Connection Schedule		
RD-1	RD-300-D-F-GSS-K		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange, stainless steel ballast guard		
	RD-300-D-F-GSS-K,2,3,4	\$2,443.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-GSS-K,5,6	\$2,746.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-GSS-K,8,10	\$3,048.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn Z100		
RD-2	RD-300-D-F-GSS-W-K		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, deck flange/adj.extension, stainless steel ballast guard, 4" Internal Water Dam		

	RD-300-D-F-GSS-W-K,2,3,4	\$2,866.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-GSS-W-K,5,6	\$3,169.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-GSS-W-K,8,10	\$3,471.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn Z100			
RH-1	HY-900	\$3,160.00	1
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port		
Note: P3.02 - Plumbing Fixture & Connection Schedule.			
<i>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>			
TP-1	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to PPP PR-500			
UR-1	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P3.02 - Plumbing Fixture & Connection Schedule.			
WH-1	HY-725-3-88		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, stainless steel box and door, wall clamp		
	HY-725-3-88,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725-3-88,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Woodford B65			
YH-1	HY-800		1
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, yard hydrant with and lift handle and lock option, 1/8" NPT drain port		
	HY-800-1	\$1,100.00	1
	Watts - 1' (305 mm) depth		
	HY-800-2	\$1,161.00	1
	Watts - 2' (610 mm) depth		
	HY-800-3	\$1,223.00	1
	Watts - 3' (914 mm) depth		

HY-800-4	\$1,290.00	1
Watts - 4' (1219 mm) depth		
HY-800-5	\$1,349.00	1
Watts - 5' (1524 mm) depth		
HY-800-6	\$1,411.00	1
Watts - 6' (1829 mm) depth		

Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Woodford Y34

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP-1	709DCDA-OSY-CFM : 6 Watts - cast iron body, replaceable bronze seats, UL listed & FM approved resilient seated OSY shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 6"Ø (152 mm) pipe connection (0387069)	\$12,076.00	1
Note: FP2.01 - Plumbing Fixture & Connection Schedule; Equal to Zurn 350DA Note: Tamper switches by others.			
ET-1	ET-RA 300 Watts - painted exterior, carbon steel shell, ASME Section VIII construction, heavy duty butyl, removable bladder, 12 psi pre-charge pressure, 125 psig maximum pressure, 240°F maximum temperature, tank volume of 79 gallons (0212016)	\$6,096.00	1
Note: P3.01 - Tank Schedule; Equal to Wessels FXA-300			
ET-2/ET-3/ET-6/ET-7	DETA 5 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1
Note: P3.01 - Tank Schedule; Equal to Wessels TTA-5			
ET-4	DETA 20 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$2,345.00	1
Note: P3.01 - Tank Schedule; Equal to Wessels TTA-20			
ET-5	DETA 12 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)	\$2,109.00	1
Note: P3.01 - Tank Schedule; Equal to Wessels TTA-12			
BFP-1	957-OSY : 4 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 4"Ø (102 mm) pipe connection (0111586)	\$5,200.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
	77F-DI-FDA-125 : 4 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 4"Ø (102 mm) valve (0825212)	\$1,042.00	1
Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn 375			
BFP-2	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1

	LF777SI : 2	\$314.00	1
	Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)		
	Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn 975XL		
BFP-3	LF7RU2-2 : 1/2	\$76.25	1
	Watts - Lead Free cast copper silicon alloy body, santoprene disc, national pipe thread male, national pipe thread female, national pipe thread female, union inlet, 1/2"Ø (13 mm) pipe connection (0072203)		
	Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn 700XL		
BFP-4	SD2-MF : 3/8	\$180.50	1
	Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 3/8"Ø (10 mm) pipe connection (0061655)		
	Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Zurn 740		
WB-1	2-M2DWB	\$199.50	1
	Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)		
	Note: P3.02 - Plumbing Fixture & Connection Schedule. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV-1/TMV-2	LFLM495-1 Powers - 1/2 LFLM495-1	\$312.00	1
	Note: P3.01 - Thermostatic Mixing Valve Schedule; Equal to Armstrong 215		
TMV-3	ETV200-13 Powers - HydroGuard Emergency Tempering Valve, with Cold Water Bypass, 3/4"x 1", Rough Bronze, with Temperature Pressure Gauge on Outlet	\$1,925.00	1
	Note: P3.01 - Thermostatic Mixing Valve Schedule; Equal to Armstrong Z358-40		
BT-1	P910HH1ULWY Powers - 1/2" Copper Sweat Connection, Low Flow Shower (1.5 gpm), Arm & Flange, Diverter, Chrome Plated 1/2" Slip-Fit, Low Flow (1.5 gpm), Metal Hose, 30" Glide Rail, Vacuum Breaker, in-Line, Diverter, Concealed, 1/2" IPS Metal Handle	\$1,211.00	1
	Note: P3.02 - Plumbing Fixture & Connection Schedule. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
SH-1/SH-2/SH-3/SH-4/SH-5/SH-6	P910HH10LWY Powers - Pressure Balancing Valves, 1/2" Copper sweat connections, Low Flow Shower (1.5 gpm), Low Flow (1.5 gpm), Metal Hose, 30" Glide Rail, in-line Vacuum Breaker, Diverter, Concealed, 1/2" IPS Metal Handle	\$1,031.00	1
	Note: P3.02 - Plumbing Fixture & Connection Schedule. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
LT-1	SF-1-F FIAT - SF1F tuf tub single compartment laundry tub with legs	\$116.00	1

	A1		\$105.00	1
	FIAT - 4" FAUCET W/CP BLADE HANDLES			
<i>Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to EL Mustee 15F & 93.600</i>				
MB-1	MSBID2424		\$324.00	1
	FIAT - MOP SERVICE BASIN WITH INTEGRAL DRAIN 24"			
	830AA		\$224.00	1
	FIAT - MOP SERVICE BASIN FAUCET			
<i>Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to EL Mustee 63M & 63.600A</i>				

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
UR-1	S451-0.125 Delany - EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.125 GPF)	\$183.00	1

Note: P3.02 - Plumbing Fixture & Connection Schedule; Equal to Sloan Royal 186

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.