



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4098-S

To:	Contractor Holder Kentucky Cincinnati, Ohio	Bid Date:	2018-11-20
Attn.:	N/A	Expiry Date:	2018-12-20
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Jake Kennard , jakek@disney-mclane.com
		Shipping Address:	2745 Boonesboro Road, Winchester, Kentucky, United States

Job Name: George Rogers Clark High School Fieldhouse and Athletic Fields

Engineer: Shroud Tate Wilson Consulting Engrs **Architect:** RossTarrant Architects

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
U1/U1A	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
<i>Note: P5.1 - Plumbing Fixture Schedule</i>			
L2	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
<i>Note: P5.1 - Plumbing Fixture Schedule</i>			
EWC1/EWC1A	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,215.00	1
<i>Note: P5.1 - Plumbing Fixture Schedule</i>			
FD1	FD-103-A6-6-7 Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 3" (76 mm), vandal proof, trap primer tapping	\$643.00	1
<i>Note: P5.1 - Plumbing Fixture Schedule; Equal to Zurn Z415B</i>			
FD2	FD-314-5-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, ductile iron grate, 3" (76 mm), sediment bucket, Trap Primer Tapping	\$575.00	1
<i>Note: P5.1 - Plumbing Fixture Schedule; Equal to Zurn Z507</i>			
FCO	CO-200-RX-4 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		1

	CO-200-RX-4,2	\$420.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4,3	\$487.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
Note: P5.1 - Plumbing Fixture Schedule; Equal to Zurn Z1400.			
<i>Note: Quoting as per model number.</i>			
FCO	CO-200-RX		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		
	CO-200-RX,2	\$778.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX,3	\$815.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX,4	\$1,036.00	1
	Watts - 4"Ø (102 mm)		
Note: P5.1 - Plumbing Fixture Schedule & P4.1 - Typical Interior Floor Cleanout Detail.			
<i>Note: Quoting as per description.</i>			
FCO	CO-260		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	CO-260,3,4,6,8	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
Note: P5.1 - Plumbing Fixture Schedule			
RD1	RD-700-W2		1
	Watts - 21" x 13-1/16" (533 mm x 330 mm), one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 20" x 12-1/2" (508 mm x 317 mm), ductile iron dome, 2" High Overflow		
	RD-700-W2,3,4	\$2,170.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-700-W2,6	\$2,602.00	1
	Watts - 6"Ø (152 mm) outlet size		
Note: P5.1 - Plumbing Fixture Schedule.			
<i>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>			
HA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		

	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P5.1 - Water Hammer Arrestor Schedule; Equal to Zurn 1250XL Series			
Wall Cleanout	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: P4.1 - Typical Wall Cleanout Detail.			
Note: Quoting as per detail.			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP (2")	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
Note: P2.1 - Sheet Notes #1.			
Note: Quoting as suggestion.			
DCDA (Fire service entrance)	757DCDA-OSY-CFM : 6 Watts - 304 schedule 40 stainless steel housing and sleeve with groove end connections, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 6"Ø (152 mm) pipe connection (0111547)	\$6,974.00	1
Note: P2.1 - Sheet Notes #2 & FP1.1 - Alarm Valve Riser Detail.			
Note: Tamper switches to be provided by others.			
Note: Quoting as suggestion.			
BFP (2 1/2")	957-OSY : 2 1/2 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0111584)	\$4,205.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
	77F-DI-FDA-125 : 2 1/2 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 2-1/2"Ø (64 mm) valve (0825210)	\$643.50	1
Note: P2.1 - Sheet Notes #3.			
Note: Quoting as suggestion.			
Expansion Tank	PLT-12 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)	\$129.00	1
Note: P5.1 - Electric Water Heater Schedule; Equal to Amtrol ST-12			

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
WC1/WC1A	PL1402-1.6 Delany - EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) (1.6gpf)	\$552.10	1

Note: P5.1 - Plumbing Fixture Schedule; Equal to American Standard 6065.161

U1/U1A	PL1451-1 Delany - EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED) (1.0 gpf)	\$552.10	1
--------	---	----------	---

Note: P5.1 - Plumbing Fixture Schedule; Equal to American Standard 6063.101

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV-A	LFSH1434AEQS000 Powers - HydroGuard XP Single Valve, Rough Bronze Valve, Bottom/Top, Stainless Steel, Wall Mounted, Standard 90 - 160°F (32 - 71°C)	\$7,593.00	1

Note: P5.1 - Thermostatic Mixing Valve Schedule, Remarks #3; Equal to Leonard MV17-3

Note: Quoting stainless steel cabinet as suggestion as finish not specified.

L1/L1A/L2 (mixing valve)	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
-----------------------------	--	----------	---

Note: P5.1 - Plumbing Fixture Schedule; Equal to American Standard 605XTMV.

Note: Mounting box to be provided by others.

SH1	P910HK1000 Powers - Pressure Balancing Mixing Valves, 1/2" Copper sweat connections, 1/2" IPS connections, Standard Chrome-Plated Brass, Arm & Flange, Standard, Metal Hose, Two Wall Hooks, Vacuum Breaker, in-Line	\$365.00	1
-----	--	----------	---

Note: P5.1 - Plumbing Fixture Schedule; Equal to American Standard T675.501

SH1A	P905H0002W Powers - Series 900 Pressure Balancing Valves, ABS faceplate with color-coded graphics, metal lever handle. CP finish.	\$730.00	1
------	---	----------	---

Note: P5.1 - Plumbing Fixture Schedule.

THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
HB1	24P3/4 Woodford - Model 24 Wall Faucet P 3/4 Inlet	\$52.35	1

Note: P5.1 - Plumbing Fixture Schedule

WH1	B65C Woodford - Anti-Siphon Freezeless Wall Hydrant C inlet, Copper Sweat Fitting 1/2" K, L or M Inside, 3/4" M Only Outside		1
-----	--	--	---

	B65C-4,6,8 Woodford - Model B65 Box Hydrant C Inlet 4",6",8"	\$446.35	1
--	--	----------	---

	B65C-10,12,14,16 Woodford - Model B65 Box Hydrant C Inlet 10",12",14",16"	\$460.50	1
--	---	----------	---

Note: P5.1 - Plumbing Fixture Schedule

YH	Y34 Woodford - Freezeless Iowa Yard Hydrant, Galvanized Steel Pipe		1
----	--	--	---

Y34-1		\$123.75	1
Woodford - Model Y34 Yard Hydrant 1 Feet			
Y34-2		\$131.30	1
Woodford - Model Y34 Yard Hydrant 2 Feet			
Y34-3		\$138.85	1
Woodford - Model Y34 Yard Hydrant 3 Feet			
Y34-4		\$146.40	1
Woodford - Model Y34 Yard Hydrant 4 Feet			
Y34-5		\$153.95	1
Woodford - Model Y34 Yard Hydrant 5 Feet			
Y34-6		\$161.50	1
Woodford - Model Y34 Yard Hydrant 6 Feet			
Y34-7		\$169.05	1
Woodford - Model Y34 Yard Hydrant 7 Feet			
Y34-8		\$176.60	1
Woodford - Model Y34 Yard Hydrant 8 Feet			
Y34-9		\$184.15	1
Woodford - Model Y34 Yard Hydrant 9 Feet			

Note: P5.1 - Plumbing Fixture Schedule

Section Brand: Armstrong

Label	Product No. Description	List Price	Qty.
RCP-01	Astro 280SS Armstrong - ASTRO 2 3-Speed Circulator, Stainless Steel Body Construction, Includes Check Valve, Flanged	\$628.00	1

Note: P5.1 - Plumbing Fixture Schedule; Equal to Grundfos UPS26-99BFC

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.