



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4105-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-11-27
Attn.:	N/A	Expiry Date:	2018-12-27
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Jason Plageman , jasonp@disney-mclane.com
		Shipping Address:	2655 West National Road, Springfield, Ohio, United States

Job Name: Springfield Masonic Community Campus Scottish Rite Unit Renovation

Engineer: Prater Engineering **Architect:** JMM Architects Inc

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
EWC2	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,215.00	1
<i>Note: Dwg P401 Plumbing Fixture Schedule</i>			
FCO	CO-200-R-60 Watts - 7" (178 mm) diameter, PVC body with poly plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R-60,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200-R-60,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200-R-60,4 Watts - 4"Ø (102 mm)	\$881.00	1
<i>Note: Dwg P401 Plumbing Fixture Schedule; Equal to Sioux Chief 834</i>			
FD	FD-100-A6-60 Watts - 8-1/8" (206 mm) diameter PVC body socket outlet, 6" (152 mm) diameter nickel bronze, round strainer		1
	FD-100-A6-60,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$588.50	1
	FD-100-A6-60,6 Watts - 6"Ø (152 mm)	\$709.00	1
<i>Note: Dwg P401 Plumbing Fixture Schedule; Equal to Sioux Chief 832</i>			
FD w/ Funnel	FD-100-A6-60-F4-1 Watts - ,8-1/8" (206 mm) diameter PVC body socket outlet, 6" (152 mm) diameter nickel bronze, round strainer,4" Round Nickel Bronze Funnel		1
	FD-100-A6-60-F4-1,2,3,4 Watts - 2" (51mm),3" (76mm), 4" (102mm)	\$1,017.00	1
	FD-100-A6-60-F4-1,6 Watts - 6"(152 mm)	\$1,137.00	1
<i>Note: Dwg P401 Plumbing Fixture Schedule; Equal to Sioux Chief 832</i>			
GCO	CO-200-RX-4 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		1

	CO-200-RX-4,2	\$420.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4,3	\$487.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
Note: Dwg P401 Plumbing Fixture Schedule; Equal to Sioux Chief 851			
FD Trap Primer	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Dwg P401 Plumbing Fixture Schedule; Equal to Zurn Z1022			
HS	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Dwg P401 Plumbing Fixture Schedule;			
RD	RD-260		1
	Watts - 24" x 12" (610 mm x 305 mm) rectangular, one-piece cast iron combination roof drain with deck flange, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 8-1/8" (206 mm) diameter, polyethylene dome		
	RD-260,2,3,4	\$1,149.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Dwg P401 Plumbing Fixture Schedule; Equal to Zurn Z165			
SHBF63	FD-100-A5		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	FD-100-A5,2,3,4	\$481.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5,6	\$601.00	1
	Watts - 6"Ø (152 mm)		
Note: Dwg P401 Plumbing Fixture Schedule; Equal to Zurn Z415B			
WCO	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		

	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Dwg P401 Plumbing Fixture Schedule; Equal to Zurn Z1446			
WHA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: Dwg P401 Plumbing Fixture Schedule;

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
WH1	DETA 30 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 15 gallons (0212029)	\$2,644.00	1
Note: Dwg P000 Semi Instantaneous Steam Water Heater Schedule			
Domestic BFP	LF909-OSY : 3 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, UL/FM outside stem & yoke gate valve, flange connections, 3"Ø (76 mm) pipe connection (0122776)	\$9,551.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	77F-DI-FDA-125 : 3 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 3"Ø (76 mm) valve (0825211)	\$680.50	1
Note: Dwg P100 Plumbing Terrace Floor Plan & P401 Water Service Entrance Detail			
Irrigation BFP	LF009M2-QT : 1 1/4 Watts - quarter turn ball-valves, 1-1/4"Ø (32 mm) pipe connection (0391005)	\$1,113.00	1
	909-AGA Watts - 909-AGA Air Gap (0881399)	\$92.50	1
	LF777SI : 1 1/4 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1-1/4"Ø (32 mm) valve (0379114)	\$150.50	1

Note: Dwg P100 Plumbing Terrace Floor Plan & P401 Irrigation Water Service Detail

HS/LAV/LAVH/SK1/SK1H/SK2/SK2H	LFUSG-B-M2	\$297.50	1
<p>Watts - Lead Free brass body construction, copper thermostat with stainless steel springs, integral checks and 40 mesh stainless steel screens, 4-port with cap for three port application, "H" pattern body, ASSE 1070 and cUPC, valve shall control temperature from a low of 1/4gpm, 3/8"Ø (10 mm) male compression (0204143)</p>			

Note: Dwg P401 Plumbing Fixture Schedule;

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MS	MSB2424 FIAT - MOP SERVICE BASIN 24"	\$373.00	1
	830AA FIAT - MOP SERVICE BASIN FAUCET	\$224.00	1
	832AA FIAT - MSB HOSE AND BRACKET	\$40.00	1
	889CC FIAT - MSB MOP HANGER BRACKET	\$84.00	1
	MSG2424 FIAT - 24" X 24" WALL GUARDS	\$289.00	1

Note: Dwg P401 Plumbing Fixture Schedule;

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
RH	SRH-MS Woodford - Sanitary Model Roof Hydrants, Mounting System	\$893.20	1
WH	65C Woodford - Anti-Siphon Protected Automatic Draining Freezeless Wall Hydrant, 3/4" Copper Water Tube		1
	65C-4,6,8 Woodford - Model 65 Wall Hydrant C Inlet 4 Inch	\$221.35	1
	65C-10,12,14,16 Woodford - Model 65 Wall Hydrant C Inlet 10 Inch	\$235.50	1
	65C-18,20,22,24 Woodford - Model 65 Wall Hydrant C Inlet 18 Inch	\$249.65	1

Note: Dwg P401 Plumbing Fixture Schedule;

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SHBF63	P910H0001W Powers - All Series 900 Pressure Balancing Mixing Valves, ABS faceplate with color-coded graphics, metal lever handle. CP finish. 1/2" Copper Sweat Connections, 24" Chrome ADA Wall Grab Bar System, in-line Vacuum Breaker	\$782.00	1

Note: Dwg P401 Plumbing Fixture Schedule; Equal to Moen 52224GBM17, T8370

MV	LFPSNA0C7P	\$12,500.00	1
<p>"Powers PowerStation Water Tempering Recirculation System, single mixing valve LFS1435, 5 - 201 GPM, 2" inlets/2" outlet, aquastat, no balancing valve, 1" return pipe size, Taco 0014 circulation pump.</p>			

Note: Dwg P000 Semi Instantaneous Steam Water Heater Schedule & Dwg P402 Mixing valve Station Detail; Equal to Bradley NRS-20

NOTE: Circulation pump is per plumbing schedule. The Taco model specified only goes to 22 FT'HD. If requirements are 3 gpm @ 40 FT'HD are required, model number and pricing will change. This assembly is subject to the engineer's review and approval."

Section Brand: PVi

Label	Product No. Description	List Price	Qty.
WH1	CCX-140-50-10 PVI - Water Heater	\$0.00	1

Note: Dwg P000 Semi Instantaneous Steam Water Heater Schedule; Eqaul to Patterson Kelly PK10D

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.