



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4108-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-11-27
Attn.:	N/A	Expiry Date:	2018-12-27
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Jason Plageman , jasonp@disney-mclane.com
		Shipping Address:	450 West 10th Avenue , Columbus, Ohio, United States

Job Name: Rhodes Hall Public Restroom Renovation BP 2

Engineer: Karpinski Engineering Inc **Architect:** Miller/Watson Architects Ltd

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
EWC-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,215.00	1
<i>Note: Dwg P0.1 Plumbing Fixture Schedule 'Drinking Fixtures'</i>			
WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,181.50	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$3,480.00	1
<i>Note: Dwg P0.1 Plumbing Fixture Schedule 'Flushing Fixtures'</i>			
<i>Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.</i>			
U-1	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
<i>Note: Dwg P0.1 Plumbing Fixture Schedule 'Flushing Fixtures'</i>			
Trap	LFTP300-DR Series		1
Primer	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		

	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Dwg P6.1 Trap Primer Detail			
Water Hammer Arrestors	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 03 00 -4			
CO Base of Stacks	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 10 00 - 2 ; Equal to Smith 4510			
FD-1	FD-100-A6-6-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection		
	FD-100-A6-6-7,2,3,4	\$643.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-6-7,6	\$763.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 10 00 - 2 ; Equal to Smith 2005A			
HD-1	FD-100-DD-50-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter cast iron, hub funnel, trap primer tapping		
	FD-100-DD-50-7,2,3,4	\$452.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-DD-50-7,6	\$572.50	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 10 00 - 2 ; Equal to Smith 2005/2645			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
TMV-1	LFMMVM1-UT : 1/2 Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, cUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, union thread (0559116)	\$314.00	1

Note: Spec 22 10 00 - 1; Equal to Lawler 570

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
L-1	LFE480-01 Powers - Lavatory Thermostatic Tempering Valves, 1/2" NPT inlets & outlet, Chrome Plated, Minimum Flow 0.5 gpm	\$332.00	1

Note: Dwg P0.1 Plumbing Fixture Schedule 'Basin Fixtures'
Note: No model number given, quoting as suggestion.

TMV-2	LFLM491-1 Powers - 3/4 LFLM491-1	\$373.00	1
-------	--	----------	---

Note: Spec 22 10 00 - 2; Equal to Lawler Series 61

Section Brand: Blucher

Label	Product No. Description	List Price	Qty.
WR-1	BTV4-SH Blucher - 4" Wide Pre-Sloped Trench Drain w/Surface Membrane Clamp (For Rubberized Sheet Flooring), Shower Grating	\$734.00	1

Note: Dwg P0.1 Plumbing Fixture Schedule 'Basin Fixtures'
Price indicated is a "Per Foot" price
Offered as a "Voluntary Substitution"

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
WC-1	S402-1.6 Delany - EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.6 GPF}	\$183.00	1

Note: Dwg P0.1 Plumbing Fixture Schedule 'Flushing Fixtures'; Equal to Sloan 111-1.6

U-1	S451-0.5 Delany - EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.5 GPF}	\$183.00	1
-----	--	----------	---

Note: Dwg P0.1 Plumbing Fixture Schedule 'Flushing Fixtures'; Equal to Sloan 186-0.5

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.