



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337  
 States

**Quotation:**  
**Q-4109-S**

<b>To:</b>	<b>Contractor Holder Indiana</b> Cincinnati, Ohio	<b>Bid Date:</b>	2018-11-28
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2018-12-28
<b>Phone:</b>	800-542-1682	<b>Creator:</b>	Dave Evans , davee@disney-mclane.com
<b>Fax:</b>	877-476-1682	<b>Sales Rep.:</b>	Kevin Spearing , kevin@disney-mclane.com
		<b>Shipping Address:</b>	300 Mill Street, Jasper, Indiana, United States

**Job Name: Jasper Public Library - Jasper Community Arts**

**Architect:** Hafer Associates

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
WHA	<b>SS Series</b> Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		1
	<b>SS-A</b> Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$549.50	1
	<b>SS-B</b> Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$1,119.00	1
	<b>SS-C</b> Watts - 33-60, fixture units, 1" (25 mm) connection	\$1,672.00	1
	<b>SS-D</b> Watts - 61-113 fixture units, 1" (25 mm) connection	\$4,191.00	1
	<b>SS-E</b> Watts - 114-154 fixture units, 1" (25 mm) connection	\$4,731.50	1
	<b>SS-F</b> Watts - 155-330 fixture units, 1" (25 mm) connection	\$5,815.00	1
<b>Note:</b> Dwg P4.1 Water Hammer Arrestor Schedule; Equal to Smith 5000 series			
CO	<b>CO-200-R</b> Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	<b>CO-200-R,2</b> Watts - 2"Ø (51 mm)	\$625.50	1
	<b>CO-200-R,3</b> Watts - 3"Ø (76 mm)	\$661.00	1
	<b>CO-200-R,4</b> Watts - 4"Ø (102 mm)	\$881.00	1

**Note:** Dwg P4.1 Plumbing Fixture List; equal to Zurn ZN1400  
 CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER  
 CARPET MARKER (-RC) = \$78.00 LIST ADDER  
 NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER  
 TILE RECESS (-T) = NO ADDITIONAL  
 TERRAZZO RECESS (-U) = \$354.00 LIST ADDER

CO	<b>CO-260</b>		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	<b>CO-260,3,4,6,8</b>	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List;			
EWC-1	<b>CA-431-1</b>	\$1,215.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List;			
FD-1	<b>FD-102-A5</b>	\$481.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet sizes		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List; Equal to Zurn Z415			
FD-2	<b>FD-104-A6</b>	\$588.50	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List; Equal to Zurn Z415			
FD-3	<b>FD-104-A6-F6-1</b>	\$1,214.50	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 6" Round Nickel Bronze Funnel, 4"Ø (102 mm)		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List; Equal to Zurn Z415			
FS-1	<b>FS-850-1-150</b>		1
	Watts - cast iron body, 12" (305 mm) deep, no-hub outlet, aluminum dome bottom strainer, 13" x 13" (330 mm x 330 mm) square, nickel bronze top, 1/2 grate		
	<b>FS-850-1-150,4,6</b>	\$5,903.00	1
	Watts - 4"Ø (102 mm), 6"Ø (152 mm) outlet size		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List; Equal to Zurn Z1920			
LAV-1	<b>TCA-411 Series</b>		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List;			
PH-1	<b>HY-900</b>	\$3,160.00	1
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List; Equal to Woodford RHY1			
RD-1/RD-2	<b>RD-700</b>		1
	Watts - 21" x 13-1/16" (533 mm x 330 mm), one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 20" x 12-1/2" (508 mm x 317 mm), ductile iron dome		

	<b>RD-700,3,4</b>	\$2,170.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-700,6</b>	\$2,602.00	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List; THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			
SI-1	<b>SI-742-L</b>	\$4,320.00	1
	Watts - epoxy coated, cast aluminum body, gasketed cover, removable stainless steel sediment basket, 2" (51 mm) IPS threaded connections. 10" (254 mm) clearance required above cover to remove sediment bucket, large capacity		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List; Equal to Zurn Z1181-SS Extension Up To 12" = \$3967.00 Each Additional Inch = \$279.50			
UR-1/UR-2	<b>CA-321</b>	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List;			
WC-1/WC-2	<b>ISCA-101-L/R</b>	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	<b>ISCA-101-D</b>	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	<b>ISCA-121</b>	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	<b>ISCA-121-D</b>	\$3,181.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	<b>ISCA-131-L/R</b>	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	<b>ISCA-131-D</b>	\$3,480.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List; Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.			
WH-1	<b>HY-725-3-88</b>		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, stainless steel box and door, wall clamp		
	<b>HY-725-3-88,-6,-8</b>	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	<b>HY-725-3-88,-10,-12,-14</b>	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
<b>Note:</b> Dwg P4.1 Plumbing Fixture List & Spec 221119 - 3; Equal to Woodford B65 Note: Quoting stainless steel in lieu of chrome plated			

**Section Brand: Watts Regulators**

Label	Product No. Description	List Price	Qty.
Fire BFP	<b>757-OSY : 6</b> Watts - drip tight closure against reverse flow, 304 schedule 40 stainless steel housing and sleeve, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, 6"Ø (152 mm) pipe connection (0111513)	\$5,408.00	1
<i>Note: Dwg FP1.1 Plan Notes - FP2</i>			
<i>Note: Tamper Switches by others</i>			
BFP-1 thru to BFP-4	<b>LF009M2-QT : 2</b> Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
<i>Note: Dwg P4.1 Miscellaneous Equipment Schedule; equal to Wilkins 975XL</i>			
TXT-1/TXT- 2/TXT-3	<b>DETA 12</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)	\$2,109.00	1
<i>Note: Dwg P4.1 Miscellaneous Equipment Schedule; equal to Wessels TTA-12</i>			
HB-1	<b>SC8-4</b> Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1
<i>Note: Dwg P4.1 Plumbing Fixture List; Equal to Woodford 24P</i>			
<i>Note: Requested is a polished chrome finish where quoted is a bronze finish</i>			

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
TMV- 1/TMV-2	<b>LFMM431-10</b> Powers - HydroGuard XP Thermostatic Series LFMM430	\$1,290.00	1
<i>Note: Dwg P4.1 Miscellaneous Equipment Schedule; equal to Symmons 7-200</i>			
TMV-3	<b>LFMM431AEMS00</b> Powers - HydroGuard Master Tempering Valves Supply Fixture, Bottom Inlets/Top Outlet - Exposed, 42gpm, Rough Bronze, Bottom/Top, 90°F - 160°F (32°C - 71°C)	\$2,275.00	1
<i>Note: Dwg P4.1 Miscellaneous Equipment Schedule; equal to Symmons 7-200</i>			

**Section Brand: Delany**

Label	Product No. Description	List Price	Qty.
UR-1/UR-2	<b>U1851-1</b> Delany - Low consumption Urinal Flush valve, 1.0 GPF	\$593.30	1
	<b>2324-1</b> Delany - HARDWRED TRANSFORMER for USE for 1 FLUSH VALVE for TRUESENSE	\$58.70	1
	<b>2324-3</b> Delany - HARDWRED TRANSFORMER & 3-WAY SPLITTER for USE w/ upto 3 FLUSH VALVES for TRUESENSE	\$79.00	1
<i>Note: Dwg P4.1 Plumbing Fixture List; Equal to Sloan Royal 186-1 ESS</i>			

WC-1/WC-2 <b>U1802-1.6</b>	\$609.50	1
Delany - EXPOSED TRUESENSE FLUSH VALVE for WATER CLOSET, SENSOR OPERATED, 9V HARDWIRED SYSTEM w/ ELECTRONIC NON-HOLD OPEN OVERRIDE BUTTON, 1.5" X 9" FLUSH CONNECTION w/ TOP SPUD, SLIPFIT CONNECTION TAILPIECE & SWEAT ADAPTOR KIT (1.6 GPF)		
<b>2324-1</b>	\$58.70	1
Delany - HARDWIRED TRANSFORMER for USE for 1 FLUSH VALVE for TRUESENSE		
<b>2324-3</b>	\$79.00	1
Delany - HARDWIRED TRANSFORMER & 3-WAY SPLITTER for USE w/ upto 3 FLUSH VALVES for TRUESENSE		

**Note:** Dwg P4.1 Plumbing Fixture List; Equal to Sloan Royal 111-1.6 ESS

**Special Terms:**

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.