



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4128-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-11-30
Attn.:	N/A	Expiry Date:	2018-12-30
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kim Metzger , kimm@disney-mclane.com
		Shipping Address:	3420 Everett Road, Richfield, Ohio, United States

Job Name: Revere High School

Engineer: Karpinski Engineering **Architect:** BSHM Architects / Perkins + Will Chicago

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
L-1	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
Note: P001 - Plumbing Fixture Schedule 'Basin Fixtures'			
U-1/U-2	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
Note: P001 - Plumbing Fixture Schedule 'Flushing Fixtures'			
WC-1/WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,181.50	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1

	ISCA-131-D		\$3,480.00	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support			
	Note: P001 - Plumbing Fixture Schedule 'Flushing Fixtures' & Spec 22 4000 - 5.			
	Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.			
EWC-1	CA-431-1		\$1,215.00	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.			
	Note: P001 - Plumbing Fixture Schedule 'Drinking Fixtures'			
EWC-2	CA-421		\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.			
	Note: P001 - Plumbing Fixture Schedule 'Drinking Fixtures'			
FPWH	HY-420			1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker			
	HY-420,-4,-6,-8		\$864.50	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick			
	HY-420,-10,-12,-14		\$1,006.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick			
	HY-420,-16,-18		\$1,146.50	1
	Watts - 16" (406 mm), 18" (457 mm) thick			
	Note: Spec 22 1000 - 2; Equal to JR Smith 5609QT			
CO (finished floors)	CO-200X-R			1
	Watts - 7" (178 mm) diameter, cast iron body inside caulk outlet, brass plug, 5" (127 mm) round, nickel bronze top			
	CO-200X-R,2		\$625.50	1
	Watts - 2"Ø (51 mm)			
	CO-200X-R,3		\$661.00	1
	Watts - 3"Ø (76 mm)			
	CO-200X-R,4		\$881.00	1
	Watts - 4"Ø (102 mm)			
	Note: Spec 22 1000 - 7; Equal to JR Smith 4025			
CO (finished floors)	CO-260			1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top			
	CO-260,3,4,6,8		\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size			
	Note: Spec 22 1000 - 7			
CO (unfinished floor)	CO-200-RX-4			1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top			
	CO-200-RX-4,2		\$420.50	1
	Watts - 2"Ø (51 mm)			
	CO-200-RX-4,3		\$487.50	1
	Watts - 3"Ø (76 mm)			

	CO-200-RX-4,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1000 - 7; Equal to JR Smith 4025			
Wall Cleanout	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$232.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$763.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 1000 - 7; Equal to JR Smith 4422			
Wall Cleanout (stack)	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1000 - 7; Equal to JR Smith 4510			
Cleanout tee	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1000 - 7.			
<i>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>			
Outside Cleanout	CO-300-MF	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		

Note: Spec 22 1000 - 7; Equal to JR Smith 4250

FD-1	FD-100-A6-6-7	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection	
	FD-100-A6-6-7,2,3,4	\$643.00 1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	
	FD-100-A6-6-7,6	\$763.00 1
	Watts - 6"Ø (152 mm)	
Note: Spec 22 1000 - 8; Equal to JR Smith 2005		
FD-2	FD-320-5-7	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7-7/8" (200 mm) diameter, ductile iron, round grate, sediment bucket, trap primer connection	
	FD-320-5-7,2,3,4	\$849.50 1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	
	FD-320-5-7,6	\$968.00 1
	Watts - 6"Ø (152 mm)	
Note: Spec 22 1000 - 8; Equal to JR Smith 2320		
FD-3	FD-100-ER7-6-7	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, nickel bronze, extended rim strainer, vandal proof, trap primer tapping	
	FD-100-ER7-6-7,2,3,4	\$1,170.00 1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	
	FD-100-ER7-6-7,6	\$1,290.00 1
	Watts - 6"Ø (152 mm)	
Note: Spec 22 1000 - 8; Equal to JR Smith 2005-F37		
FS-1 (full grate)	FS-710-F-1	1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top, flange w/ weepholes	
	FS-710-F-1,2,3,4	\$2,188.00 1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)	
Note: Spec 22 1000 - 8; Equal to JR Smith 3100		
FS-1 (less grate)	FS-710-F-1-33	1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top, flange w/ weepholes, less grate	
	FS-710-F-1-33,2,3,4	\$1,929.50 1
	Watts - 2" (51mm), 3" (76mm), 4" (102mm)	
Note: Spec 22 1000 - 8; Equal to JR Smith 3100		
FS-1 (half grate)	FS-710-F-1-150	1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top, flange w/ weepholes, 1/2 grate	
	FS-710-F-1-150,2,3,4	\$2,188.00 1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)	
Note: Spec 22 1000 - 8; Equal to JR Smith 3100		
FS-1 (three quarter grate)	FS-710-F-1-175	1
	Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top, flange w/ weepholes, 3/4 grate	
	FS-710-F-1-175	\$2,188.50 1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm) outlet size	
Note: Spec 22 1000 - 8; Equal to JR Smith 3100		

FS-2 (full grate)	FD-830-TG Watts - 12" (305 mm) square hopper, cast iron body no-hub outlet, flat bottom strainer, 5-1/4" (133 mm) diameter round strainer, Top grate-ductile iron		1
	FD-830-TG,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$996.50	1
Note: Spec 22 1000 - 8; Equal to JR Smith 2632			
FS-2 (less grate)	FD-830 Watts - 12" (305 mm) square hopper, cast iron body no-hub outlet, flat bottom strainer, 5-1/4" (133 mm) diameter round strainer		1
	FD-830,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$802.50	1
Note: Spec 22 1000 - 8; Equal to JR Smith 2632			
FS-2 (half grate)	FD-830-TG-150 Watts - 12" (305 mm) square hopper, cast iron body no-hub outlet, flat bottom strainer, 5-1/4" (133 mm) diameter round strainer, Top grate-ductile iron, 1/2 grate		1
	FD-830-TG-150,2,3,4 Watts - 2" (51mm), 3" (76mm), 4" (102mm)	\$996.50	1
Note: Spec 22 1000 - 8; Equal to JR Smith 2632			
RD-1	RD-300-D-F-K Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		1
	RD-300-D-F-K,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,818.00	1
	RD-300-D-F-K,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$2,120.00	1
	RD-300-D-F-K,8,10 Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size	\$2,423.00	1
Note: Spec 22 1000 - 8; Equal to JR Smith 1010			
RD-2	RD-300-D-F-R-K Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 2" (51 mm) high external water dam, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		1
	RD-300-D-F-R-K,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$2,048.50	1
	RD-300-D-F-R-K,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$2,351.00	1
	RD-300-D-F-R-K,8,10 Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size	\$2,653.50	1
Note: Spec 22 1000 - 9; Equal to JR Smith 1080			
Storm Overflow Discharge	RD-940-83 Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, stainless steel bird screen		1
	RD-940-83,3,4 Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$1,633.00	1
	RD-940-83,5,6 Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size	\$2,165.00	1
	RD-940-83,8 Watts - 8"Ø (203 mm)	\$3,204.00	1
Note: Spec 22 1000 - 9; Equal to JR Smith 1771-NB			

Solids	SI-742-L	\$4,320.00	1
Interceptor	Watts - epoxy coated, cast aluminum body, gasketed cover, removable stainless steel sediment basket, 2" (51 mm) IPS threaded connections. 10" (254 mm) clearance required above cover to remove sediment bucket, large capacity		
Note: Spec 22 13 16 - 1; Equal to JR Smith 8715.			
Note: Quoted model is steel construction.			
Extension Up To 12" = \$3,967.00			
Each Additional Inch = \$279.50			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

Expansion Tank	DETA 80 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 35 gallons (0212032)	\$3,647.00	1
----------------	--	------------	---

Note: P001 - Domestic Water Heater Schedule - Gas Fired - Storage; Equal to Elbi DTS-80

BFP (2 1/2")	957-OSY : 2 1/2 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0111584)	\$4,205.00	1
--------------	---	------------	---

	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
--	---	----------	---

	77F-DI-FDA-125 : 2 1/2 Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 2-1/2"Ø (64 mm) valve (0825210)	\$643.50	1
--	---	----------	---

Note: P101.e - First Floor Plumbing Plan Area E & Spec 22 1000 - 2

BFP (2")	LF909M1-QT : 2 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391012)	\$3,363.00	1
----------	---	------------	---

	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
--	---	----------	---

	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
--	--	----------	---

Note: P102.b - Plan Notes #9 & Spec 22 1000 - 2

BFP (2" alternate)	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
--------------------	--	------------	---

	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
--	---	----------	---

	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
--	--	----------	---

Note: P102.b - Plan Notes #9 & Spec 22 1000 - 2

Vacuum Breaker ASSE 1056	LF008PCQT : 1/2 Watts - molded diaphragm separating the air inlet from the potable water supply to prevent spillage, Lead Free cast copper silicon alloy body, 1/2"Ø (13 mm) pipe connection (0792024)	\$699.00	1
--------------------------	--	----------	---

Note: P502 - Food Service Equipment Installation Schedule, Remarks #4 & Spec 22 1000 - 2

Dual Check Valve ASSE 1024	LF7 : 3/8 Watts - Lead Free cast copper silicon alloy body, silicon disc, 3/8"Ø (10 mm) pipe connection (0792076)	\$202.00	1
	LF7 : 1 1/4 Watts - Lead Free cast copper silicon alloy body, silicon disc, 1 1/4" (32 mm) pipe connection (0792076)	\$202.00	1
Note: P502 - Food Service Equipment Installation Schedule, Remarks #4 & Spec 22 1000 - 3			
Dual Check Valve ASSE 1022	SD3-MF : 1/4 Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 1/4"Ø (6 mm) pipe connection (0061653)	\$391.50	1
	SD3-MF : 3/8 Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 3/8"Ø (10 mm) pipe connection (0061657)	\$391.50	1
Note: P502 - Food Service Equipment Installation Schedule, Remarks #4 & Spec 22 1000 - 3			
PRV	LF25AUB-G-Z3 : 2 Watts - Water Pressure Reducing Valves, Gauge tapping, 1/8", Stainless Steel strainer, Copper silicon alloy,(51mm)	\$1,487.00	1
Note: P703 - Plumbing Water System Diagram & Spec 22 1000 - 4. Note: Quoting model as specified in specifications.			
Dual Check ASSE 1012	9D M3 : 1/2 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)	\$134.00	1
	9D M2 : 3/4 Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)	\$137.50	1
Note: Spec 22 1000 - 3			
ET1	ET-RA 500 Watts - painted exterior, carbon steel shell, ASME Section VIII construction, heavy duty butyl, removable bladder, 12 psi pre-charge pressure, 125 psig maximum pressure, 240°F maximum temperature, tank volume of 132 gallons (0212018)	\$6,564.00	1
Note: H002 - Expansion Tank Schedule; Equal to Taco CA500			
ET2	ET-RA 200 Watts - painted exterior, carbon steel shell, ASME Section VIII construction, heavy duty butyl, removable bladder, 12 psi pre-charge pressure, 125 psig maximum pressure, 240°F maximum temperature, tank volume of 53 gallons (0212015)	\$5,560.00	1
Note: H002 - Expansion Tank Schedule; Equal to Taco CA500			
Double Check Detector Assembly	757DCDA-OSY-CFM : 6 Watts - 304 schedule 40 stainless steel housing and sleeve with groove end connections, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 6"Ø (152 mm) pipe connection (0111547)	\$6,974.00	1
Note: FP601 - Wet Pipe Sprinkler - Alarm Check Valve Riser Detail & Spec 21 0300 - 3 & Spec 21 1000 - 8			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
ASSE 1070 Mixing Valve	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
<i>Note: P001 - Plumbing Fixture Schedule 'Basin Fixtures', Remarks #2</i>			
TMV-1 (Eyewash Mixing Valve)	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1
<i>Note: P001 - Plumbing Fixture Schedule 'Basin Fixtures', Remarks #13 & P001 - Plumbing Fixture Schedule 'Drinking Fixtures' & Spec 22 1000 - 6; Equal to Haws 9201EW & Lawler 911E/F</i>			
SH-1	S450-4000-00H Powers - Modular Shower	\$1,225.00	1
<i>Note: P001 - Plumbing Fixture Schedule 'Bathing Fixtures'; Equal to Bradley WS-1X</i>			
SH-2	450-4104 Powers - Hydropanel II with Diverter, Deluxe Hand Shower, VB, Fixed Showerhead, and Soap Dish	\$2,949.00	1
	141-804A Powers - Hand Shower System, Quick-Release Hose Coupling (Quick Disconnect)	\$104.00	1
<i>Note: P001 - Plumbing Fixture Schedule 'Bathing Fixtures'; Equal to Bradley HN250</i>			
Digital Mixing Valve	LFIS200F00LP Powers - IntelliStation, Digital Water Tempering and Recirculating System, 2"(50mm)Inlets, 2 1/2"(63mm), 2" Return Pipe, Less Pump	\$26,586.00	1
<i>Note: Spec 22 1000 - 4; Equal to Armstrong DMC 50</i>			
TMV-4	LFMM431-10 Powers - HydroGuard XP Thermostatic Series LFMM430	\$1,290.00	1
<i>Note: Spec 22 1000 - 6; Equal to Lawler 61-25</i>			

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MB-1	MSB2424 FIAT - MOP SERVICE BASIN 24"	\$373.00	1
	889CC FIAT - MSB MOP HANGER BRACKET	\$84.00	1
	832AA FIAT - MSB HOSE AND BRACKET	\$40.00	1
<i>Note: P001 - Plumbing Fixture Schedule 'Basin Fixtures'</i>			

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
U-1/U-2	S451-0.125 Delany - EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.125 GPF)	\$183.00	1
<i>Note: P001 - Plumbing Fixture Schedule 'Flushing Fixtures'; Equal to Zurn Z6003AV-ULF</i>			

WC-1/WC-2 **S402-1.28** \$183.00 1

Delany - EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9"
FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.28 GPF)

Note: P001 - Plumbing Fixture Schedule 'Flushing Fixtures'; Equal to Zurn Z6000AV-HET

Section Brand: MAPA Products

Label	Product No. Description	List Price	Qty.
FPRH	MPH-24FP:24/9 MAPA Products - Pedestal Hydrant, Under-deck flange, e Stainless Steel Shroud and Base, Supply connection is made at the 3/4" fitting on the reservoir at the base of the Hydrant	\$983.75	1

Note: Spec 22 1000 - 2

Section Brand: Intersan

Label	Product No. Description	List Price	Qty.
L-2	SLV02-B-DEK-CS Streamlav Solid Surface, 2-User, Stainless Steel Skirt, No Faucet, Drilling Centerset Holes for Faucets by Others (must supply faucet spec sheet), Standard Colors	\$1,838.00	1

Note: P001 - Plumbing Fixture Schedule 'Basin Fixtures'; Equal to Bradley LVRD2

NOTE: Faucet and thermostatic mixing valve provided by others.

L-3	SLV03-B-DEK-CS Streamlav Solid Surface, 3-User, Stainless Steel Skirt, No Faucet, Drilling Centerset Holes for Faucets by Others (must supply faucet spec sheet), Standard Colors	\$2,605.00	1
-----	---	------------	---

Note: P001 - Plumbing Fixture Schedule 'Basin Fixtures'; Equal to Bradley LVRD3

NOTE: Faucet and thermostatic mixing valve provided by others.

Section Brand: Orion

Label	Product No. Description	List Price	Qty.
Acid Neut. Tank	Acid Neutralization Tank - 275 Gallon Capacity Single Tank Extension, 4" Flanged Inlet/4" Flanged Outlet/2" Flanged Vent, Standard Bolted Cover, 16" Gamma Plus Access, Tank Anchor Flange, Two (2) Limestone Fills (72-50# Bags Per Fill/144-50# Bags Total)	\$15,306.00	1

Note: P100.b - Plan Notes #2 & Spec 22 1345 - 1; Equal to Striem LB-275

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.