



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4140-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-12-07
Attn.:	N/A	Expiry Date:	2019-01-06
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kim Metzger , kimm@disney-mclane.com
		Shipping Address:	101 South Bissell Road , Aurora, Ohio, United States

Job Name: Aurora Manor Special Care Centre Building Addition

Engineer: Point One Design Ltd **Architect:** Davison Smith Certo Architects Inc

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
LAV-A	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
Note: Dwg P3.0 Plumbing fixture Schedule			
FS	FS-500-150 Watts - PVC body, 6" (152 mm) deep, socket outlet, 12" x 12" (305 mm x 305 mm) square, secured grate, 1/2 grate		1
	FS-500-150,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$973.00	1
Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Sioux Chief 861			
FS-A	FD-670 Watts - 10-1/8" (257 mm) round, PVC drain, socket outlet, 9-11/16" (246 mm) diameter, PVC secured grate with vandal proof stainless steel screws		1
	FD-670,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$850.50	1
Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Sioux Chief 860			
FD	FD-100-A6-60 Watts - 8-1/8" (206 mm) diameter PVC body socket outlet, 6" (152 mm) diameter nickel bronze, round strainer		1
	FD-100-A6-60,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$588.50	1
	FD-100-A6-60,6 Watts - 6"Ø (152 mm)	\$709.00	1
Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Sioux Chief 863			

FPHB	HY-420		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		
	HY-420,-4,-6,-8	\$864.50	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	HY-420,-10,-12,-14	\$1,006.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420,-16,-18	\$1,146.50	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	HY-420,-20,-22,-24	\$1,188.00	1
	Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick		
Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Smith 5619			
SA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Dwg P3.0 Plumbing fixture Schedule;			
FCO	CO-200-R-60		1
	Watts - 7" (178 mm) diameter, PVC body with poly plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R-60,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R-60,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R-60,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Sioux Chief 834			
WCO	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$232.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		

	CO-380-RD,6	\$763.00	1
	Watts - 6"Ø (152 mm)		
Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Smith 4422			
Shock Absorber	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 224000 - 2; Equal to Smith Hydrotrol			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
VB	LF800M4-QT : 1/2	\$342.50	1
	Watts - acetal bonnet with silicon rubber O-ring seal, Lead Free cast copper silicon alloy body, v-notch guided check assembly replaceable seat, silicone rubber seat disc, tee handle quarter turn ball valve shut-offs, 1/2"Ø (13 mm) pipe connection (0792010)		
	LF800M4-QT : 3/4	\$342.50	1
	Watts - acetal bonnet with silicon rubber O-ring seal, Lead Free cast copper silicon alloy body, v-notch guided check assembly replaceable seat, silicone rubber seat disc, tee handle quarter turn ball valve shut-offs, 3/4"Ø (19 mm) pipe connection (0792011)		
Note: Dwg P3.0 Plumbing fixture Schedule;			
Expansion Tank	DETA 42	\$2,824.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 22 gallons (0212030)		
Note: Dwg P3.1GWH-1 and GWH-2 Water Heater Detail; Equal to Amtrol ST-42VC			

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MS	MSB2424	\$373.00	1
	FIAT - MOP SERVICE BASIN 24"		
	1453BB	\$15.00	1
	FIAT - SS MSB STRAINER PLATE		
	833AA	\$22.00	1
	FIAT - SILICONE SEALANT		
	E77AA24	\$84.00	1
	FIAT - 24" VINYL BUMPER GUARDS		
	832AA	\$40.00	1
	FIAT - MSB HOSE AND BRACKET		

889CC		\$84.00	1
FIAT - MSB MOP HANGER BRACKET			
MSG2424		\$289.00	1
FIAT - 24" X 24" WALL GUARDS			

Note: Dwg P3.0 Plumbing fixture Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SH-Valve	P910H000NW Powers - Pressure Balancing Valve, 1/2" Copper sweat connections, Professional, Metal Hose, 30" Glide Rail, in-line Vacuum Breaker	\$701.00	1
Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Moen 8346			
TTV	LFLM495-1 Powers - 1/2 LFLM495-1	\$312.00	1
Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Symmons 7-225			
TMV	LFMM434AEMS00 Powers - HydroGuard XP, Rough Bronze, Top/Top, Exposed, no cabinet, Standard—90°F to 160°F (32°C to 71°C)	\$4,320.00	1

Note: Dwg P3.0 Plumbing fixture Schedule; Equal to Symmons 7-1000A-ASB-W

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

- Above prices are net.
- All taxes are extra.
- Partial or expedited shipments, at customer request, may result in additional freight charges.
- Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.
- Please ensure that all quoted product meets your projects specifications.
- Our company will only be responsible for products shown on the attached quotation.