



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4188-S

To:	Contractor Holder Kentucky Cincinnati, Ohio	Bid Date:	2018-12-05
Attn.:	N/A	Expiry Date:	2019-01-04
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Patrick Thompson , patrickt@disney-mclane.com
		Shipping Address:	6900 Bardstown Road , Louisville, Kentucky, United States

Job Name: Kroger L-360 Remodel - Louisville KY

Architect: Interplan LLC

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
FCO	CO-204-RX-60 Watts - epoxy coated, 7" (178 mm) diameter, cast iron body, no-hub outlet, removable, gas tight, gasketed, brass plug, 5" (127 mm) round, adjustable, gasketed, heavy duty, nickel bronze top,PVC Body w/ Poly Plug, 4"(102 mm) outlet size	\$1,036.00	1
<i>Note: P0.1 - Plumbing Fixture Schedule & Spec 22 1300 - 5; Equal to Sioux Chief 834</i>			
FCO	CO-264 Watts - 10-3/16" (259 mm) diameter, cast iron body, no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top, 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet sizes	\$1,210.00	1
<i>Note: P0.1 - Plumbing Fixture Schedule & Spec 22 1300 - 5 & Spec 22 1400 - 4</i>			
FS-1	FS-500-150 Watts - PVC body, 6" (152 mm) deep, socket outlet,12" x 12" (305 mm x 305 mm) square, secured grate, 1/2 grate		1
	FS-500-150,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$973.00	1
<i>Note: P0.1 - Plumbing Fixture Schedule; Equal to Sioux Chief 861. Note: Quoting without stainless steel mesh debris bucket.</i>			
HD	FD-100-DD-50 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter opening, cast iron hub funnel		1
	FD-100-DD-50,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$452.50	1
	FD-100-DD-50,6 Watts - 6"Ø (152 mm)	\$572.00	1
<i>Note: P0.1 - Plumbing Fixture Schedule. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>			
WCO	CO-594-RD Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw, 4"Ø (102 mm) outlet size	\$307.50	1
<i>Note: P0.1 - Plumbing Fixture Schedule & Spec 22 1300 - 5 & Spec 22 1400 - 4; Equal to Sioux Chief 873</i>			
WHA (piston type)	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1

	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	Note: Spec 22 1100 - 7; Equal to Sioux Chief 650 Series		
Trap Primer	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	Note: Spec 22 1100 - 11; Equal to Sioux Chief 695		
FD1/FD1M	FD-100-A6-60		1
	Watts - 8-1/8" (206 mm) diameter PVC body socket outlet, 6" (152 mm) diameter nickel bronze, round strainer		
	FD-100-A6-60,2,3,4	\$588.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-60,6	\$709.00	1
	Watts - 6"Ø (152 mm)		
	Note: Spec 22 1300 - 3; Equal to Sioux Chief 832		
FD2	FD-1200-A8-5-60		1
	Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, stainless steel, heavy duty round strainer, sediment bucket, PVC Body w/Socket Outlet		
	FD-1200-A8-5-60,2,3,4	\$1,018.00	1
	Watts - 2", 3", 4"		
	Note: Spec 22 1300 - 3.		
	THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
FD4	FS-740-1-5-150		1
	Watts - cast iron body, 8-1/4" (209 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, nickel bronze top, sediment bucket, 1/2 grate		
	FS-740-1-5-150,2,3,4	\$3,297.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	Note: Spec 22 1300 - 3.		
	Note: Quoting nickle bronze top and cast iron body in lieu of PVC.		
	THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
FD5	FS-500-150		1
	Watts - PVC body, 6" (152 mm) deep, socket outlet, 12" x 12" (305 mm x 305 mm) square, secured grate, 1/2 grate		

	FS-500-150,2,3,4	\$973.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	Note: Spec 22 1300 - 3. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
FD6	FS-740-5		1
	Watts - cast iron body, 8-1/4" (209 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, porcelain enamel coated cast iron grate, sediment bucket		
	FS-740-5,2,3,4	\$2,546.00	1
	Watts - 2" (51mm),3" (76mm), 4" (102mm)		
	Note: Spec 22 1300 - 4. Note: Quoting cast iron body in lieu of PVC body. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
TD1	P-DI	\$432.50	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet, pre-sloped trench, pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, UV stabilized glass-filled polypropylene frame, framed anchored grate, ductile iron, Class C		
	Note: Spec 22 1300 - 4. Please note trench drain price is per foot. Note: Polypropylene channel in lieu of polyester channel. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
TD1 (option)	FG-GV	\$65.75	1
	Watts - Frame Guard, Galvanized Steel Frame Guard		
	Note: Spec 22 1300 - 3. Please note trench drain price is per foot.		
TD2	D-RGS	\$534.00	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, reinforced galvanized slotted, Class C		
	Note: Spec 22 1300 - 4. Please note trench drain price is per foot. Note: Polypropylene channel in lieu of polyester channel. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID		
TD2 (option)	FG-GV	\$65.75	1
	Watts - Frame Guard, Galvanized Steel Frame Guard		
	Note: Spec 22 1300 - 3. Please note trench drain price is per foot.		
RD-1/OD-1	RD-300-D		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome, under deck clamp		
	RD-300-D,2,3,4	\$948.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D,5,6	\$1,251.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D,8,10	\$1,554.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	Note: Spec 22 1400 - 3; Equal to Sioux Chief 867		
RD-2	RD-260-D		1
	Watts - 24" x 12" (610 mm x 305 mm) rectangular, one-piece cast iron combination roof drain with deck flange, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 8-1/8" (206 mm) diameter, polyethylene dome, under deck clamp		

	RD-260-D,2,3,4	\$1,443.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: Spec 22 1400 - 3; Equal to Zurn RD2130			
Downspout	RD-950-6		1
Nozzle Cover	Watts - round, fabricated type 304 stainless steel, securing flange and secured perforated hinged strainer, no hub, vandal proof		
	RD-950-6,3,4	\$3,062.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-950-6,6	\$3,226.00	1
	Watts - 6"Ø (152 mm)		
	RD-950-6,8	\$3,372.00	1
	Watts - 8"Ø (203 mm)		
	RD-950-6,10	\$3,559.00	1
	Watts - 10"Ø (254 mm)		
	RD-950-6,12	\$3,767.00	1
	Watts - 12"Ø (305 mm)		
Note: Spec 22 1400 - 3; Equal to Zurn Z199-DC-VP			
LAV	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Spec 22 4200 - 3 & Spec 22 4200 - 6			
EWC (single level)	CA-421	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 22 4200 - 8			
EWC (bi level)	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 22 4200 - 8			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP-1	9D M3 : 1/2	\$134.00	1
	Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)		
	9D M2 : 3/4	\$137.50	1
	Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)		

Note: Spec 22 1100 - 6

BFP-2	SD3-MF : 1/4	\$391.50	1
Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 1/4"Ø (6 mm) pipe connection (0061653)			

	SD3-MF : 3/8	\$391.50	1
Watts - 316 stainless steel body with FDA approved internal rubber components, recommended on post-mix carbonated beverage equipment and dispensing equipment for tea and coffee. certified to ANSI / NSF Standard 18, manual food and beverage dispensing equipment, male flare connection, 3/8"Ø (10 mm) pipe connection (0061657)			

Note: Spec 22 1100 - 6

BFP-4	LF719-QT-S : 1/2	\$496.50	1
Watts - Lead Free cast copper silicon alloy body, plastic-on-plastic check guides, replaceable valve seat and discs with reversible seat disc ASSE 1015 and AWWA C510 compliant integral shut-off valves, quarter turn ball-valves, bronze strainer, 1/2"Ø (13 mm) pipe connection (0065307)			

Note: Spec 22 1100 - 6

Expansion Tank	DETA 12	\$2,109.00	1
Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)			

Note: Spec 22 1100 - 7; Equal to Amtrol AST-12

MTMV	LFMMVM1-US : 1/2	\$314.00	1
Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, cUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, union solder (0559115)			

Note: Spec 22 1100 - 10.

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV1	LFE480-10	\$284.00	1
Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish			

Note: P0.1 - Plumbing Fixture Schedule & Spec 22 1100 - 9

ETV	ES150-11	\$1,126.00	1
Powers - ES150 EMERGENCY TEMPER			

Note: Spec 22 1100 - 10 & Spec 22 4200 - 8

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
HB	24P3/4	\$52.35	1
Woodford - Model 24 Wall Faucet P 3/4 Inlet			

Note: P0.1 - Plumbing Fixture Schedule & Spec 22 1100 - 6

Yard Hydrant	Y95		1
Woodford - Anti-Siphon Freezeless Yard Hydrants			

	Y95-1	\$504.60	1
Woodford - Model Y95 Lawn Hydrant 1 Feet			

	Y95-2	\$513.10	1
Woodford - Model Y95 Lawn Hydrant 2 Feet			

	Y95-3	\$521.60	1
Woodford - Model Y95 Lawn Hydrant 3 Feet			

Y95-4		\$530.10	1
Woodford - Model Y95 Lawn Hydrant 4 Feet			
Y95-5		\$538.60	1
Woodford - Model Y95 Lawn Hydrant 5 Feet			
Y95-6		\$547.10	1
Woodford - Model Y95 Lawn Hydrant 6 Feet			
Y95-7		\$555.60	1
Woodford - Model Y95 Lawn Hydrant 7 Feet			

Note: Spec 22 1100 - 6

Exterior	B65C		1
Hose Bibs	Woodford - Anti-Siphon Freezeless Wall Hydrant C inlet, Copper Sweat Fitting 1/2" K, L or M Inside, 3/4" M Only Outside		
	B65C-4,6,8	\$446.35	1
Woodford - Model B65 Box Hydrant C Inlet 4",6",8"			
	B65C-10,12,14,16	\$460.50	1
Woodford - Model B65 Box Hydrant C Inlet 10",12",14",16"			

Note: Spec 22 1100 - 6

Exterior	19C		1
Hose Faucet	Woodford - Freezeless Anti-Siphon Wall Faucet, w/ C inlet, Copper Sweat Fitting 1/2" K, L or M Inside, 3/4" M Only Outside		
	19C-4	\$50.75	1
Woodford - Model 19 Wall Faucet C Inlet 4 Inch			
	19C-6	\$53.00	1
Woodford - Model 19 Wall Faucet C Inlet 6 Inch			
	19C-8	\$55.25	1
Woodford - Model 19 Wall Faucet C Inlet 8 Inch			
	19C-10	\$57.50	1
Woodford - Model 19 Wall Faucet C Inlet 10 Inch			
	19C-12	\$59.75	1
Woodford - Model 19 Wall Faucet C Inlet 12 Inch			
	19C-14	\$62.00	1
Woodford - Model 19 Wall Faucet C Inlet 14 Inch			
	19C-16	\$64.25	1
Woodford - Model 19 Wall Faucet C Inlet 16 Inch			

Note: Spec 22 1100 - 6

Section Brand: MAPA Products

Label	Product No. Description	List Price	Qty.
Roof Hydrant	MPH-24FP:24/9 MAPA Products - Pedestal Hydrant, Under-deck flange, e Stainless Steel Shroud and Base, Supply connection is made at the 3/4" fitting on the reservoir at the base of the Hydrant	\$983.75	1

Note: Spec 22 1100 - 6

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
Water Closet Flush Valve	S402-1.6-SC-SH Delany - Saber Low Consumption Flush Valve (106gpf/6.0 Lpf per flush) w/ SmartHandle Dual Flush with Antimicrobial Coating	\$196.90	1

Note: Spec 22 4200 - 3

Urinal Flush Valve	PL1451-0.125 Delany - EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED} w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, OVERRIDE BUTTON, & SWEAT ADAPTOR KIT (0.125 GPF}	\$552.10	1
--------------------------	--	----------	---

Note: Spec 22 4200 - 5

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.