



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-3708-S-1

To: Contractor Holder Kentucky Cincinnati, Ohio	Bid Date: 2018-12-18
Attn.: N/A	Expiry Date: 2019-01-17
Phone: 800-542-1682	Creator: Dave Evans , davee@disney-mclane.com
Fax: 877-476-1682	Sales Rep.: Jake Kennard , jakek@disney-mclane.com
	Shipping Address: 2350 Brannon Road , Nicholasville, Kentucky, United States

Job Name: St. Andrew Orthodox Church

Engineer: E-Tech Consultants **Architect:** CMV Inc

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
CO	CO-200-R-6 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		1
	CO-200-R-6,2 Watts - 2"Ø (51 mm)	\$721.50	1
	CO-200-R-6,3 Watts - 3"Ø (76 mm)	\$757.00	1
	CO-200-R-6,4 Watts - 4"Ø (102 mm)	\$977.00	1
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to Zurn ZN1400-VP			
CO	CO-260-6 Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top,Vandal Proof		1
	CO-260-6,3,4,6,8 Watts - 3" (76 mm), 4" (102 mm),6"(152 mm),8" (203 mm)	\$1,306.00	1
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule;			
ECO	CO-270-6 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 6-9/16" (167 mm) round, heavy duty, ductile iron top, vandal proof		1
	CO-270-6,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$549.00	1
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to Zurn Z1402-VP			
EWC-1A	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule;			
FD-1	FD-100-A7-6-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection		1
	FD-100-A7-6-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$734.00	1

	FD-100-A7-6-7,6	\$854.00	1
	Watts - 6"Ø (152 mm)		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to Zurn Z415B			
FD-2	FD-310-1-6-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, nickel bronze grate,Vandal Proof,Trap Primer Tapping		
	FD-310-1-6-7,2,3,4	\$888.50	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)		
	FD-310-1-6-7,6	\$1,008.50	1
	Watts - 6"(152 mm)		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to Zurn ZN507			
FD-1/FD-2	LFTP300-DR Series		1
Trap Primer	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to Zurn Z1022			
FS-1	FS-780		1
	Watts - 14 gauge type 304 stainless steel receptor body, 6-1/4" (159 mm) deep, no-hub outlet, dome bottom strainer, 10" x 10" (254 mm x 254 mm) square, cast stainless steel		
	FS-780,2,3,4	\$3,725.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule;			
<i>Note: Does not come with hinged grate option</i>			
THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			
GT-1	GI-500-K	\$86,435.00	1
	Watts - steel, epoxy coated, skid-proof cover, secured with hex head center bolts, integral stainless steel flow control plate, double wall, deep seal trap, no-hub connections, flow rate of 500 GPM		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule;Equal to Zurn Z1172			
<i>Extension Up to 12" = \$5290.00</i>			
<i>Extension over 12", add per inch = \$451.00</i>			
L-1A/SAC- 1	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule;			
OD-1	RD-940-83		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes, no hub, stainless steel bird screen		

	RD-940-83,3,4	\$1,633.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-940-83,5,6	\$2,165.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-940-83,8	\$3,204.00	1
	Watts - 8"Ø (203 mm)		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to ZNAB-199-SS			
OR-1	FD-100-EF-1		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter nickel bronze, adjustable round strainer, 4" (102 mm) diameter nickel bronze funnel		
	FD-100-EF-1,2,3,4	\$909.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-EF-1,6	\$1,029.00	1
	Watts - 6"Ø (152 mm)		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to Zurn Z415E			
RD-1	RD-700		1
	Watts - 21" x 13-1/16" (533 mm x 330 mm), one-piece cast iron combination roof drain, flashing clamps with integral gravel guard, 4" (102 mm) overflow standpipe, no-hub outlet, 20" x 12-1/2" (508 mm x 317 mm), ductile iron dome		
	RD-700,3,4	\$2,170.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-700,6	\$2,602.00	1
	Watts - 6"Ø (152 mm)		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID			
UR-1A	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule;			
WHA	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to Zurn Z1700			
CO	CO-460		1
Exposed	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		

	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 221319 - 2			
CO Wall	CO-460-RD		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		
Note: Spec 221319 - 3			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP	LF909M1-QT : 2 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391012)	\$3,363.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
Note: Dwg P-102 Basement Domestic Water Plan & P-201 Plumbing Fixture & Plumbing Specialties Schedule. <i>Note: Quoting as per main line size. Quoted size does not come with OSY option.</i>			
BFP Option	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
Note: Dwg P-102 Basement Domestic Water Plan & P-201 Plumbing Fixture & Plumbing Specialties Schedule. <i>Note: Quoting as per main line size. Quoted size does not come with OSY option.</i>			
ET-1	PLT-5 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 2.1 gallons (0067370)	\$90.50	1
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to State ETC-2X			
Domestic BFP	LF719-QT : 2 Watts - Lead Free cast copper silicon alloy body, plastic-on-plastic check guides, replaceable valve seat and discs with reversible seat disc ASSE 1015 and AWWA C510 compliant integral shut-off valves, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0065306)	\$1,053.00	1
Note: Dwg P-102 Basement Domestic Water Plan & P-201 Domestic Water Entrance Detail			

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
FWH	B65C Woodford - Anti-Siphon Freezeless Wall Hydrant C inlet, Copper Sweat Fitting 1/2" K, L or M Inside, 3/4" M Only Outside		1
	B65C-4,6,8 Woodford - Model B65 Box Hydrant C Inlet 4",6",8"	\$446.35	1
	B65C-10,12,14,16 Woodford - Model B65 Box Hydrant C Inlet 10",12",14",16"	\$460.50	1
	B65C-18,20,22,24 Woodford - Model B65 Box Hydrant C Inlet 18",20",22",24"	\$474.65	1
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule;			
HB	B26-1/2 Woodford - Model B26 1/2 Box Hydrant	\$430.05	1
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule;			

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
UR-1A	PL1451-1 Delany - EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED (1.0 gpf)	\$552.10	1
Note: P-201 Plumbing Fixture & Plumbing Specialties Schedule; Equal to Sloan 8186			
<i>Note: Flush rate quoted as suggestion, no flush rate given</i>			

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.