



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4220-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-12-11
Attn.:	N/A	Expiry Date:	2019-01-10
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Jason Plageman , jasonp@disney-mclane.com
		Shipping Address:	36 South Congress Street, Athens, Ohio, United States

Job Name: OU Bromley Hall - Athens OH

Engineer: Prater Engineering Associates Inc

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
FD-1	FD-340-Y-5 Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, ductile iron grate, sediment bucket		1
	FD-340-Y-5,2,3,4,5,6,8 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm), 5"Ø (127 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size	\$1,301.00	1
<i>Note: Dwg P200 Drain + Cleanout Schedule; Equal to Zurn Z541</i>			
CO Walls Finished Areas	CO-460-RD Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1
	CO-460-RD,2 Watts - 2"Ø (51 mm)	\$364.00	1
	CO-460-RD,3 Watts - 3"Ø (76 mm)	\$417.50	1
	CO-460-RD,4 Watts - 4"Ø (102 mm)	\$611.50	1
<i>Note: Dwg P200 Drain + Cleanout Schedule; Equal to Zurn Z1446</i>			
CO Finished Floor Areas	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200-R,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200-R,4 Watts - 4"Ø (102 mm)	\$881.00	1
<i>Note: Dwg P200 Drain + Cleanout Schedule; Equal to Zurn ZN1400</i>			
CO Finished Floor Areas	CO-260 Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		1

	CO-260,3,4,6,8	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
Note: Dwg P200 Drain + Cleanout Schedule;			
CO All	CO-590		1
Othres	Watts - Round, threaded brass cleanout plug with countersunk head		
	CO-590,1.5	\$45.75	1
	Watts - 1-1/2"Ø (39 mm)		
	CO-590,2	\$54.50	1
	Watts - 2"Ø (51 mm)		
	CO-590,3	\$96.25	1
	Watts - 3"Ø (76 mm)		
	CO-590,4	\$167.50	1
	Watts - 4"Ø (102 mm)		
	CO-590,5	\$260.00	1
	Watts - 5"Ø (126 mm)		
	CO-590,6	\$349.50	1
	Watts - 6"Ø (152 mm)		
Note: Dwg P200 Drain + Cleanout Schedule; Equal to Zurn ZB1470			
Shock Absorbers	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 11 16-3; Equal to Zurn Z1700			
Non-freeze Wall Hydrant	HY-420-88		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker, loose key, wall clamp		
	HY-420-88,-4,-6,-8	\$864.50	1
	Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick		
	HY-420-88,-10,-12,-14	\$1,006.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420-88,-16,-18	\$1,147.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		

Note: Spec 22 11 19-4/5

Water Hammer Arrestor	LF15M2-DR Series Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	LF15M2-A-DR Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	LF15M2-B-DR Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$336.00	1
	LF15M2-C-DR Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	LF15M2-D-DR Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	LF15M2-E-DR Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,390.50	1
	LF15M2-F-DR Watts - 155-330 fixture units, 1" (25 mm) connection	\$1,656.00	1
Note: Spec 22 11 19-5			
Trap Primer	LFTP300-DR Series Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		1
	LFTP300T Watts - 1/2", Threaded Inlet and Outlet Connect	\$270.00	1
	LFTP300S ATS - 1/2", Solder Inlet and Threaded Outlet Connect	\$270.00	1
	LFTP300-DU-DR Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit	\$189.00	1
Note: Spec 22 11 19-5			
CO Exposed	CO-460 Watts - cast iron stack, no-hub outlet, counter sunk brass plug		1
	CO-460,2 Watts - 2"Ø (51 mm)	\$228.00	1
	CO-460,3 Watts - 3"Ø (76 mm)	\$284.00	1
	CO-460,4 Watts - 4"Ø (102 mm)	\$441.00	1
Note: Spec 22 13 19-2			
CO Floor	CO-1200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5-1/8" (130 mm) round, heavy duty, stainless steel top		1
	CO-1200-R,2 Watts - 2"Ø (51 mm)	\$838.00	1
	CO-1200-R,3 Watts - 3"Ø (76 mm)	\$873.00	1
	CO-1200-R,4 Watts - 4"Ø (102 mm)	\$1,094.00	1
Note: Spec 22 13 19-2			
Floor Drain	FD-100-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		1

FD-100-A5,2,3,4	\$481.00	1
Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
FD-100-A5,6	\$601.00	1
Watts - 6"Ø (152 mm)		

Note: Spec 22 13 19-2

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
TXT-1	DETA 20 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$2,345.00	1

Note: Dwg P200 Plumbing Equipment Schedule & Dwg P200 SWH-1a/1b Steam Water Heater Diagram; Equal to Amtrol ST-12C

TXT-2	DETA 20 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 8 gallons (0212028)	\$2,345.00	1
-------	---	------------	---

Note: Dwg P200 Plumbing Equipment Schedule & Dwg P200 B-1 Diagram; Equal to Amtrol ST-20VC

Vacuum Relief Valve	LFN36M1 : 1/2 Watts - Lead Free Vacuum Relief Valve, 1/2"(15mm)	\$78.25	1
---------------------	---	---------	---

	LFN36M1 : 3/4 Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$97.75	1
--	---	---------	---

Note: Dwg P200 B-1; Diagram

Hose Bib	SC8-4 Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)	\$81.25	1
----------	---	---------	---

Note: Spec 22 11 16-3;

PRV	3" LFF115 3" LFF115 150 X FC AOS (V2013-03)	\$3,447.00	1
-----	---	------------	---

Note: Spec 22 11 19-2/3

Section Brand: Pure Water

Label	Product No. Description	List Price	Qty.
WS-1	T1815 1.5" STATIC MIXER	\$1,360.33	1
	T4120 15 GAL SOLUTION TANK	\$67.17	1
	T55-85MHP17 CHEM FEED PUMP- STENNER 17GPD	\$359.41	1
	PCM10 CONTROL- PCM- STENNER FEED	\$296.41	1
	JPL100 METER- CHEM FEED PUMP	\$282.47	1

Note: Dwg P200 Plumbing Equipment Schedule;

Section Brand: Armstrong

Label	Product No. Description	List Price	Qty.
RCP-1	Armstrong 182212-650, E19.2B InLine Pump	\$0.00	1

Armstrong 804301-841 1½

\$0.00 1

1½" lfb Flange Kit

Note: Dwg P200 Plumbing Equipment Schedule; Equal to B&G Model HV

Section Brand: Ames

Label	Product No. Description	List Price	Qty.
RPZ-1	C400-OSY : 4 Ames - Lead Free Colt Series, Reduced Pressure Zone Assembly, UL/FM outside stem and yoke resilient seated gate valves, 4"(100mm)	\$4,785.00	1
	0690511 Ames - AIR GAP 2 1/2 - 6 VERT	\$735.00	1
	8000F : 4 Ames - Stainless Steel Flanged Strainer, 304 stainless steel, standard screen, 4"(100mm)	\$531.50	1

Note: Dwg P200 Plumbing Equipment Schedule;

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.