



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4226-S

To:	Contractor Holder Kentucky Cincinnati, Ohio	Bid Date:	2018-12-12
Attn.:	N/A	Expiry Date:	2019-01-11
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Brett Mullins , brettm@disney-mclane.com
		Shipping Address:	32 School Road , Walton, Kentucky, United States

Job Name: Walton-Verona Middle School (RenovationAddition) - Walton, KY

Engineer: Shrout Tate Wilson Engineers

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
WC1/WC1A	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,181.50	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$3,479.50	1

Note: Dwg P3.2 Plumbing Fixture Schedule;

Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.

U1A	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
-----	--	----------	---

Note: Dwg P3.2 Plumbing Fixture Schedule;

L1/L1A	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
--------	--	--	---

	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Dwg P3.2 Plumbing Fixture Schedule;			
HA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Dwg P3.2 Plumbing Fixture Schedule; Equal to Zurn 1250XL			
TP	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Dwg P3.2 Plumbing Fixture Schedule; Equal to PPP PR500			
FD1	FD-100-A6-6-7		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter nickel bronze, adjustable round strainer, vandal proof, trap primer connection		
	FD-100-A6-6-7,2,3,4	\$643.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A6-6-7,6	\$763.00	1
	Watts - 6"Ø (152 mm)		
Note: Dwg P3.2 Plumbing Fixture Schedule; Equal to Zurn Z415			
FD2F	FD-320-Y-5-7-F4-1		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 8" (203 mm) diameter, ductile iron, heavy duty, round grate, sediment bucket, trap primer tapping, 4" round nickel bronze funnel		
	FD-320-Y-5-7-F4-1,2,3,4		1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		

	FD-320-Y-5-7-F4-1,6		1
	Watts - 6"Ø (152 mm)		
Note: Dwg P3.2 Plumbing Fixture Schedule; Equal to Zurn Z511			
FCO/ECO	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Dwg P3.2 Plumbing Fixture Schedule; Equal to Josam 55000			
FCO/ECO	CO-260		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	CO-260,3,4,6,8	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
Note: Dwg P3.2 Plumbing Fixture Schedule;			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET-01	DETA 42 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 22 gallons (0212030)	\$2,824.00	1
Note: Dwg P3.2 Expansion Tank Schedule; equal to Amtrol ST-42V			

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
S1	TAT1 FIAT - SF1F TUF TUB W/ LEGS	\$244.00	1
Note: Dwg P3.2 Plumbing Fixture Schedule;			
MB1	TSB-100 FIAT - 24" X 24" X 12" SS CURB	\$977.00	1
	830AA FIAT - MOP SERVICE BASIN FAUCET	\$224.00	1
	832AA FIAT - MSB HOSE AND BRACKET	\$40.00	1
	MSG2424 FIAT - 24" X 24" WALL GUARDS	\$289.00	1
Note: Dwg P3.2 Plumbing Fixture Schedule;			

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
HB1	B24-3/4-AL Woodford - Model B24 3/4 Box Hydrant, Aluminum Box	\$351.40	1
Note: Dwg P3.2 Plumbing Fixture Schedule; Equal to Murdock M-3509QT			

Woodford - Model 24 Wall Faucet P 3/4 Inlet, Metal Handle

Note: *Dwg P3.2 Plumbing Fixture Schedule; Equal to Murdock 8121-LF*

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.