



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4234-S

To:	Contractor Holder Indiana Cincinnati, Ohio	Bid Date:	2018-12-07
Attn.:	N/A	Expiry Date:	2019-01-06
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Rick Bayne , rickb@disney-mclane.com
		Shipping Address:	1222 South State Road 263, West Lebanon, Indiana, United States

Job Name: Seeger JR-SR HS Auditorium

Engineer: Genesis Engineering Group **Architect:** Lancer + Beebe Architecture

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,181.50	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1
	ISCA-131-D Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$3,479.50	1
Note: P300 - Plumbing Fixture Schedule			
UR-1/UR-2	CA-321 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
Note: P300 - Plumbing Fixture Schedule			
LAV-1/LAV-2	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1

	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<i>Note: P300 - Plumbing Fixture Schedule</i>		
EWC-1	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	<i>Note: P300 - Plumbing Fixture Schedule</i>		
RH-1	HY-900	\$3,160.00	1
	Watts - 3/4" (19 mm) diameter hose connection, combination 3/4" female of 1" male threaded inlet connection, non-freeze, epoxy coated heavy duty cast iron head, bronze internal working parts and valve housing with 1" galvanized steel casing, roof hydrant with and lift handle and lock option, integral epoxy coated cast iron roof mounting plate with clamping collar, 1/8" NPT drain port		
	<i>Note: P300 - Plumbing Fixture Schedule; Equal to JR Smith 5906</i>		
FD-1	FD-103-A6	\$588.50	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm)		
	<i>Note: P300 - Floor and Roof Drain Schedule; Equal to JR Smith 2005</i>		
FD-2	FD-103-ER7	\$1,116.00	1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 7" (178 mm) diameter, nickel bronze, extended rim strainer, 3"Ø (76 mm)		
	<i>Note: P300 - Floor and Roof Drain Schedule; Equal to JR Smith 2005-F37</i>		
RD-1	RD-300-D-F-GSS-K		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange, stainless steel ballast guard		
	RD-300-D-F-GSS-K,2,3,4	\$2,443.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-GSS-K,5,6	\$2,746.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-GSS-K,8,10	\$3,048.50	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	<i>Note: P300 - Floor and Roof Drain Schedule; Equal to Zum Z100-ZC-C-R-84</i>		
RD-2	RD-300-D-F-K-W		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp and 4" (102 mm) high internal stand pipe, no-hub outlet, 15-1/4" (387 mm) diameter, ductile iron dome, underdeck clamp, adjustable extension flange		
	RD-300-D-F-K-W,2,3,4	\$2,240.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	RD-300-D-F-K-W,5,6	\$2,543.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	RD-300-D-F-K-W,8,10	\$2,845.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	<i>Note: P300 - Floor and Roof Drain Schedule; Equal to Zum Z100-ZC-C-R-W2</i>		
Floor Cleanout	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		

	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: P300 - Floor Cleanout Detail.			
<i>Note: Quoting as suggestion.</i>			
CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER			
CARPET MARKER (-RC) = \$78.00 LIST ADDER			
NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER			
TILE RECESS (-T) = NO ADDITIONAL			
TERRAZZO RECESS (-U) = \$354.00 LIST ADDER			
Floor Cleanout	CO-260		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	CO-260,3,4,6,8	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
Note: P300 - Floor Cleanout Detail.			
WHA (bellows type)	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P300 - Domestic Water Heater Detail			
WHA (piston type)	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: P300 - Domestic Water Heater Detail

Trap	LFTP300-DR Series		1
Primer	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		

Note: P300 - Domestic Water Heater Detail

Wall	CO-460-RD		1
Cleanout Stack	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2	\$364.00	1
	Watts - 2"Ø (51 mm)		
	CO-460-RD,3	\$417.50	1
	Watts - 3"Ø (76 mm)		
	CO-460-RD,4	\$611.50	1
	Watts - 4"Ø (102 mm)		

Note: P301 - Detail 3

Note: Quoting as per detail.

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
ET-1	DETA 5 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1

Note: P300 - Plumbing Equipment Schedule; Equal to Xylem PTA-5

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV-1	LFSH1434AEMS000 Powers - LFSH1434AEMS000 Sply Fix	\$4,884.00	1

Note: P300 - Plumbing Equipment Schedule; Equal to Lawler 802.

Please note that cabinet for TMV is not included. If cabinet for TMV is required, please contact Disney McLane and Associates for revised selection and pricing.

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	S402-1.28 Delany - EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.28 GPF)	\$183.00	1

Note: P300 - Plumbing Fixture Schedule; Equal to Sloan Royal 111-1.28

UR-1/UR-2	S451-0.125 Delany - EXPOSED SABER VALVE for HIGH EFFICIENCY URINAL w/ SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (0.125 GPF)	\$183.00	1
-----------	---	----------	---

Note: P300 - Plumbing Fixture Schedule; Equal to Sloan Royal 186-0.125

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is

based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.