



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4245-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-12-07
Attn.:	N/A	Expiry Date:	2019-01-06
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Brett Mullins , brettm@disney-mclane.com
		Shipping Address:	84000 Mallarnee Road, Harrison, Ohio, United States

Job Name: Tappan Lake Park Campground Ph 2 - Deersville OH

Engineer: DLZ Ohio Inc

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
DF-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
<i>Note: P-601: Plumbing Fixture Schedule</i>			
FD-1	FD-103X-RS48-6 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 4" (102 mm) x 8" (203 mm) rectangular, nickel bronze, rectangular strainer, 3"Ø (76 mm)	\$1,110.50	1
<i>Note: P-601: Plumbing Fixture Schedule; EQUAL TO: Zurn ZN415-3IC-5x9J-VP</i>			
FD-2	FD-103X-A5 Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body, 3"Ø (76 mm) inside caulk outlet, 6" (127 mm) diameter, nickel bronze, adjustable round strainer	\$481.00	1
<i>Note: P-601: Plumbing Fixture Schedule; EQUAL TO: Zurn Z415-3IC-5B; Trap Seal by others.</i>			
FD-3	FD-104X-A5 Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, inside caulk, 4" (102 mm)	\$481.00	1
<i>Note: P-601: Plumbing Fixture Schedule; EQUAL TO: Zurn Z415-4IC-5B; Trap Seal by others.</i>			
HB-1	HY-725 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		1
	HY-725,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
	HY-725,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
	HY-725-16 Watts - 16" (406 mm) thick	\$1,830.00	1
<i>Note: P-601: Plumbing Fixture Schedule</i>			
HB-2	HY-420 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, seat casting and internal working parts, wall mount, bronze wall casing, chrome plated face, integral vacuum breaker		1
	HY-420,-4,-6,-8 Watts - 4" (102 mm), 6" (152 mm), 8" (203 mm) thick	\$864.50	1

	HY-420,-10,-12,-14	\$1,006.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-420-16	\$1,146.50	1
	Watts - 16" (406 mm) thick		
Note: P-601: Plumbing Fixture Schedule			
HB-3	HY-440	\$665.50	1
	Watts - warm climate, heavy duty chrome plated bronze head, seat casting and internal working parts, wall mount, concealed, polished chrome plated face plate, vandal resistant integral vacuum breaker, loose key, 3/4"Ø (19 mm) male hose connection, 1" male threaded x 3/4" internal SWT 90° connection with 360° swivel.		
Note: P-601: Plumbing Fixture Schedule			
LAV-2	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: P-601: Plumbing Fixture Schedule			
UR-1	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: P-601: Plumbing Fixture Schedule			
WC-1/WC-2	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,181.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
Note: P-601: Plumbing Fixture Schedule			

WHA	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

Note: Spec 22 40 00 - 6

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP	LF009M2-QT : 2	\$1,548.00	1
	Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)		
	909-AGF	\$208.00	1
	Watts - 909-AGF Air Gap (0881378)		
	LF777SI : 2	\$314.00	1
	Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)		

Note: P-102: Water Service Elevation

ET	PLT-12	\$129.00	1
	Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 4.5 gallons (0067371)		

Note: P-102: Water Service Elevation

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
UR-1	U451-0.125	\$175.00	1
	Delany - EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (0.125 GPF}		
	Note: P-601: Plumbing Fixture Schedule; EQUAL TO: Sloan 186-0.125		
WC-1/WC-2	U402-1.28	\$173.00	1
	Delany - EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT & SLIPFIT TAILPIECE (1.28 GPF)		

Note: P-601: Plumbing Fixture Schedule; EQUAL TO: Royal 111-1.28

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MS-1	TSB3000 FIAT - 24" X 24" 6"DROP SS CAPS	\$384.62	1
	830AA FIAT - MOP SERVICE BASIN FAUCET	\$224.00	1

Note: P-102: Plumbing Fixture Schedule

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SH-1	P902HM1000 Powers - 1/2" Copper Sweat Connection, Deluxe, Chrome Plated Brass, Arm and Flange	\$407.00	1
SH-2/SH-3	P910HK10NWX Powers - 1/2" Copper Sweat Connections, Non-Diverter, Standard Chrome-Plated Brass Arm & Flange, Professional, Metal Hose, 30" Glide Rail, Diverter Concealed, 1/2" IPS Metal Handle, in-line Vacuum Breaker	\$996.00	1

Note: P-102: Plumbing Fixture Schedule; EQUAL TO: Temptrol C-96-1-295-X

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.