



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337  
 States

**Quotation:**  
**Q-4256-S**

**To:** Contractor Holder Kentucky  
 Cincinnati, Ohio  
**Attn.:** N/A  
**Phone:** 800-542-1682  
**Fax:** 877-476-1682

**Bid Date:** 2018-12-12  
**Expiry Date:** 2019-01-11  
**Creator:** Dave Evans, davee@disney-mclane.com  
**Sales Rep.:** Jason Plageman, jasonp@disney-mclane.com  
**Shipping Address:** , Frankfort, Kentucky, United States

**Job Name: Crittenden Co. Maintenance Facility and Salt Storage**

**Engineer:** Marcum Engineering, LLC **Architect:** Clotfelter/Samokar PSC

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
P-2	<b>CA-321</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
<i>Note: Dwg P100 Plumbing Fixture Schedule;</i>			
P-3	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	<b>TCA-411-D</b> Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
<i>Note: Dwg P100 Plumbing Fixture Schedule;</i>			
P-7/P-8	<b>CA-421</b> Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$752.00	1
<i>Note: Dwg P100 Plumbing Fixture Schedule;</i>			
FD-1	<b>FD-103-A5</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm)	\$481.00	1
<i>Note: Dwg P100 Specialty Items Schedule; Equal to Smith 2005</i>			
FD-2	<b>FD-104-B5</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable, heavy duty, round strainer 5" (127 mm) diameter, nickel bronze, adjustable, heavy duty, round strainer, 4"Ø (102 mm)	\$690.00	1
<i>Note: Dwg P100 Specialty Items Schedule; Equal to Smith 2005</i>			
FD-3	<b>FD-104-A5</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, 4"Ø (102 mm)	\$481.00	1
<i>Note: Dwg P100 Specialty Items Schedule; Equal to Smith 2005</i>			

TDS-1	<b>D-DI</b>		\$522.50	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F			
<b>Note:</b> Dwg P100 Specialty Items Schedule; Equal to Zurn Z886 Please note trench drain price is per foot.				
CO-1	<b>CO-200-R</b>			1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top			
	<b>CO-200-R,2</b>		\$625.50	1
	Watts - 2"Ø (51 mm)			
	<b>CO-200-R,3</b>		\$661.00	1
	Watts - 3"Ø (76 mm)			
	<b>CO-200-R,4</b>		\$881.00	1
	Watts - 4"Ø (102 mm)			
<b>Note:</b> Dwg P100 Specialty Items Schedule; Equal to Smith 4020				
CO-1	<b>CO-260</b>			1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top			
	<b>CO-260,3,4,6,8</b>		\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size			
<b>Note:</b> Dwg P100 Specialty Items Schedule;				
CO-2	<b>CO-200-RX</b>			1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top			
	<b>CO-200-RX,2</b>		\$778.05	1
	Watts - 2"Ø (51 mm)			
	<b>CO-200-RX,3</b>		\$815.50	1
	Watts - 3"Ø (76 mm)			
	<b>CO-200-RX,4</b>		\$1,035.50	1
	Watts - 4"Ø (102 mm)			
<b>Note:</b> Dwg P100 Specialty Items Schedule; Equal to Smith 4020 + Heavy Duty				
CCO-1	<b>CO-380</b>			1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug			
	<b>CO-380,2</b>		\$96.25	1
	Watts - 2"Ø (51 mm)			
	<b>CO-380,3</b>		\$148.50	1
	Watts - 3"Ø (76 mm)			
	<b>CO-380,4</b>		\$205.50	1
	Watts - 4"Ø (102 mm)			
	<b>CO-380,6</b>		\$420.50	1
	Watts - 6"Ø (152 mm)			
<b>Note:</b> Dwg P100 Specialty Items Schedule; Equal to Zurn Z1449				
YCO	<b>CO-200-RX-4</b>			1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top			
	<b>CO-200-RX-4,2</b>		\$420.50	1
	Watts - 2"Ø (51 mm)			

	<b>CO-200-RX-4,3</b>	\$487.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX-4,4</b>	\$596.50	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Dwg P100 Specialty Items Schedule & Spec 221313 - 2; Equal to Zurn Z1406			
TP-1	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
<b>Note:</b> Dwg P100 Specialty Items Schedule; Equal to PPP PR-500			
Water Hammer Arresters	<b>SS Series</b>		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	<b>SS-A</b>	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>SS-B</b>	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>SS-C</b>	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>SS-D</b>	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>SS-F</b>	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note:</b> Spec 221119 - 4/5			
CO Exposed	<b>CO-460</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	<b>CO-460,2</b>	\$228.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460,3</b>	\$284.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460,4</b>	\$441.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 221319 - 1			

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP-1	<b>LF007M1-QT : 2</b>	\$989.00	1
	Watts - Lead Free cast copper silicon alloy body for 1/2" to 2" connections or fused epoxy coated cast iron body for 2-1/2" to 3" connections, replaceable seat and seat discs, resilient seated isolation valves, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0063235)		

**LF777SI : 2**

\$314.00 1

Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)

**Note:** Dwg P100 Specialty Items Schedule;

ET-1

**DETA 5**

\$1,832.00 1

Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)

**Note:** Dwg P100 Specialty Items Schedule; Equal to Amtrol ST-5C

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
P-6	<b>P910HK102WY</b> Powers - Pressure Balancing Mixing Valve, integral check/service stops, handle rotation limit stop, reversible inlets, four-port connections, poppet/diaphragm cartridge construction, 1/2" copper sweat connections, Standard Chrome-Plated Brass, Arm & Flange, 36" Chrome ADA Wall Grab Bar System, in-line Vacuum Breaker, Diverter, Concealed, 1/2" IPS Metal Handle	\$1,090.00	1

**Note:** Dwg P100 Plumbing Fixture Schedule; Equal to AM STD 1662.223

P-9

**ES150AEQ000**

\$2,557.00 1

Powers - HydroGuard XP Series, Emergency Tempering Valve Supply Fixture with Cold Water Bypass, Bottom/Top, 8.7 gpm, Rough Bronze, Stainless Steel, Wall Mounted

**Note:** Dwg P100 Plumbing Fixture Schedule; Equal to Guardian G3600 + SS surface cabinet

**Section Brand: Woodford**

Label	Product No. Description	List Price	Qty.
HB-1/HB-2	<b>24P1/2</b> Woodford - Model 24 Wall Faucet P 1/2 Inlet	\$52.35	1
FWH-1	<b>70C-4</b> Woodford - Model 70 Wall Hydrant C Inlet 4 Inch	\$168.50	1
	<b>70C-6</b> Woodford - Model 70 Wall Hydrant C Inlet 6 Inch	\$168.50	1
	<b>70C-8</b> Woodford - Model 70 Wall Hydrant C Inlet 8 Inch	\$168.50	1
	<b>70C-10</b> Woodford - Model 70 Wall Hydrant C Inlet 10 Inch	\$174.40	1
	<b>70C-12</b> Woodford - Model 70 Wall Hydrant C Inlet 12 Inch	\$174.40	1
	<b>70C-14</b> Woodford - Model 70 Wall Hydrant C Inlet 14 Inch	\$174.40	1
	<b>70C-16</b> Woodford - Model 70 Wall Hydrant C Inlet 16 Inch	\$174.40	1
	<b>70C-18</b> Woodford - Model 70 Wall Hydrant C Inlet 18 Inch	\$180.30	1

**Note:** Dwg P100 Specialty Items Schedule;

FYH-1

**R34**

1

Woodford - Model R34 Yard Hydrant

**R34-1**

\$77.50 1

Woodford - Model R34 Yard Hydrant 1 Feet

<b>R34-2</b>	\$85.25	1
Woodford - Model R34 Yard Hydrant 2 Feet		
<b>R34-3</b>	\$93.00	1
Woodford - Model R34 Yard Hydrant 3 Feet		
<b>R34-4</b>	\$100.75	1
Woodford - Model R34 Yard Hydrant 4 Feet		
<b>R34-5</b>	\$108.50	1
Woodford - Model R34 Yard Hydrant 5 Feet		
<b>R34-6</b>	\$116.25	1
Woodford - Model R34 Yard Hydrant 6 Feet		
<b>R34-7</b>	\$124.00	1
Woodford - Model R34 Yard Hydrant 7 Feet		

**Note:** Dwg P100 Specialty Items Schedule;

**Special Terms:**

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.