



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337  
 States

**Quotation:**  
**Q-4268-S**

<b>To:</b>	<b>Contractor Holder Ohio</b> Cincinnati, Ohio	<b>Bid Date:</b>	2018-12-18
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-01-17
<b>Phone:</b>	800-542-1682	<b>Creator:</b>	Dave Evans , davee@disney-mclane.com
<b>Fax:</b>	877-476-1682	<b>Sales Rep.:</b>	Jason Plageman , jasonp@disney-mclane.com
		<b>Shipping Address:</b>	232 Clifton Road , South Charleston, Ohio, United States

**Job Name: Southeastern Local Schools - Multi-Purpose Athletic Facility**

**Engineer:** Nauman + Zelinski LLC **Architect:** Levin Porter Associates, Inc

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
W1/W2	<b>ISCA-101-L/R</b> Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	<b>ISCA-101-D</b> Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	<b>ISCA-121</b> Watts - single, vertical, cast iron fitting	\$1,801.00	1
	<b>ISCA-121-D</b> Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,181.50	1
	<b>ISCA-131-L/R</b> Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1
	<b>ISCA-131-D</b> Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support	\$3,479.50	1

**Note:** Dwg P0.1 Plumbing Fixture Schedule;

Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.

U1/U2	<b>CA-321</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.	\$839.00	1
-------	--	----------	---

**Note:** Dwg P0.1 Plumbing Fixture Schedule;

L1	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
----	--	--	---

	<b>TCA-411</b>	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>Note:</b> Dwg P0.1 Plumbing Fixture Schedule;		
F1	<b>CA-431-1</b>	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	<b>Note:</b> Dwg P0.1 Plumbing Fixture Schedule;		
FD1	<b>FD-100-A5-60</b>		1
	Watts - 8-1/8" (206 mm) diameter PVC body socket outlet, 5" (127 mm) diameter, nickel bronze, round strainer		
	<b>FD-100-A5-60,2,3,4</b>	\$481.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>FD-100-A5-60,6</b>	\$601.00	1
	Watts - 6"Ø (152 mm)		
	<b>Note:</b> Dwg P0.1 Plumbing Drain and Cleanout Schedule; Equal to Sioux Chief 833		
	Note: Trap seal by others		
FD2	<b>FD-670-150</b>		1
	Watts - 10-1/8" (257 mm) round, PVC drain, socket outlet, 9-11/16" (246 mm) diameter, PVC secured grate with vandal proof stainless steel screws, 1/2 grate		
	<b>FD-670-150,2,3,4</b>	\$850.50	1
	Watts - 2" (51mm), 3" (76mm), 4" (102mm)		
	<b>Note:</b> Dwg P0.1 Plumbing Drain and Cleanout Schedule; Equal to Sioux Chief 860		
FD3	<b>FD-100-A5-G-1-60</b>		1
	Watts - 8-1/8" (206 mm) diameter PVC body socket outlet, 5" (127 mm) diameter nickel bronze, adjustable round strainer, 4x9" Oval Nickel Bronze Funnel		
	<b>FD-100-A5-G-1-60,2,3,4</b>	\$1,353.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>Note:</b> Dwg P0.1 Plumbing Drain and Cleanout Schedule; Equal to Sioux Chief 833 + 863-FN		
FCO	<b>CO-200-R-60</b>		1
	Watts - 7" (178 mm) diameter, PVC body with poly plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R-60,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R-60,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R-60,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note:</b> Dwg P0.1 Plumbing Drain and Cleanout Schedule; Equal to Sioux Chief 834		
WCO	<b>CO-440-RD</b>		1
	Watts - two-piece expandable plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-440-RD,1.5</b>	\$184.00	1
	Watts - 1-1/2"Ø (39 mm)		
	<b>CO-440-RD,2</b>	\$194.00	1
	Watts - 2"Ø (51 mm)		

<b>CO-440-RD,3</b>	\$237.50	1
Watts - 3"Ø (76 mm)		
<b>CO-440-RD,4</b>	\$314.50	1
Watts - 4"Ø (102 mm)		

**Note:** Dwg P0.1 Plumbing Drain and Cleanout Schedule; Equal to Sioux Chief 873-P

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
EXP	<b>DETA 5</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1

**Note:** Dwg P0.1 Detail #1; Equal to Amtrol ST-5C

BFP	<b>LF909M1-QT : 2</b> Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391012)	\$3,363.00	1
-----	---	------------	---

	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
--	---	----------	---

	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
--	--	----------	---

**Note:** Dwg P0.1 Detail #4;

BFP Option	<b>LF009M2-QT : 2</b> Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
------------	--	------------	---

	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
--	---	----------	---

	<b>LF777SI : 2</b> Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1
--	--	----------	---

**Note:** Dwg P0.1 Detail #4;

### Section Brand: Pure Water

Label	Product No. Description	List Price	Qty.
WS	<b>I5044</b> VACUUM BREAKER	\$63.49	1
	<b>M4422W</b> WATTS WATER SOFTENER- 150K 5 CU FT RESIN- 18x65 TANK W/ 24x41 SAFETY FLOAT BRINE TNK 1.5" CONTROL VALVE	\$4,861.04	1

**Note:** Dwg P0.1 Detail #4; Equal to HE-150

**Section Brand: Delany**

Label	Product No. Description	List Price	Qty.
W1/W2	<b>U402-1.6-SM</b> Delany - EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/SIDEARM (Side Mounted Sensor Actuator), 1.5" x 9" FLUSH CONNECTION, TOPSPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (1.6 GPF)	\$508.30	1

**Note:** Dwg P0.1 Plumbing Fixture Schedule;

Note: Requested is hardwired where quoted is battery operated

THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID

U1	<b>U451-1</b> Delany - EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.0 GPF)}	\$175.00	1
----	---	----------	---

**Note:** Dwg P0.1 Plumbing Fixture Schedule; Equal to Sloan 186-1

U2	<b>U451-1-SM</b> Delany - EXPOSED FLUSHBOY ULTRA VALVE for URINAL w/ 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTOR KIT, & SLIPFIT TAILPIECE (1.0 GPF)}	\$474.25	1
----	--	----------	---

**Note:** Dwg P0.1 Plumbing Fixture Schedule;

Note: Requested is hardwired where quoted is battery operated

THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID

**Section Brand: Fiat**

Label	Product No. Description	List Price	Qty.
M1	<b>TSB3000</b> FIAT - 24" X 24" 6"DROP SS CAPS	\$384.62	1
	<b>MSG2424</b> FIAT - 24" X 24" WALL GUARDS	\$289.00	1

**Note:** Dwg P0.1 Plumbing Fixture Schedule;

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
SH1	<b>e710K104YW</b> Powers - Hydroguard T/P series, Metal Trim Valves,Standard, Chrome-Plated Brass,Standard Arm and Flange,Professional, Vinyl Hose, 30" Glide Rail,Concealed Diverting Valve, 1/2" IPS, Metal Handle,Vacuum Breaker, In-Line	\$1,162.00	1

**Note:** Dwg P0.1 Plumbing Fixture Schedule;

SH2	<b>e710K10000</b> Powers - Hydroguard T/P series, Metal Trim Valves,Standard, Chrome-Plated Brass,Standard Arm and Flange	\$460.00	1
-----	--	----------	---

**Note:** Dwg P0.1 Plumbing Fixture Schedule;

**Section Brand: Woodford**

Label	Product No. Description	List Price	Qty.
WH1	<b>68C</b> Woodford - Woodford Model 68 Wall Hydrant C Inlet		1
	<b>68C-4, 6, 8</b> Woodford - Woodford Model 68 Wall Hydrant C Inlet 4 to 8 Inches	\$313.15	1
	<b>68C-10, 12, 14, 16</b> Woodford - Woodford Model 68 Wall Hydrant C Inlet 10 to 16 Inches	\$327.00	1

**Note:** Dwg P0.1 Plumbing Fixture Schedule;

**Special Terms:**

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.