



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4274-S

To:	Contractor Holder Kentucky Cincinnati, Ohio	Bid Date:	2018-12-13
Attn.:	N/A	Expiry Date:	2019-01-12
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Patrick Thompson , patrickt@disney-mclane.com
		Shipping Address:	Village Center Lot 2B, Dakota Court, Mount Washington, Kentucky, United States

Job Name: Stock Yards Bank

Engineer: BCCLT Consulting Engineers **Architect:** William M. Welch Architect

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
L1	TCA-411 Series Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	TCA-411 Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	TCA-411-D Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
Note: P0.1 - Schedule of Plumbing Fixtures and Connections & Spec 22 4000 - 6			
EC1	CA-421 Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$752.00	1
Note: P0.1 - Schedule of Plumbing Fixtures and Connections			
FD1	FD-100-A6 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer		1
	FD-100-A6,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$588.50	1
	FD-100-A6,6 Watts - 6"Ø (152 mm)	\$708.50	1
Note: P0.1 - Schedule of Plumbing Drains and Cleanouts; Equal to Zurn ZN415B			
FCO	CO-200-R-6 Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top, vandal proof		1
	CO-200-R-6,2 Watts - 2"Ø (51 mm)	\$721.50	1
	CO-200-R-6,3 Watts - 3"Ø (76 mm)	\$757.00	1

	CO-200-R-6,4	\$977.00	1
	Watts - 4"Ø (102 mm)		
Note: P0.1 - Schedule of Plumbing Drains and Cleanouts & Spec 22 1319 - 2; Equal to Zurn ZN1400-VP			
FCO	CO-260-6		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top,Vandal Proof		
	CO-260-6,3,4,6,8	\$1,306.00	1
	Watts - 3" (76 mm), 4" (102 mm),6"(152 mm),8" (203 mm)		
Note: P0.1 - Schedule of Plumbing Drains and Cleanouts & Spec 22 1319 - 2			
WHA (bellows type)	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: P0.1 - Water Hammer Arrester Schedule & Spec 22 1119 - 5 ; Equal to Zurn Z1700 Series			
Yard Cleanout	CO-200-RX-4-6		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top, vandal proof		
	CO-200-RX-4-6,2	\$517.00	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4-6,3	\$584.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4-6,4	\$692.50	1
	Watts - 4"Ø (102 mm)		
Note: P0.1 - Typical Yard Cleanout; Equal to Zurn Z1400-VP			
<i>Note: Quoting ductile iron top.</i>			
WHA (piston type)	LF15M2-DR Series		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	LF15M2-A-DR	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	LF15M2-B-DR	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	LF15M2-C-DR	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	LF15M2-D-DR	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		

	LF15M2-E-DR	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	LF15M2-F-DR	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 1119 - 5			
Exposed Metal Cleanouts	CO-460		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2	\$228.00	1
	Watts - 2"Ø (51 mm)		
	CO-460,3	\$284.00	1
	Watts - 3"Ø (76 mm)		
	CO-460,4	\$441.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 2			
Expansion Joints	RD-900		1
	Watts - neoprene expansion joint, no hub (MJ) clamps		
	RD-900,2	\$298.00	1
	Watts - 2"Ø (51 mm)		
	RD-900,3	\$345.50	1
	Watts - 3"Ø (76 mm)		
	RD-900,4	\$404.00	1
	Watts - 4"Ø (102 mm)		
Note: Spec 22 1319 - 4			
<i>Note: Quoting as suggestion.</i>			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
TMV2	LFMMVM1-US : 1/2	\$314.00	1
	Watts - Lead Free cast copper silicon alloy body, solid wax hydraulic principle thermostat, integral filter washers and check valves, ASSE 1069, ASSE 1070, ASSE 1017, cUPC AND IAPMO listed, valve shall control temperature from a low of 1/2gpm, 5gpm at 10psi and 8gpm at 20psi drop across the valve, 1/2"Ø valve, union solder (0559115)		
Note: P0.1 - Schedule of Thermostatic Mixing Valves; Equal to Lawler 310			
ET1	DETA 12	\$2,109.00	1
	Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 5 gallons (0212027)		
Note: P0.1 - Schedule of Expansion Tank; Equal to Amtrol ST-12C			
BFP (1")	LF009M2-QT : 1	\$794.00	1
	Watts - quarter turn ball-valves, 1"Ø (25 mm) pipe connection (0391004)		
	909-AGC	\$106.50	1
	Watts - 909-AGC Air Gap (0881376)		
	LF777SI : 1	\$105.00	1
	Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 1"Ø (25 mm) valve (0379113)		
Note: P3.0 - Domestic Water Service Piping Diagram			

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
WH1	B67C Woodford - Model B67 Box Type Backflow Protected Freezeless Wall Hydrant		1
	B67C-4, 6, 8 Woodford - Model B67 Box Hydrant C Inlet 2, 4, 6, 8 Inches	\$446.35	1
	B67C-10, 12, 14, 16 Woodford - Model B67 Box Hydrant C Inlet 10, 12, 14, 16 Inches	\$460.50	1
<p>Note: P0.1 - Schedule of Plumbing Fixtures and Connections; Equal to Zurn Z1320. Note: Quoting chrome finish.</p>			
Hose Bibb	24P3/4 Woodford - Model 24 Wall Faucet P 3/4 Inlet	\$52.35	1
<p>Note: Spec 22 1119 - 4</p>			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV1	LFSH1432-1 Powers - Hi-Lo Master Tempering Valve, 57 gpm, Rough Brass, Standard Finish, Standard 90 - 160°F (32 - 71°C)	\$3,649.00	1
<p>Note: P0.1 - Schedule of Thermostatic Mixing Valves. Please note that cabinet for TMV is not included. If cabinet for TMV is required, please contact Disney McLane and Associates for revised selection and pricing. THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</p>			

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.