



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4302-S

To:	Contractor Holder Kentucky Cincinnati, Ohio	Bid Date:	2018-12-19
Attn.:	N/A	Expiry Date:	2019-01-18
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Patrick Thompson , patrickt@disney-mclane.com
		Shipping Address:	1335 West 11th Street, Owensboro, Kentucky, United States

Job Name: Gateway Alternative School Renovation

Engineer: CMTA, Inc - Lexington **Architect:** RBS Design Group Architecture

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
FD-1	FD-104-A6-7 Watts - epoxy coated 8-1/8" (206 mm) diameter cast iron body reversible flashing clamp with primary and secondary weepholes no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 4" (102 mm), trap primer tapping	\$588.50	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; Equal to Zurn ZN415</i>		
FD-2	FD-460-F-1-5-7-13-21 Watts - all galvanized cast iron body no-hub outlet, 12-3/4" x 12-3/4" (324 mm x 324 mm), nickel bronze, square grate, sediment bucket, trap primer connection, secondary strainer		1
	FD-460-F-1-5-7-13-21,2,3,4,5,6,8 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm), 5"Ø (127 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size	\$3,941.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; Equal to Zurn ZN610</i>		
FD-3	FD-100-EF-7 Watts - Floor Drain - epoxy coated, cast iron body, reversible flashing clamp with primary and secondary weepholes, 5" (127 mm) diameter nickel bronze, adjustable heel-proof round strainer, trap primer connection with plug, 4"		1
	FD-100-EF-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$909.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; Equal to Zurn ZN415E</i>		
FD-4	FD-344-Y-1-5-7 Watts - 12-1/2" (318 mm) diameter cast iron body no-hub outlet, 12-1/2" (318 mm) diameter, nickel bronze, 4"(102 mm), round grate, sediment bucket, trap primer tapping	\$2,200.00	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; Equal to Zurn ZN541.</i> <i>Note: Quoting without stainless steel liner for bucket.</i>		
FS-1	FS-740-1-7-175 Watts - cast iron body, 8-1/4" (209 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" x 9" (229 mm x 229 mm) square, nickel bronze top, Trap Primer Tapping, 3/4 Grate		1
	FS-740-1-7-175,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$3,170.50	1
	<i>Note: P1.0 - Plumbing Fixture Schedule; Equal to Zurn ZN1901</i>		

GT-1	WD-20	\$6,474.00	1
	Watts - steel, removable baffle assembly, skid-proof cover, secured with hex head center bolts, external cast iron flow control fitting, deep seal trap with cleanout, no-hub connections, flow rate of 20 GPM		
	Note: P1.0 - Plumbing Fixture Schedule; Equal to Zurn Z1170		
	Extension up to 12" = \$3967.00		
	Each additional inch = \$279.50		
P-1	ISCA-101-L/R	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	ISCA-101-D	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	ISCA-121	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	ISCA-121-D	\$3,181.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	ISCA-131-L/R	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4" no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
	Note: P1.0 - Plumbing Fixture Schedule		
P-2/P-2A	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: P1.0 - Plumbing Fixture Schedule		
P-3	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	Note: P1.0 - Plumbing Fixture Schedule		
P-4	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: P1.0 - Plumbing Fixture Schedule		

P-4A	CA-421		\$752.00	1
		Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: P1.0 - Plumbing Fixture Schedule				
Access Panel	CO-300-S7		\$604.00	1
		Watts - scoriated, square, access cover, nickel bronze, concealed mounting flanges, 7" (148 mm) square		
Note: Spec 15 400 - 2; Equal to Zurn Z1460				
Wall Cleanout	CO-380			1
		Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2		\$96.25	1
		Watts - 2"Ø (51 mm)		
	CO-380,3		\$148.50	1
		Watts - 3"Ø (76 mm)		
	CO-380,4		\$205.50	1
		Watts - 4"Ø (102 mm)		
	CO-380,6		\$420.50	1
		Watts - 6"Ø (152 mm)		
Note: Spec 15 400 - 2; Equal to Zurn Z1440				
Wall Cleanout Stack	CO-460			1
		Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	CO-460,2		\$228.00	1
		Watts - 2"Ø (51 mm)		
	CO-460,3		\$284.00	1
		Watts - 3"Ø (76 mm)		
	CO-460,4		\$441.00	1
		Watts - 4"Ø (102 mm)		
Note: Spec 15 400 - 2; Equal to Zurn Z1445				
Wall Cleanout	CO-460-RD			1
		Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-460-RD,2		\$364.00	1
		Watts - 2"Ø (51 mm)		
	CO-460-RD,3		\$417.50	1
		Watts - 3"Ø (76 mm)		
	CO-460-RD,4		\$611.50	1
		Watts - 4"Ø (102 mm)		
Note: Spec 15 400 - 2; Equal to Zurn Z1445-1				
Floor Cleanout (square)	CO-200-S			1
		Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" x 5" (127 mm x 127 mm) square, nickel bronze top		
	CO-200-S,2		\$625.50	1
		Watts - 2"Ø (51 mm)		
	CO-200-S,3		\$661.00	1
		Watts - 3"Ø (76 mm)		

	CO-200-S,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
	Note: Spec 15 400 - 2; Equal to Zurn ZN1400. NB HEAVY DUTY (-SX) = \$155.00 LIST ADDER TILE RECESS (-TS) = NO ADDITIONAL TERRAZZO RECESS (-US) = \$354.00 LIST ADDER		
Floor	CO-200-R		1
Cleanout (round)	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
	Note: Spec 15 400 - 2; Equal to Zurn ZN1400. CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER CARPET MARKER (-RC) = \$78.00 LIST ADDER NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$354.00 LIST ADDER		
Floor	CO-260		1
Cleanout	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	CO-260,3,4,6,8	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
	Note: Spec 15 400 - 2		
Cleanout (exterior ductile iron)	CO-200-RX-4		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	CO-200-RX-4,2	\$420.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-RX-4,3	\$487.50	1
	Watts - 3"Ø (76 mm)		
	CO-200-RX-4,4	\$596.50	1
	Watts - 4"Ø (102 mm)		
	Note: Spec 15 400 - 2; Equal to Zurn Z1400-HD		
Trap Primer	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	Watts - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	Note: Spec 15 400 - 3. Note: Quoting as suggestion.		
WHA	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		

SS-A		\$549.50	1
Watts - 1-11 fixture units, 1/2" (13 mm) connection			
SS-B		\$1,119.00	1
Watts - 12-32 fixture units, 3/4" (19 mm) connection			
SS-C		\$1,672.00	1
Watts - 33-60, fixture units, 1" (25 mm) connection			
SS-D		\$4,191.00	1
Watts - 61-113 fixture units, 1" (25 mm) connection			
SS-E		\$4,731.50	1
Watts - 114-154 fixture units, 1" (25 mm) connection			
SS-F		\$5,815.00	1
Watts - 155-330 fixture units, 1" (25 mm) connection			

Note: Spec 15 400 - 5; Equal to Zurn Z1700 Series

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
BFP (2 1/2")	LF909-OSY : 2 1/2 Watts - Lead Free cast copper silicon alloy body, replaceable seats, internal pressure differential relief valve in between check modules tight closing resilient seated shut-off valve, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0122795)	\$8,395.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 1/2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2-1/2"Ø (64 mm) valve (0379117)	\$979.00	1

Note: P5.0 - Detail 1 & Spec 15 400 - 5

BFP (2 1/2" alternate)	957-OSY : 2 1/2 Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0111584)	\$4,205.00	1
	957-AG Watts - 957-AG Air Gap (0111764)	\$269.50	1
	LF777SI : 2 1/2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2-1/2"Ø (64 mm) valve (0379117)	\$979.00	1

Note: P5.0 - Detail 1 & Spec 15 400 - 5

Expansion Tank	PLT-35 Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 14 gallons (0067373)	\$314.00	1
-------------------	--	----------	---

Note: Spec 15 420 - 1; Equal to Amtrol ST-25V

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
FPWH	B67C Woodford - Model B67 Box Type Backflow Protected Freezeless Wall Hydrant		1

	B67C-4, 6, 8	\$446.35	1
	Woodford - Model B67 Box Hydrant C Inlet 2, 4, 6, 8 Inches		
	B67C-10, 12, 14, 16	\$460.50	1
	Woodford - Model B67 Box Hydrant C Inlet 10, 12, 14, 16 Inches		
Note: P1.0 - Plumbing Fixture Schedule & Spec 15 400 - 4; Equal to Zurn Z1300			
HB	B75	\$406.25	1
	Woodford - Model 75 Box Hydrant Swivel Inlet w/bracket		
Note: P1.0 - Plumbing Fixture Schedule & Spec 15 400 - 4; Equal to Zurn Z1350			
<i>Note: Quoting chrome finish in lieu of stainless steel.</i>			

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
P-1	PL1402-1.6 Delany - EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED} (1.6gpf)	\$552.10	1
Note: P1.0 - Plumbing Fixture Schedule; Equal to Sloan 8111-1.6			
P-1B	U402-1.6-SM Delany - EXPOSED FLUSHBOY ULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/SIDEARM (Side Mounted Sensor Actuator), 1.5" x 9" FLUSH CONNECTION, TOPSPUD, SWEAT ADAPTOR KIT & SLIPFIT CONNECTION (1.6 GPF)	\$508.30	1
Note: P1.0 - Plumbing Fixture Schedule. <i>Note: Quoting as suggestion no model specified.</i>			
P-2/P-2A	PL1452-1 Delany - EXPOSED PULSAR VALVE for URINAL (BATTERY POWERED & SENSOR OPERATED} (1.0 GPF}	\$552.10	1
Note: P1.0 - Plumbing Fixture Schedule; Equal to Sloan 8180-1			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
P-3	LFE480-10 Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish	\$284.00	1
Note: P1.0 - Plumbing Fixture Schedule; Equal to Sloan Mix-135			
P18 (mixing valve)	ETV200-13 Powers - HydroGuard Emergency Tempering Valve, with Cold Water Bypass, 3/4"x 1", Rough Bronze, with Temperature Pressure Gauge on Outlet	\$1,925.00	1
Note: P3.2 - Tagged Notes; Equal Bradley S19-2100			

Section Brand: Armstrong

Label	Product No. Description	List Price	Qty.
RP-1	E12.2B - 120V Armstrong - E Series Circulator, 120V Motor, Lead Free Bronze Body Construction	\$1,316.00	1
Note: P1.0 - Domestic Hot Water Recirculation Pump Schedule; Equal to Bell & Gosset PL-55B			

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.