



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337
 States

Quotation:
Q-4306-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-12-20
Attn.:	N/A	Expiry Date:	2019-01-19
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Todd Schneider , todds@disney-mclane.com
		Shipping Address:	2011 Trojan Avenue , Arcanum, Ohio, United States

Job Name: Arcanum-Butler Local Schools - Multi-Purpose Building

Architect: Garmann Miller + Associates Inc

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
FD	FD-100-A5 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer		1
	FD-100-A5,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$481.00	1
	FD-100-A5,6 Watts - 6"Ø (152 mm)	\$601.00	1
<i>Note: Dwg P4.1 Plumbing Fixture Schedule - Floor Drains; Equal to Zurn ZN415B</i>			
FD-1	FD-830-TG-1 Watts - 12" (305 mm) square hopper, cast iron body no-hub outlet, flat bottom strainer, 5-1/4" (133 mm) diameter round strainer, Top Grate - Ductile Iron, Nickel Bronze Top		1
	FD-830-TG-1,2,3,4 Watts - 2" (51mm), 3" (76mm), 4" (102mm) outlet size	\$1,316.00	1
<i>Note: Dwg P4.1 Plumbing Fixture Schedule - Floor Drains; Equal to Zurn Z566</i>			
WC/MC-1	ISCA-101-L/R Watts - single, horizontal, cast iron fitting, left/right side outlet	\$1,587.50	1
	ISCA-101-D Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support	\$2,967.00	1
	ISCA-121 Watts - single, vertical, cast iron fitting	\$1,801.00	1
	ISCA-121-D Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts	\$3,181.50	1
	ISCA-131-L/R Watts - single, vertical, cast iron fitting, left/right side outlet	\$2,105.50	1

	ISCA-131-D	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
	Note: Dwg P4.1 Plumbing Fixture Schedule - Water Closet; Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.		
DWC/DWC-1	CA-421	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
	Note: Dwg P4.1 Plumbing Fixture Schedule - Domestic Water Cooler;		
UR	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	Note: Dwg P4.1 Plumbing Fixture Schedule - Urinal		
CO-3	CO-203-R	\$661.00	1
	Watts - epoxy coated, cast iron body, 5" (127 mm) round adjustable gasketed nickel bronze top, removable, gas tight, gasketed, brass plug, 3"Ø (76 mm), no hub outlet.		
	Note: Dwg P4.1 Pipe Accessory Schedule; equal to Zurn ZN1400		
CO-4	CO-204-R	\$881.00	1
	Watts - epoxy coated, cast iron body, 5" (127 mm) round adjustable gasketed nickel bronze top, removable, gas tight, gasketed, brass plug, 4"Ø (102 mm), no hub outlet.		
	Note: Dwg P4.1 Pipe Accessory Schedule; equal to Zurn ZN1400		
CO-3/4	CO-260		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	CO-260,3,4,6,8	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
	Note: Dwg P4.1 Pipe Accessory Schedule;		
RH-CO	CO-300-MF	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	Note: Dwg P4.1 Pipe Accessory Schedule; Equal to Zurn Z1474		
WCO	CO-380-RD		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$286.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$727.00	1
	Watts - 6"Ø (152 mm)		
	Note: Dwg P4.1 Pipe Accessory Schedule; Equal to Zurn Z1441		
SI	SI-742	\$1,234.00	1
	Watts - epoxy coated, cast aluminum body, gasketed cover, removable stainless steel sediment basket, 2" (51 mm) IPS threaded connections. 10" (254 mm) clearance required above cover to remove sediment bucket.		
	Note: Dwg P4.2 Solids Interceptor Schedule; Equal to Zurn Z1180		

FD-C	FD-100-A5-5		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter nickel bronze, adjustable round strainer, sediment bucket		
	FD-100-A5-5,2,3,4	\$588.50	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5-5,6	\$708.50	1
	Watts - 6"Ø (152 mm)		
	Note: Spec 22 1006 - 2		
	<i>Note: Quoting as per description, no model number given. Quoting as suggestion.</i>		
FD-D	FD-100-A5-F4-1		1
	Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter nickel bronze, adjustable round strainer, 4"Ø (102 mm) nickel bronze funnel		
	FD-100-A5-F4-1,2,3,4	\$909.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	FD-100-A5-F4-1,6	\$1,029.00	1
	Watts - 6"Ø (152 mm)		
	Note: Spec 22 1006 - 2		
	<i>Note: Quoting as per description, no model number given. Quoting as suggestion.</i>		
FD-E	FD-460-F-1-21		1
	Watts - cast iron body no-hub outlet, 12-3/4" x 12-3/4" (324 mm x 324 mm), nickel bronze, square grate, Secondary Strainer		
	FD-460-F-1-21,2,3,4,5,6,8	\$2,647.00	1
	Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm), 5" (127 mm), 6" (152 mm), 8" (203 mm) outlet size		
	Note: Spec 22 1006 - 2		
	<i>Note: Quoting as per description, no model number given. Quoting as suggestion.</i>		
TD	D-DI	\$522.50	1
	Watts - UV stabilized talc-filled polypropylene channels with integral 4" (102 mm) no-hub bottom outlet(s), pre-sloped trench, 6" (152 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		
	DX-DI	\$1,133.00	1
	Watts - UV stabilized talc-filled polypropylene channels with 6" (152 mm) no-hub bottom or end outlet(s), pre-sloped trench, 12" (305 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F		
	Note: Spec 22 1006 - 2		
	<i>Note: Quoting as per description, no model number given. Quoting as suggestion.</i>		
	<i>Please note trench drain price is per foot.</i>		
Shock Absorber	SS Series		1
	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		

	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 1006 - 4			
Trap Primer	LFTP300-DR Series		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	LFTP300T	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	LFTP300S	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	LFTP300-DU-DR	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
Note: Spec 22 1006 - 4; equal to PPP Oregon 1			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
RPBP	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - 2"Ø (51 mm) valve (0379116)	\$314.00	1
Note: Dwg P4.1 Plumbing Fixture Schedule - Reduced Pressure Backflow preventer; Equal to Wilkins 975XL			
RPBP-1	LF009M3-QT : 3/4 Watts - quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)	\$673.00	1
	909-AGA Watts - 909-AGA Air Gap (0881399)	\$92.50	1
	LF777SI : 3/4 Watts - 3/4"Ø (19 mm) valve (0379112)	\$91.50	1
Note: Dwg P4.1 Plumbing Fixture Schedule - Reduced Pressure Backflow preventer; Equal to Wilkins 375XL			
EXP	DETA 5 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1
Note: Dwg P4.1 Domestic Expansion Tank Schedule; Equal to Wilkins WTTA-5			
DCBP	757DCDA-OSY-CFM : 6 Watts - 304 schedule 40 stainless steel housing and sleeve with groove end connections, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, cubic feet per minute reading, 6"Ø (152 mm) pipe connection (0111547)	\$6,974.00	1
Note: Dwg FP1.1 Fire Protection Equipment Schedule - Backflow Preventer; Equal to Wilkins 350ADA			

Section Brand: Woodford

Label	Product No. Description	List Price	Qty.
WH	B67C Woodford - Model B67 Box Type Backflow Protected Freezeless Wall Hydrant		1
	B67C-4, 6, 8 Woodford - Model B67 Box Hydrant C Inlet 2, 4, 6, 8 Inches	\$446.35	1

	B67C-10, 12, 14, 16	\$460.50	1
	Woodford - Model B67 Box Hydrant C Inlet 10, 12, 14, 16 Inches		
	B67C-18, 20, 22, 24	\$474.65	1
	Woodford - Model B67 Box Hydrant C Inlet 18, 20, 22, 24 Inches		
Note: Dwg P4.1 Plumbing Fixture Schedule - Wall Hydrant; Equal to Zurn Z1300			
HB	24P1/2	\$52.35	1
	Woodford - Model 24 Wall Faucet P 1/2 Inlet		
Note: Dwg P4.1 Plumbing Fixture Schedule - Hose Blb; Equal to Zurn Z1341			

Section Brand: Intersan

Label	Product No. Description	List Price	Qty.
LD-1	SL02-B-SEN-1-TMV-HW Intersan - Lavatory	\$2,788.00	1
Note: Dwg P4.1 Plumbing Fixture Schedule - Lavatory Decks; Equal to Acorn 3792-1-SO-BAT			
WF	SANIF04-SEN-N-TMV Intersan - Wash Fountain	\$4,676.00	1
Note: Dwg P4.1 Plumbing Fixture Schedule - Wash Fountain; Equal to Acorn 3644-SO-BAT			

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
EEW/SH	ETV200-13 Powers - HydroGuard Emergency Tempering Valve, with Cold Water Bypass, 3/4"x 1", Rough Bronze, with Temperature Pressure Gauge on Outlet	\$1,925.00	1
Note: Dwg P4.1 Plumbing Fixture Schedule - Emergency Eyewash/Shower; Equal to Bradley S19-2100			
TMV	LFSH1432-1 Powers - Hi-Lo Master Tempering Valve, 57 gpm, Rough Brass, Standard Finish, Standard 90 - 160°F (32 - 71°C)	\$3,649.00	1
Note: Dwg P4.1 Thermostatic Mixing Valve Schedule; Equal to Lawler 801			

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.