



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

**Quotation:**  
**Q-4307-S**

<b>To:</b>	<b>Contractor Holder Kentucky</b> Cincinnati, Ohio	<b>Bid Date:</b>	2018-12-20
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-01-19
<b>Phone:</b>	800-542-1682	<b>Creator:</b>	Dave Evans, davee@disney-mclane.com
<b>Fax:</b>	877-476-1682	<b>Sales Rep.:</b>	Jake Kennard, jakek@disney-mclane.com
		<b>Shipping Address:</b>	Various Locations , Jenkins, Kentucky, United States

**Job Name: Jenkins Independent Various Improvements**

**Engineer:** N3D Group **Architect:** Alt23 Architecture Design

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
FD-1	<b>FD-100-A5-7</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection		1
	<b>FD-100-A5-7,2,3,4</b> Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$481.00	1
	<b>FD-100-A5-7,6</b> Watts - 6"Ø (152 mm)	\$601.50	1
<b>Note: Spec 22 11 20 - 1</b> <i>Note: No model number given, quoting as suggestion.</i>			
Nonfreeze Wall Hydrant	<b>HY-725-88</b> Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		1
	<b>HY-725-88,-6,-8</b> Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
	<b>HY-725-88,-10,-12,-14</b> Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
	<b>HY-725-88,-16,-18</b> Watts - 16" (406 mm), 18" (457 mm) thick	\$1,829.50	1
	<b>HY-725-88,-20,-22,-24</b> Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick	\$1,870.00	1
<b>Note: Spec 22 11 20 - 4</b> <i>Note: No model number given, quoting as suggestion.</i>			
Water Hammer Arrester	<b>SS Series</b> Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		1
	<b>SS-A</b> Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$549.50	1
	<b>SS-B</b> Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$1,119.00	1
	<b>SS-C</b> Watts - 33-60, fixture units, 1" (25 mm) connection	\$1,672.00	1

	<b>SS-D</b>	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>SS-E</b>	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>SS-F</b>	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
	<b>Note:</b> Spec 22 11 20 - 4/5 Note: No model number given, quoting as suggestion.		
Trap Primer	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	<b>Note:</b> Spec 22 11 20 - 5 Note: No model number given, quoting as suggestion.		
P-1	<b>ISCA-101-L/R</b>	\$1,587.50	1
	Watts - single, horizontal, cast iron fitting, left/right side outlet		
	<b>ISCA-101-D</b>	\$2,967.00	1
	Watts - double, horizontal, epoxy coated, cast iron fitting, 4" no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, cast iron, foot support		
	<b>ISCA-121</b>	\$1,801.00	1
	Watts - single, vertical, cast iron fitting		
	<b>ISCA-121-D</b>	\$3,181.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection, 2" no hub vent connection. Epoxy coated cast iron patent pending compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support, adjustable for standard and wheelchair height, plated hardware and chrome nuts		
	<b>ISCA-131-L/R</b>	\$2,105.50	1
	Watts - single, vertical, cast iron fitting, left/right side outlet		
	<b>ISCA-131-D</b>	\$3,479.50	1
	Watts - double, vertical, epoxy coated, cast iron fitting, 4"no hub waste connection and 4" no hub side inlet, 2" no hub vent connection. Epoxy coated cast iron patented compression seal faceplate assembly, adjustable ABS slide nipple with integral test cap, neoprene bowl gasket, epoxy coated, cast iron, foot support		
	<b>Note:</b> Spec 22 42 00 - 1 Note: Quoted carriers are rated for 500 lbs. If higher weight rating is required, please contact Disney McLane for revised selections and pricing.		
P-3	<b>CA-321</b>	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
	<b>Note:</b> Spec 22 42 00 - 2		
P-4	<b>CA-431-1</b>	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		

**Note:** Spec 22 42 00 - 2

P-9	<b>TCA-411 Series</b>		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411</b>	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note:</b> Spec 22 42 00 - 3			
Floor Cleanout	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Dwg P001 Floor Cleanout - Interior			
<b>Note:</b> No model number given, quoting as suggestion			

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Hose Blb	<b>SC8-4</b>	\$81.25	1
	Watts - adjustable packing nut, cast brass body, wall mount, Watts Model 8B tamper-proof vacuum breaker with break-away screw, lawn faucet, 3/4" female NPT regular pattern with cast iron hand wheel (0611450)		
<b>Note:</b> Spec 22 11 20 - 3			
<b>Note:</b> No model number given, quoting as suggestion.			

### Section Brand: Intersan

Label	Product No. Description	List Price	Qty.
P-2	<b>SL02-B-L07-TMV-HW</b>	\$2,844.00	1
	Intersan - Wash Basin		
<b>Note:</b> Spec 22 42 00 - 1/2; Equal to Bradley LVRD2			

### Section Brand: Powers

Label	Product No. Description	List Price	Qty.
P-5	<b>4507102</b>	\$1,232.00	1
	Powers - HYDROPANEL II WE710 SW		
<b>Note:</b> Spec 22 42 00 - 2			
P-6/P-8	<b>4507109</b>	\$2,128.00	1
	Powers - HYDROPANEL II WE710 PRO		
<b>Note:</b> Spec 22 42 00 - 2			

Shroud	<b>4504048</b>	\$200.00	1
Powers - Hydropanel II Modular Shrouding System,Overlay Shroud Kit, 28"			
	<b>4504051</b>	\$188.00	1
Powers - Hydropanel II Modular Shrouding System, Extension Shroud Kit, 24"			

**Special Terms:**

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.