



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4312-S

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2018-12-20
Attn.:	N/A	Expiry Date:	2019-01-19
Phone:	800-542-1682	Creator:	Dave Evans, davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kim Metzger, kimm@disney-mclane.com
		Shipping Address:	3875 Curtis Street Mogadore, Ohio, United States

Job Name: Mogadore Local School District - Mogadore, OH

Engineer: JM Verostko Inc **Architect:** FMD Architects

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
FD-1	FD-100-A5-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, round strainer, trap primer connection		1
	FD-100-A5-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$481.00	1
	FD-100-A5-7,6 Watts - 6"Ø (152 mm)	\$601.50	1
<i>Note: Spec 22 13 19-2; Equal to Smith 2005</i>			
FS	FS-710-F-1-150 Watts - cast iron body, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 7-11/16" (195 mm) square, nickel bronze top, flange w/ weepholes, 1/2 grate		1
	FS-710-F-1-150,2,3,4 Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm)	\$2,188.00	1
<i>Note: Spec 22 13 19-2; Equal to Smith 3100</i>			
CO Floor	CO-200-R Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		1
	CO-200-R,2 Watts - 2"Ø (51 mm)	\$625.50	1
	CO-200-R,3 Watts - 3"Ø (76 mm)	\$661.00	1
	CO-200-R,4 Watts - 4"Ø (102 mm)	\$881.00	1
<i>Note: Spec 22 13 19-2; Equal to Smith 4020</i>			
CO Floor	CO-260 Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		1
	CO-260,3,4,6,8 Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size	\$1,210.00	1
<i>Note: Spec 22 13 19-2;</i>			
CO Wall	CO-380-RD Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		1

	CO-380-RD,2	\$232.00	1
	Watts - 2"Ø (51 mm)		
	CO-380-RD,3	\$286.00	1
	Watts - 3"Ø (76 mm)		
	CO-380-RD,4	\$343.50	1
	Watts - 4"Ø (102 mm)		
	CO-380-RD,6	\$727.00	1
	Watts - 6"Ø (152 mm)		
Note: Spec 22 13 19-2; Equal to Smith 4402			
Water	SS Series		1
Hammer arrestor	Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		
	SS-A	\$549.50	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	SS-B	\$1,119.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	SS-C	\$1,672.00	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	SS-D	\$4,191.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	SS-E	\$4,731.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	SS-F	\$5,815.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
Note: Spec 22 13 19-2; Equal to Smith 5000 series			
WH-A	HY-725		1
	Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door		
	HY-725,-6,-8	\$1,547.00	1
	Watts - 6" (152 mm), 8" (203 mm) thick		
	HY-725,-10,-12,-14	\$1,690.00	1
	Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick		
	HY-725,-16,-18	\$1,830.00	1
	Watts - 16" (406 mm), 18" (457 mm) thick		
	HY-725,-20,-22,-24	\$1,870.00	1
	Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick		
Note: Spec 22 13 19-3; Equal to Smith 5509QT			
WH-B	HY-450	\$1,349.00	1
	Watts - warm climate, heavy duty chrome plated bronze head, seat casting and internal working parts, wall mount, concealed, polished chrome plated face plate, vandal resistant integral vacuum breaker, 6-7/16" x 5-7/16" (164 mm x 138 mm), chrome plated face, nickel bronze box and door, loose key, 3/4"Ø (19 mm) male hose connection, 1" male threaded x 3/4" internal SWT 90° connection with 360° swivel.		
Note: Spec 22 13 19-3; Equal to Zurn Z1350			

Grease	WD-25	\$7,276.00	1
Interceptor	Watts - steel, removable baffle assembly, skid-proof cover, secured with hex head center bolts, external cast iron flow control fitting, deep seal trap with cleanout, no-hub connections, flow rate of 25 GPM		
Note: Spec 22 13 23 - 1 Extension up to 12" = \$3967.00 Each additional inch = \$279.50			
UR-A/UR-B	CA-321	\$839.00	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, universal steel hanger support plate and bottom bearing plate with integral mounting bracket, plated hardware.		
Note: Spec 224000 - 4			
LAV-A/LAV-B	TCA-411 Series		1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411	\$989.50	1
	Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
	TCA-411-D	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
Note: Spec 224000 - 4			
EWC	CA-431-1	\$1,214.50	1
	Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
Note: Spec 224000 - 4			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Expansion Tank	DETA 30 Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 15 gallons (0212029)	\$2,644.00	1
Note: Dwg P-202 HWH-A Piping Detail; Equal to Amtrol ST-30VC			
Vacuum Relief Valve	LFN36M1 : 3/4 Watts - Lead Free brass body construction, Vacuum Relief Valve 3/4"(20mm) (0556031)	\$97.75	1
Note: Dwg P-202 HWH-A Piping Detail; Equal to Conbraco 37-202			
RPZ Concession	LF009M3-QT : 3/4 Watts - quarter turn ball-valves, 3/4"Ø (19 mm) pipe connection (0391003)	\$673.00	1
	909-AGA Watts - 909-AGA Air Gap (0881399)	\$92.50	1
	LF777SI : 3/4 Watts - 3/4"Ø (19 mm) valve (0379112)	\$91.50	1
Note: Dwg P-202 Building Water Service Detail Note: Watts 994 model does not come in sizes smaller than 2.5 inches. Quoting alternate model to suit size			
RPZ Irrigation	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1

	LF777SI : 2	\$314.00	1
	Watts - 2"Ø (51 mm) valve (0379116)		
	Note: Dwg P-202 Building Water Service Detail		
	Note: Watts 994 model does not come in sizes smaller than 2.5 inches. Quoting alternate model to suit size		
RPZ Building Service	994-OSY : 2 1/2	\$4,936.00	1
	Watts - thermoplastic construction with stainless steel hinge pins, cam arm and cam bearing, 300 series stainless steel body stainless steel differential relief valve with rolling diaphragm, bottom mounted, resilient seated shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0437801)		
	994-AGKP	\$296.50	1
	Watts - 994-AGKP Air Gap		
	77F-DI-FDA-125 : 2 1/2	\$643.50	1
	Watts - lead free cast iron body, graphite gasket, drain/blowoff connection furnished with closure plug, flange ends, ANSI B16.1 Class 125, 200 psi at 210°F WOG, non-shock, 2-1/2"Ø (64 mm) valve (0825210)		
	Note: Dwg P-202 Building Water Service Detail		
Fire BFP	757DCDA-OSY-CFM : 4	\$5,374.00	1
	Watts - Double Check Detector Assembly,UL/FM outside stem and yoke resilient seated gate valves 4"(100mm)		
	Note: Dwg P-202 Building Water Service Detail		
	Note: No model number given, quoting as suggestion.		

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
TMV	LFMM432AEMS40	\$3,470.00	1
	Powers - HydroGuard XP Master Tempering Valve, 64 gpm, Rough Bronze, Standard (90		
	Note: Dwg P-202 HWH-A Piping Detail; Equal to Symmons 5-400A		
LAV- A/LAV-B	LFE480-10	\$284.00	1
	Powers - Lavatory Tempering Valve, 0.50 gpm minimum flow, 3/8" Compression Rough Bronze Finish		
	Note: Spec 224000 - 4		
SHR-A	S450-4000-00H (6502247)	\$1,224.00	1
	Powers - Shower		
	Note: Spec 224000 - 4; Equal to Bradley WS-1WCA-EF-G-SHV		
	EXCEPTIONS: Not available with recessed soap dish		
SHR-B (ADA)	S450-4004-141150	\$1,602.00	1
	Powers - Shower		
	Note: Spec 224000 - 4; Equal to Bradley WS-1WCA-ADA-EF-RSS-GB2-G-SHV		
	EXCEPTIONS: Not available with recessed soap dish. Seat & grab bars provided by others		
Shroud	4504051	\$188.00	1
	Powers - Hydropanel II Modular Shrouding System, Extension Shroud Kit, 24"		
	4504048	\$200.00	1
	Powers - Hydropanel II Modular Shrouding System, Overlay Shroud Kit, 28"		

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MB	MSBID2424	\$324.00	1
	FIAT - MOP SERVICE BASIN WITH INTEGRAL DRAIN 24"		
	830AA	\$224.00	1
	FIAT - MOP SERVICE BASIN FAUCET		

832AA	\$40.00	1
FIAT - MSB HOSE AND BRACKET		
889CC	\$84.00	1
FIAT - MSB MOP HANGER BRACKET		
MSG2424	\$289.00	1
FIAT - 24" X 24" WALL GUARDS		
E77AA24	\$84.00	1
FIAT - 24" VINYL BUMPER GUARDS		

Note: Spec 224000 - 4

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.