



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

**Quotation:**  
**Q-4327-S**

**To:** Contractor Holder Ohio  
 Cincinnati, Ohio  
**Attn.:** N/A  
**Phone:** 800-542-1682  
**Fax:** 877-476-1682

**Bid Date:** 2018-12-27  
**Expiry Date:** 2019-01-26  
**Creator:** Dave Evans, davee@disney-mclane.com  
**Sales Rep.:** Jason Plageman, jasonp@disney-mclane.com  
**Shipping Address:** 108 North High Street  
 , Lancaster, Ohio, United States

**Job Name: Lancaster - Fairfield County Auditor Real Estate Office - Lancaster, OH**

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
FCO-1	<b>CO-200-RX</b> Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, nickel bronze top		1
	<b>CO-200-RX,2</b> Watts - 2"Ø (51 mm)	\$778.05	1
	<b>CO-200-RX,3</b> Watts - 3"Ø (76 mm)	\$815.50	1
	<b>CO-200-RX,4</b> Watts - 4"Ø (102 mm)	\$1,035.50	1
<b>Note:</b> Dwg P6.1 Plumbing Fixture Schedule; Equal to Mifab C1100-XR			
FD-1	<b>FD-1200-A5-7-F4-3</b> Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, stainless steel, heavy duty round strainer, trap primer tapping,4" Round SS Funnel		1
	<b>FD-1200-A5-7-F4-3,2,3,4</b> Watts - 2" (51mm),3" (76mm), 4" (102mm)	\$1,086.00	1
<b>Note:</b> Dwg P6.1 Plumbing Fixture Schedule; Equal to Mifab F1100-5-HG-3-5 <i>Note: Quoting by model number as description does not match. Also, this model does not have a hinged option.</i>			
FD-2	<b>FD-200-A5-7-F4-1</b> Watts - 7" (178 mm) diameter cast iron body no-hub outlet, 5" (127 mm) diameter, nickel bronze, adjustable round strainer, trap primer tapping,4" Round Nickel Bronze Funnel		1
	<b>FD-200-A5-7-F4-1,2,3,4</b> Watts - 2" (51 mm), 3" (76 mm), 4" (102 mm) outlet size	\$847.50	1
<b>Note:</b> Dwg P6.1 Plumbing Fixture Schedule; Equal to Mifab F1100-5-EF-3-5 <i>Note: Quoting by model number as description does not match</i>			
LAV-1	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1

	<b>TCA-411-D</b>	\$1,411.00	1
	Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		
<b>Note:</b> Dwg P6.1 Plumbing Fixture Schedule;			
WCO-1	<b>CO-590-RD</b>		1
	Watts - threaded brass cleanout plug with countersunk head, stainless steel access cover and vandal proof stainless steel screw		
	<b>CO-590-RD,1.5</b>	\$184.00	1
	Watts - 1-1/2"Ø (39 mm)		
	<b>CO-590-RD,2</b>	\$188.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-590-RD,3</b>	\$232.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-590-RD,4</b>	\$307.50	1
	Watts - 4"Ø (102 mm)		
	<b>CO-590-RD,5</b>	\$429.00	1
	Watts - 5"Ø (126 mm)		
	<b>CO-590-RD,6</b>	\$661.00	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> Dwg P6.1 Plumbing Fixture Schedule; Equal to Mifab C1430 w/ SS access cover			
TP-1	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
<b>Note:</b> Dwg P6.1 Plumbing Equipment Schedule; Equal to PPP P1-500			
WHA	<b>LF15M2-DR Series</b>		1
	Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		
	<b>LF15M2-A-DR</b>	\$175.00	1
	Watts - 1-11 fixture units, 1/2" (13 mm) connection		
	<b>LF15M2-B-DR</b>	\$336.00	1
	Watts - 12-32 fixture units, 3/4" (19 mm) connection		
	<b>LF15M2-C-DR</b>	\$529.50	1
	Watts - 33-60, fixture units, 1" (25 mm) connection		
	<b>LF15M2-D-DR</b>	\$1,118.00	1
	Watts - 61-113 fixture units, 1" (25 mm) connection		
	<b>LF15M2-E-DR</b>	\$1,390.50	1
	Watts - 114-154 fixture units, 1" (25 mm) connection		
	<b>LF15M2-F-DR</b>	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		

**Note:** Dwg P6.1 Plumbing Equipment Schedule;

Nonfreeze Wall Hydrant	<b>HY-725-3-88</b> Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, stainless steel box and door, wall clamp		1
------------------------------	---	--	---

	<b>HY-725-3-88,-6,-8</b> Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
--	--	------------	---

	<b>HY-725-3-88,-10,-12,-14</b> Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
--	--	------------	---

**Note:** Spec 221119 - 4/5;

Note: Quoting stainless steel in lieu of chrome plated.

Vent Cap	<b>RD-680-VC</b> Watts - cast iron, vandal proof cover		1
----------	---	--	---

	<b>RD-680-VC,2,3,4</b> Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$471.00	1
--	--	----------	---

	<b>RD-680-VC,6</b> Watts - 6"Ø (152 mm)	\$670.50	1
--	--	----------	---

	<b>RD-680-VC,8</b> Watts - 8"Ø (203 mm)	\$768.50	1
--	--	----------	---

**Note:** Spec 221319 - 4

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
RPZ-1	<b>LF009M2-QT : 2</b> Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	<b>909-AGF</b> Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	<b>LF777SI : 2</b> Watts - 2"Ø (51 mm) valve (0379116)	\$314.00	1

**Note:** Dwg P4.1 Detail #5 & Dwg P6.1 Backflow Preventer Valve Schedule; Equal to Wilkins 375

BFP-1	<b>SD-3-MF : 3/8</b> Watts - 3/8 IN Dual Check Valve, Atmospheric Vent, Wye Pattern Strainer, SAE Male Flare Outlet Connection	\$391.50	1
-------	---	----------	---

**Note:** Dwg P6.1 Backflow Preventer Valve Schedule; Equal to Wilkins 740

PRV-1	<b>LFU5B-Z3 : 1 1/2</b> Watts - Water Pressure Reducing Valve, NPT threaded female union inlet x NPT female outlet w/built in thermal expansion bypass 1 1/2"(38mm)	\$2,683.00	1
-------	--	------------	---

**Note:** Dwg P6.1 Backflow Preventer Valve Schedule; Equal to Wilkins 500XLC

DET-1	<b>DETA 5</b> Watts - carbon steel shell, FDA approved butyl, bladder, 40 psi pre-charge pressure, tank volume of 3.5 gallons (0212026)	\$1,832.00	1
-------	--	------------	---

**Note:** Dwg P6.1 Plumbing Equipment Schedule; Equal to B&G PTA-5

### Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MB-1	<b>MSB2424</b> FIAT - MOP SERVICE BASIN 24"	\$373.00	1
	<b>830AA</b> FIAT - MOP SERVICE BASIN FAUCET	\$224.00	1

<b>889CC</b>	\$84.00	1
FIAT - MSB MOP HANGER BRACKET		
<b>E88AA24</b>	\$45.00	1
FIAT - 24" SS BUMPER GUARD		
<b>MSG2424</b>	\$289.00	1
FIAT - 24" X 24" WALL GUARDS		
<b>832AA</b>	\$40.00	1
FIAT - MSB HOSE AND BRACKET		

**Note:** Dwg P6.1 Plumbing Fixture Schedule;

**Special Terms:**

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.