



Address: 7737 Reinhold Drive, **Phone:** (513) 861-1682
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

Quotation:
Q-4217-S-2

To:	Contractor Holder Ohio Cincinnati, Ohio	Bid Date:	2019-01-09
Attn.:	N/A	Expiry Date:	2019-02-08
Phone:	800-542-1682	Creator:	Dave Evans , davee@disney-mclane.com
Fax:	877-476-1682	Sales Rep.:	Kim Metzger , kimm@disney-mclane.com
		Shipping Address:	545 University Drive , New Philadelphia, Ohio, United States

Job Name: Buckeye Career Center - New Philadelphia, OH

Engineer: Diversified Engineering, Inc.

Comments:

Section Brand: Watts Drainage

Label	Product No. Description	List Price	Qty.
-------	----------------------------	------------	------

EWC-1	CA-431-1 Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
-------	---	------------	---

Note: Dwg P2.1 Equipment;

HB-1	HY-725-88 Watts - 3/4" (19 mm) diameter hose connection, 3/4" (19 mm) female x 1" (25 mm) male pipe connection, non-freeze hydrant, all bronze head, wall mount, concealed, bronze wall casing, chrome plated face, integral vacuum breaker, nickel bronze box and door, wall clamp		1
------	---	--	---

	HY-725-88,-6,-8 Watts - 6" (152 mm), 8" (203 mm) thick	\$1,547.00	1
--	--	------------	---

	HY-725-88,-10,-12,-14 Watts - 10" (254 mm), 12" (305 mm), 14" (356 mm) thick	\$1,690.00	1
--	--	------------	---

	HY-725-88,-16,-18 Watts - 16" (406 mm), 18" (457 mm) thick	\$1,829.50	1
--	--	------------	---

	HY-725-88,-20,-22,-24 Watts - 20" (508 mm), 22" (559 mm), 24" (610 mm) thick	\$1,870.00	1
--	--	------------	---

Note: Dwg P2.1 Equipment; Equal to Smith 5509QT

TD-1	DX-DI Watts - UV stabilized talc-filled polypropylene channels with 6" (152 mm) no-hub bottom or end outlet(s), pre-sloped trench, 12" (305 mm) wide, including frame connectors, grate lockdowns and construction covers, ductile iron frame, framed anchored grate, ductile iron, Class F	\$1,133.00	1
------	---	------------	---

*Note: Dwg P2.1 Equipment; Equal to Smith 9960-M
 Please note trench drain price is per foot.*

FD-1	FD-100-A6-7 Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, round strainer, trap primer connection		1
------	--	--	---

	FD-100-A6-7,2,3,4 Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size	\$589.00	1
--	--	----------	---

	FD-100-A6-7,6 Watts - 6"Ø (152 mm)	\$709.00	1
--	--	----------	---

Note: Dwg P2.1 Equipment; Equal to Smith 2010

CO-1	CO-200-R		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	CO-200-R,2	\$625.50	1
	Watts - 2"Ø (51 mm)		
	CO-200-R,3	\$661.00	1
	Watts - 3"Ø (76 mm)		
	CO-200-R,4	\$881.00	1
	Watts - 4"Ø (102 mm)		
Note: Dwg P2.1 Equipment; Equal to Smith 4020			

CO-1	CO-260		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	CO-260,3,4,6,8	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
Note: Dwg P2.1 Equipment;			

CO-2	CO-300-MF	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	CO-380		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	CO-380,2	\$96.25	1
	Watts - 2"Ø (51 mm)		
	CO-380,3	\$148.50	1
	Watts - 3"Ø (76 mm)		
	CO-380,4	\$205.50	1
	Watts - 4"Ø (102 mm)		
	CO-380,6	\$420.50	1
	Watts - 6"Ø (152 mm)		
Note: Dwg P2.1 Equipment; Equal to Smith 4250			

Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Domestic BFP	LF009M2-QT : 2 Watts - quarter turn ball-valves, 2"Ø (51 mm) pipe connection (0391007)	\$1,548.00	1
	909-AGF Watts - 909-AGF Air Gap (0881378)	\$208.00	1
	LF777SI : 2 Watts - lead free cast copper silicon alloy body, #20 mesh, 304 stainless steel screen, lead free copper silicon alloy retainer cap tapped for closure plug, NBR gasket, lead free brass plug, 2"Ø (51 mm) valve (0379116)	\$314.00	1

Note: Dwg P1.1 Coded Notes #11

ET-1	PLT-35	\$314.00	1
	Watts - Potable Water Expansion Tanks, drawn steel construction, rugged flexible butyl, diaphragm, 20 psi pre-charge pressure, 150 psi maximum pressure, 200°F maximum temperature, tank volume of 14 gallons (0067373)		

Note: Dwg P2.1 Equipment;

Note: Selection based on Acceptance volume listed

Section Brand: Delany

Label	Product No. Description	List Price	Qty.
WC-1/WC-2	PL1402-1.6 Delany - EXPOSED PULSAR VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) (1.6gpf)	\$552.10	1

Note: Dwg P2.1 Equipment; equal to Sloan 8111 1.6

Section Brand: Intersan

Label	Product No. Description	List Price	Qty.
LAV-1	SANIF04-SEN-L-TMV-SWFC Description: Sanifount hand washing system, 48" semi-circular bowl, 4-users, sensor operated, thermostatic mixing valve, stainless steel side finishing cover	\$4,983.00	1

Note: Dwg P2.1 Equipment; Equal to Bradley MF2949

Section Brand: Powers

Label	Product No. Description	List Price	Qty.
EEW-1	ES150-11 Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1

Note: Dwg P2.1 Equipment; Equal to Guardian G3600

Section Brand: Fiat

Label	Product No. Description	List Price	Qty.
MB-1	MSBID2424 FIAT - MOP SERVICE BASIN WITH INTEGRAL DRAIN 24"	\$324.00	1
	832AA FIAT - MSB HOSE AND BRACKET	\$40.00	1
	889CC FIAT - MSB MOP HANGER BRACKET	\$84.00	1

Note: Dwg P2.1 Equipment; Equal to Mustee 63M, 65.700, 65.600

Special Terms:

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

Terms

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.