



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United **Fax:** (513) 487-5337  
 States

**Quotation:**  
**Q-4374-S**

<b>To:</b>	<b>Contractor Holder Ohio</b> Cincinnati, Ohio	<b>Bid Date:</b>	2019-01-03
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-02-02
<b>Phone:</b>	800-542-1682	<b>Creator:</b>	Dave Evans , davee@disney-mclane.com
<b>Fax:</b>	877-476-1682	<b>Sales Rep.:</b>	Kim Metzger , kimm@disney-mclane.com
		<b>Shipping Address:</b>	2021 West 48th Street, Cleveland, Ohio, United States

**Job Name: Urban Community School - Early Childhood Center**

**Engineer:** Denk Associates, Inc    **Architect:** Kaczmar architects incorporated

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
P-2/P-2A	<b>TCA-411 Series</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.		1
	<b>TCA-411</b> Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$989.50	1
	<b>TCA-411-D</b> Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.	\$1,411.00	1
<i>Note: P001: Plumbing Fixture Schedule</i>			
P-6	<b>CA-431-1</b> Watts - floor mounted bi-level carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.	\$1,214.50	1
<i>Note: P001: Plumbing Fixture Schedule</i>			
P-8	<b>WD-35</b> Watts - steel, removable baffle assembly, skid-proof cover, secured with hex head center bolts, external cast iron flow control fitting, deep seal trap with cleanout, no-hub connections, flow rate of 35 GPM	\$8,991.00	1
<i>Note: P001: Plumbing Fixture Schedule; EQUAL TO: Schier GB-35</i>			
FD	<b>FD-103-A6</b> Watts - 8-1/8" (206 mm) diameter cast iron body no-hub outlet, 6" (152 mm) diameter, nickel bronze, adjustable round strainer, 3"Ø (76 mm)	\$588.50	1
<i>Note: P001: Plumbing Fixture Schedule; Spec 22 13 19 - 3</i>			
FS	<b>FS-733</b> Watts - white porcelain enamel coated interior, 14-7/16" (367 mm) square, cast iron, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" (229 mm) square, loose set, porcelain enamel coated cast iron grate, 3"Ø (76mm) outlet size	\$2,116.00	1
<i>Note: P001: Plumbing Fixture Schedule</i>			

FS	<b>FS-733-150</b>	\$2,116.00	1
	Watts - white porcelain enamel coated interior, 14-7/16" (367 mm) square, cast iron, 6-1/4" (159 mm) deep, no-hub outlet, aluminum dome bottom strainer, 9" (229 mm) square, loose set, porcelain enamel coated cast iron grate, 1/2 grate, 3"Ø (76mm) outlet size		
	<b>Note: P001: Plumbing Fixture Schedule; P002: Floor Sink</b>		
CO PLUG & RISER	<b>CO-300-MF</b>	\$1,391.00	1
	Watts - epoxy coated, 11" (279 mm) diameter, cast iron body, 8" (203 mm) round, extra heavy duty, ductile iron top		
	<b>CO-380</b>		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b>	\$96.25	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380,3</b>	\$148.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380,4</b>	\$205.50	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380,6</b>	\$420.50	1
	Watts - 6"Ø (152 mm)		
	<b>Note: P001: Plumbing Fixture Schedule</b>		
TP	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$270.00	1
	ATS - 1/2", Solder Inlet and Threaded Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
	<b>Note: P002: Trap Primer Detail</b>		
WCO	<b>CO-460-RD</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$364.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$417.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$611.50	1
	Watts - 4"Ø (102 mm)		
	<b>Note: P002: Wall Cleanout Detail</b>		
RD	<b>RD-300-D</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, polyethylene dome, under deck clamp		
	<b>RD-300-D,2,3,4</b>	\$948.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-D,5,6</b>	\$1,251.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-D,8,10</b>	\$1,554.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		

**Note: P002: Rainwater Conductor - Primary Drain; Quoting Model based on DWG.**

ORD	<b>RD-300-D-R</b>		1
	Watts - 16-5/8" (422 mm) diameter cast iron body, flashing clamp, no-hub outlet, 15-1/4" (387 mm) diameter, underdeck clamp, 2" External Water dam		
	<b>RD-300-D-R,2,3,4</b>	\$1,179.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-300-D-R,5,6</b>	\$1,481.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-300-D-R,8,10</b>	\$1,784.00	1
	Watts - 8"Ø (203 mm), 10"Ø (254 mm) outlet size		
	<b>Note:</b> P002: Rainwater Conductor - Primary Drain, Roof Drain Detail; Quoting Model based on DWG.		
DSN	<b>RD-940</b>		1
	Watts - cast nickel bronze, anchor flange and pre-drilled counter-sunk mounting holes		
	<b>RD-940,2,3,4</b>	\$1,083.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-940,5,6</b>	\$1,942.00	1
	Watts - 5"Ø (127 mm), 6"Ø (152 mm) outlet size		
	<b>RD-940,8</b>	\$2,654.50	1
	Watts - 8"Ø (203 mm)		
	<b>RD-940,10</b>	\$3,464.00	1
	Watts - 10"Ø (254 mm)		
	<b>RD-940,12</b>	\$4,289.00	1
	Watts - 12"Ø (305 mm)		
	<b>Note:</b> P002: Rainwater Conductor - Primary Drain; P101 - Keynotes; EQUAL TO: Zum Z199		
ECO	<b>CO-460</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug		
	<b>CO-460,2</b>	\$228.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460,3</b>	\$284.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460,4</b>	\$441.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note:</b> Spec 22 13 19 - 1		
FCO	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-R,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
	<b>Note:</b> Spec 22 13 19 - 2; CARPET CLAMPING FLANGE (-CF) = \$285.00 LIST ADDER CARPET MARKER (-RC) = \$78.00 LIST ADDER NB HEAVY DUTY (-RX) = \$155.00 LIST ADDER TILE RECESS (-T) = NO ADDITIONAL TERRAZZO RECESS (-U) = \$354.00 LIST ADDER		
WCO	<b>CO-460-RD</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		

	<b>CO-460-RD,2</b>	\$364.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$417.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$611.50	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 13 19 - 2;			
VENT CAP	<b>RD-680-VC</b>		1
	Watts - cast iron, vandal proof cover		
	<b>RD-680-VC,2,3,4</b>	\$471.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
	<b>RD-680-VC,6</b>	\$670.50	1
	Watts - 6"Ø (152 mm)		
	<b>RD-680-VC,8</b>	\$768.50	1
	Watts - 8"Ø (203 mm)		
<b>Note:</b> Spec 22 13 19 - 3;			

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
P-5	<b>2-M2DWB</b> Watts - brass body, 1/2" solder or compression connection, single lever, 3/4" hose connection outlets, 150 psi maximum pressure, 180° F maximum temperature, molded plastic enclosure with top and side knockouts, drain knock out to accommodate waste drain pipe (0006644 & 0006625)	\$199.50	1
<b>Note:</b> P001: Plumbing Fixture Schedule; EQUAL TO: Oatey 38530			
P-9	<b>757-OSY : 2 1/2</b> Watts - drip tight closure against reverse flow, 304 schedule 40 stainless steel housing and sleeve, reversible elastomeric discs, UL/FM outside stem & yoke gate valve, flange connections, 2-1/2"Ø (64 mm) pipe connection (0111510)	\$2,882.00	1
<b>Note:</b> P001: Plumbing Fixture Schedule; EQUAL TO: Zurn 350			
P-10	<b>SC8-2</b> Watts - Hydrant - cast brass, wall mount, Model 8B tamper-proof vacuum breaker with break-away screw, adjustable packing nut cartridge, no kink faucet, 3/4" (19 mm) male NPT of copper sweat connection with tee handle. (0611250)	\$81.50	1
<b>Note:</b> P001: Plumbing Fixture Schedule; EQUAL TO: Chicago Faucet 952-CP			
TP	<b>LF100XL -4</b> Watts - ASME Self-Closing T&P Relief Valve	\$35.00	1
	<b>LF100XL -8</b> Watts - ASME Self-Closing T&P Relief Valve	\$39.00	1
<b>Note:</b> P002: Water Heater Piping Detail - Single			
FIRE BFP	<b>957-OSY : 8</b> Watts - 304 stainless steel, schedule 40 pipe with groove end connection sleeve accessible housing, replaceable elastomer discs differential pressure relief valve between and below the check modules, drip tight shut-off valves, UL/FM outside stem & yoke gate valve, flange connections, 8"Ø (203 mm) pipe connection (0111588)	\$14,367.00	1
<b>Note:</b> FP102: Fire Protection Riser Elevation			

**Section Brand: Delany**

Label	Product No. Description	List Price	Qty.
P-1/P-1A	<b>S402-1.28</b> Delany - EXPOSED SABER VALVE for WATER CLOSET w/ SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, MASHAERATOR BYPASS & SWEAT ADAPTOR KIT (1.28 GPF)	\$183.00	1

**Note:** P001: Plumbing Fixture Schedule; EQUAL TO: Zurn Z6000AV-HET

P-2/P-2A	<b>SF1596-B w/ DP4</b> Delany - INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED 9V BATTERY	\$560.00	1
----------	--	----------	---

**Note:** P001: Plumbing Fixture Schedule; EQUAL TO: Moen CA8301

**Section Brand: Fiat**

Label	Product No. Description	List Price	Qty.
P-7	<b>MSBID2424</b> FIAT - MOP SERVICE BASIN WITH INTEGRAL DRAIN 24"	\$324.00	1
	<b>E77AA24</b> FIAT - 24" VINYL BUMPER GUARDS	\$84.00	1
	<b>832AA</b> FIAT - MSB HOSE AND BRACKET	\$40.00	1

**Note:** P001: Plumbing Fixture Schedule; EQUAL TO: Mustee 63M

**Section Brand: Powers**

Label	Product No. Description	List Price	Qty.
P-7	<b>P910H</b> Powers - 910-W/Metal Lever PC	\$292.00	1

**Note:** P001: Plumbing Fixture Schedule; EQUAL TO: Moen 8320

**Special Terms:**

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings.

**Terms**

Above prices are net.

All taxes are extra.

Partial or expedited shipments, at customer request, may result in additional freight charges.

Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.

Please ensure that all quoted product meets your projects specifications.

Our company will only be responsible for products shown on the attached quotation.