



**Address:** 7737 Reinhold Drive, **Phone:** (513) 861-1682  
 Cincinnati, Ohio, 45237 United States **Fax:** (513) 487-5337

**Quotation:**  
**Q-4420-S**

<b>To:</b>	<b>Contractor Holder Ohio</b> Cincinnati, Ohio	<b>Bid Date:</b>	2019-01-15
<b>Attn.:</b>	N/A	<b>Expiry Date:</b>	2019-02-14
<b>Phone:</b>	800-542-1682	<b>Creator:</b>	Dave Evans , davee@disney-mclane.com
<b>Fax:</b>	877-476-1682	<b>Sales Rep.:</b>	Brett Mullins , brettm@disney-mclane.com
		<b>Shipping Address:</b>	318 College Drive , Cincinnati, Ohio, United States

**Job Name: Rieveschl Hall Lab, Classroom, Office Renovation - Phase 1: Level 700 West & Level 400 Shop**

**Engineer:** Fosdick & Hilmer Inc. **Architect:** GBBN Architects Cincinnati

**Comments:**

**Section Brand: Watts Drainage**

Label	Product No. Description	List Price	Qty.
SA (bellows type)	<b>SS Series</b> Watts - pre-charged, all stainless steel shock arrestors with stainless steel bellows, and male IPS threaded connection. Designed to operate on all domestic and commercial lines up to 150 psi working pressure. Temperature range from -100°F to 300°F (-73°C to 149°C)		1
	<b>SS-A</b> Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$549.50	1
	<b>SS-B</b> Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$1,119.00	1
	<b>SS-C</b> Watts - 33-60, fixture units, 1" (25 mm) connection	\$1,672.00	1
	<b>SS-D</b> Watts - 61-113 fixture units, 1" (25 mm) connection	\$4,191.00	1
	<b>SS-E</b> Watts - 114-154 fixture units, 1" (25 mm) connection	\$4,731.50	1
	<b>SS-F</b> Watts - 155-330 fixture units, 1" (25 mm) connection	\$5,815.00	1
<i>Note: Spec 22 05 02 - 2 &amp; Spec 22 11 19 - 1; Equal to Zurn Z1700 Series</i>			
SA (piston type)	<b>LF15M2-DR Series</b> Watts - pre-charged copper water hammer arrestor with polypropylene piston, EPDM o-ring seal and brass NPT threaded connection. Designed to operate on all domestic and commercial lines up to 150psi (10.6 bar) working pressure. Temperature range from 33°F to 180°F (0.5°C to 82°C)		1
	<b>LF15M2-A-DR</b> Watts - 1-11 fixture units, 1/2" (13 mm) connection	\$175.00	1
	<b>LF15M2-B-DR</b> Watts - 12-32 fixture units, 3/4" (19 mm) connection	\$336.00	1
	<b>LF15M2-C-DR</b> Watts - 33-60, fixture units, 1" (25 mm) connection	\$529.50	1
	<b>LF15M2-D-DR</b> Watts - 61-113 fixture units, 1" (25 mm) connection	\$1,118.00	1
	<b>LF15M2-E-DR</b> Watts - 114-154 fixture units, 1" (25 mm) connection	\$1,390.50	1

	<b>LF15M2-F-DR</b>	\$1,656.00	1
	Watts - 155-330 fixture units, 1" (25 mm) connection		
<b>Note:</b> Spec 22 05 02 - 2			
Trap Primer/TP- 1	<b>LFTP300-DR Series</b>		1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap		
	<b>LFTP300T</b>	\$270.00	1
	Watts - 1/2", Threaded Inlet and Outlet Connect		
	<b>LFTP300S</b>	\$270.00	1
	Watts - 1/2", Solder Inlet and Threaded Outlet Connect		
	<b>LFTP300-DU-DR</b>	\$189.00	1
	Watts - lead free brass with EPDM seal, pressure drop activated, integral air gap, distribution unit		
<b>Note:</b> Spec 22 05 02 - 2 & Spec 22 11 19 - 3; Equal to Precision Plumbing Products PR-500			
Backwater Valve	<b>BV-200</b>		1
	Watts - cast iron body, no-hub outlet, bronze seat and flapper		
	<b>BV-203</b>	\$2,037.00	1
	Watts - 3" (76 mm) pipe size		
	<b>BV-204</b>	\$2,505.00	1
	Watts - 4" (102 mm) pipe size		
	<b>BV-206</b>	\$3,597.00	1
	Watts - 6" (152 mm) pipe size		
<b>Note:</b> Spec 22 13 16 - 6 & Spec 22 13 19 - 3 & Spec 22 14 13 - 3; Equal to Zurn Z1090			
Wall Cleanout	<b>CO-380-RD</b>		1
	Watts - cast iron body counter sunk, brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-380-RD,2</b>	\$232.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380-RD,3</b>	\$286.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380-RD,4</b>	\$343.50	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380-RD,6</b>	\$727.00	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> Spec 22 13 19 - 2; Equal to Zurn Z1441			
Floor Cleanout (cast iron)	<b>CO-200-RX-4</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, heavy duty, ductile iron top		
	<b>CO-200-RX-4,2</b>	\$420.50	1
	Watts - 2"Ø (51 mm)		
	<b>CO-200-RX-4,3</b>	\$487.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-RX-4,4</b>	\$596.50	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 13 19 - 2; Equal to Zurn Z1402			
Finished Floor Cleanout	<b>CO-200-R</b>		1
	Watts - 7" (178 mm) diameter, cast iron body no-hub outlet, brass plug, 5" (127 mm) round, nickel bronze top		
	<b>CO-200-R,2</b>	\$625.50	1
	Watts - 2"Ø (51 mm)		

	<b>CO-200-R,3</b>	\$661.00	1
	Watts - 3"Ø (76 mm)		
	<b>CO-200-R,4</b>	\$881.00	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 13 19 - 2; Equal to Zurn ZN1400			
Floor Cleanout	<b>CO-260</b>		1
	Watts - 10-3/16" (259 mm) diameter, cast iron body no-hub outlet, brass plug, 8" (203 mm) round, heavy duty ductile iron top		
	<b>CO-260,3,4,6,8</b>	\$1,210.00	1
	Watts - 3"Ø (76 mm), 4"Ø (102 mm), 6"Ø (152 mm), 8"Ø (203 mm) outlet size		
<b>Note:</b> Spec 22 13 19 - 2			
Finish Walls/ Plaster Cleanout	<b>CO-460-RD</b>		1
	Watts - cast iron stack, no-hub outlet, counter sunk brass plug, round, stainless steel access cover and stainless steel vandal proof screw		
	<b>CO-460-RD,2</b>	\$364.00	1
	Watts - 2"Ø (51 mm)		
	<b>CO-460-RD,3</b>	\$417.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-460-RD,4</b>	\$611.50	1
	Watts - 4"Ø (102 mm)		
<b>Note:</b> Spec 22 13 19 - 2; Equal to Zurn ZN1446			
Exposed Cleanout	<b>CO-380</b>		1
	Watts - 6" (152 mm) diameter, cast iron body no-hub outlet, removable counter sunk brass plug		
	<b>CO-380,2</b>	\$96.25	1
	Watts - 2"Ø (51 mm)		
	<b>CO-380,3</b>	\$148.50	1
	Watts - 3"Ø (76 mm)		
	<b>CO-380,4</b>	\$205.50	1
	Watts - 4"Ø (102 mm)		
	<b>CO-380,6</b>	\$420.50	1
	Watts - 6"Ø (152 mm)		
<b>Note:</b> Spec 22 13 19 - 2; Equal to Zurn ZN1440			
AD-1	<b>RD-200-D-K</b>		1
	Watts - 8-1/8" (206 mm) diameter cast iron body, flashing clamp, no-hub outlet, 8-1/8" (206 mm) diameter, ductile iron dome, underdeck clamp		
	<b>RD-200-D-K,2,3,4</b>	\$724.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
<b>Note:</b> Spec 22 14 13 - 3; Equal to Zurn Z125			
AD-2	<b>RD-270</b>		1
	Watts - cast iron body, flashing clamp, 90° degree no-hub outlet, secured angle grate		
	<b>RD-270,2,3,4</b>	\$619.00	1
	Watts - 2"Ø (51 mm), 3"Ø (76 mm), 4"Ø (102 mm) outlet size		
<b>Note:</b> Spec 22 14 13 - 3; Equal to Zurn Z187			
EWC-1	<b>CA-421</b>	\$752.00	1
	Watts - floor mounted plate type carrier, heavy gauge steel uprights with integral welded feet, universal steel hanger support plate, plated hardware.		
<b>Note:</b> Spec 22 42 00 - 5			

SK-5	<b>TCA-411 Series</b>		1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			
	<b>TCA-411</b>	\$989.50	1
Watts - floor mounted carrier, heavy gauge steel offset uprights with welded feet, steel cross plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			
	<b>TCA-411-D</b>	\$1,411.00	1
Watts - back-to-back floor mounted carrier, heavy gauge steel offset uprights with welded feet, double cross steel plate with integral mounting bracket, sliding adjustable arm brackets and adjustable cast iron concealed arms with mounting clips, leveling screws and basin locking device.			

**Note:** Spec 22 42 00 - 5

### Section Brand: Watts Regulators

Label	Product No. Description	List Price	Qty.
Dual Check BFP	<b>9D M3 : 1/2</b> Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 1/2"Ø (13 mm) pipe connection (0061935)	\$134.00	1
	<b>9D M2 : 3/4</b> Watts - forged brass body construction with stainless working parts throughout, atmospheric vent, 3/4"Ø (19 mm) pipe connection (0061888)	\$137.50	1

**Note:** Spec 22 67 18 - 2

### Section Brand: Powers

Label	Product No. Description	List Price	Qty.
SK- 1A/TMV-2 (mixing valve)	<b>ETV200-13</b> Powers - HydroGuard Emergency Tempering Valve, with Cold Water Bypass, 3/4"x 1", Rough Bronze, with Temperature Pressure Gauge on Outlet	\$1,925.00	1
<b>Note:</b> P601.1 - Plumbing Fixture Schedule & Spec 22 05 02 - 4 & Spec 22 05 02- 5; Equal to Zurn Z1350; Equal to Lawler 911E-8429			
TMV-1	<b>ETV400AE000</b> Powers - HydroGuard XP Emergency Tempering Valve with Cold Water Bypass, Rough Bronze, Bottom/Top	\$2,781.00	1
<b>Note:</b> Spec 22 05 02 - 4; Equal to Lawler 911-8334			
EW/SH-1 (mixing valve)	<b>ETV400-15</b> Powers - ETV400-15 EMERGENCY TMPR	\$2,779.00	1
<b>Note:</b> Spec 22 45 00 - 5; Equal to Guardian G3800			
EW-1 (mixing valve)	<b>ES150-11</b> Powers - ES150 EMERGENCY TEMPER	\$1,126.00	1
<b>Note:</b> Spec 22 45 00 - 5 <i>Note: Quoting as suggestion.</i>			
Emergency Tepid Mixing Valve	<b>ETV400AEQ50W</b> Powers - HydroGuard Emergency Tempering Valve, with Cold Water Bypass, Rough Bronze, Bottom/Top, Stainless Steel Wall Mounted, T/P Gauge on Inlets. Window view port	\$5,887.00	1
<b>Note:</b> Spec 22 67 18 - 3; Equal to Lawler 911-84701 <i>Note: Quoting stainless steel cabinet as suggestion.</i>			

**Section Brand: Woodford**

Label	Product No. Description	List Price	Qty.
Interior Hose Bibb	<b>24P3/4</b> Woodford - Model 24 Wall Faucet P 3/4 Inlet	\$58.85	1
<i>Note: Spec 22 05 02 - 2</i> <i>THIS PRODUCT IS BEING OFFERED AS A VOLUNTARY SUBSTITUTION AND MUST BE LISTED AS SUCH AT THE TIME OF THE BID</i>			
WH1	<b>B75</b> Woodford - Model 75 Box Hydrant Swivel Inlet w/bracket	\$451.65	1
<i>Note: Spec 22 05 02 - 3; Equal to Zurn Z1350</i>			
WH3	<b>B74P</b> Woodford - Model B74 Box Hydrant P Inlet w/bracket	\$463.00	1
<i>Note: Spec 22 05 02 - 3; Equal to Zurn Z1330</i>			
WH1/HB-1	<b>67C</b> Woodford - Backflow Protected, Automatic Draining Freezeeless Yard Hydrant		1
	<b>67C-2, 4, 6, 8</b> Woodford - Model 67 Wall Hydrant C Inlet 2, 4, 6, 8 Inches	\$221.35	1
	<b>67C-10, 12, 14, 16</b> Woodford - Model 67 Wall Hydrant C Inlet 10, 12, 14, 16 Inches	\$235.50	1
<i>Note: Spec 22 05 02 - 3 &amp; Spec 22 42 00 - 6; Equal to Zurn Z1321</i>			

**Section Brand: Fiat**

Label	Product No. Description	List Price	Qty.
MS-1	<b>TSB3003</b> FIAT - 36" X 24" 6"DROP SS CAPS	\$1,123.00	1
<i>Note: Spec 22 42 00 - 5; Equal to Williams HL-21000</i>			

**Section Brand: Orion**

Label	Product No. Description	List Price	Qty.
Traps (mechanical joint)	<b>710018</b> Orion - 1 1/2" UTP Adjustable P-Trap - Blueline	\$148.50	1
<i>Note: Spec 22 45 00 - 1</i>			
Traps (Fused joint)	<b>710021</b> Orion - 1 1/2" RBP Non-Adjustable P-Trap - Blueline	\$106.00	1
<i>Note: Spec 22 45 00 - 2</i>			

**Special Terms:**

Due to the current unpredictable market climate, pricing on this quote is firm for 30 days after its creation. NOTE: This quotation is based on the interpretation of the specifications, plans/drawings, and addendums provided. Disney McLane & Associates will not be held responsible for variations with regards to pricing, quantities, changes, and/or approvals in products as a result of modifications or inaccuracies to specifications and/or plans/drawings

**Terms**

Above prices are net.  
 All taxes are extra.  
 Partial or expedited shipments, at customer request, may result in additional freight charges.  
 Any material over & above that what is listed is in addition to and therefore not provided for by this quotation.  
 Please ensure that all quoted product meets your projects specifications.  
 Our company will only be responsible for products shown on the attached quotation.